

'Plains' at Stevens Facility Release

Daily Situation Report, October 01, 2014 (Day 15)

Safety:

There were no injuries or incidents. All operations were conducted safely.

Operations:

UC: The RP and SOSC will meet onsite at 10:00am CDT on 10/3/2014, end of the Operational period of the IAP, to determine the future response status.

All Divisions – No precipitation was observed in the 24 hour period between 07:00 hours 9/30/2014 to 07:00 hours 10/01/2014.

Division A: O&M activity. Fresh well water was observed to be overflowing its tank near the point-of-origin and starting to flood the NW corner of Division A. No free product observed. Will continue to monitor the division daily.

Division B: O&M activity. No free product observed. Will continue to monitor the division daily.

Division C: O&M activity. No free product observed. Will continue to monitor the division daily.

Air Monitoring: N/A There is no longer any product present to cause exposure to workers.

Environmental: If water is present, then water effluent samples being collected downstream of Division C. All activity is devoted to weather surveillance and storm water control, if needed. Sampling will continue through 10/3/2014 provide there is water available to sample. Next rain is forecast for 10/2 (50%) and 10/3/2014 (80%).

On-site Personnel:

Plains: 1

CTEH: 0

Complete Environmental: 0

Clarkco: 0

C-K Associates: 0

USCGA (FOSC-R): 0

MDEQ: 0

'Plains' at Stevens Facility Release

Daily Situation Report, October 01, 2014 (Day 15)

Bonner Analytical: 1

On-site Equipment:

100' Containment Boom (1000' available <0.5 hours away)

(0) 130 Bbl. Vac Truck

(0) 70 Bbl. Vac Truck

(0) Skim Pack

(0) ATV

(0) Backhoe

(0) Mini Excavator

(0) Frac Tanks

(2) Roll-Off Boxes

(0) Roll-Off Box Truck

(0) Response Trailer

(0) Equipment Trailer

(0) Boom Trailer

(0) UtilityTrailers

(0) UltraRae

(0) ProRae

(0) MultiRae

(0) Gastec

(8) Bags Oil Gator™

(0) Farm tractor with Tiller

Recovery Numbers:

Liquids: 0 – No Activity.

Solids: 0 - No Activity