

FINAL REMOVAL ASSESSMENT REPORT

**Argonaut Mine Headframe Area Removal Assessment
Jackson, Amador County, California**



**Prepared for:
U.S. Environmental Protection Agency
Region 9**

**EPA Contract Number: 68HE0919D0002
Document Control Number: 0023-08-AAFX
Task Order: 68HE0919F0081-02**

February 2021

Prepared by:





**Weston Solutions, Inc.
2300 Clayton Road, Suite 900
Concord, CA 94520**

FINAL REMOVAL ASSESSMENT REPORT

Argonaut Mine Headframe Area Removal Assessment
Jackson, Amador County, California

EPA Contract Number: 68HE0919D0002
Document Control Number: 0023-08-AAFX
Task Order: 68HE0919F0081-02

Prepared by:  Date: 2/5/2021
Greg Roussos, Project Manager
Weston Solutions, Inc.

Reviewed by:  Date: 2/5/2021
Anne Busher, Quality Assurance Coordinator
Weston Solutions, Inc.

Approved by: _____ Date: _____
Michelle Rogow, Federal On-Scene Coordinator
U.S. Environmental Protection Agency, Region 9

TABLE OF CONTENTS

| | |
|--|------------|
| 1. INTRODUCTION..... | 1-1 |
| 2. SITE BACKGROUND..... | 2-1 |
| 2.1 SITE DESCRIPTION | 2-1 |
| 2.2 SITE HISTORY..... | 2-2 |
| 2.3 GEOLOGICAL INFORMATION..... | 2-2 |
| 2.4 CLIMATE INFORMATION..... | 2-3 |
| 2.5 PREVIOUS INVESTIGATIONS | 2-3 |
| 3. REMOVAL ASSESSMENT ACTIVITIES..... | 3-1 |
| 3.1 SITE RECONNAISSANCE AND OBSERVATIONS | 3-1 |
| 3.2 SOIL SAMPLING INVESTIGATION | 3-1 |
| 3.3 TEMPORARY FENCE INSTALLATION | 3-2 |
| 3.4 HAZARD CATAGORIZATION | 3-2 |
| 4. ANALYTICAL RESULTS..... | 4-1 |
| 4.1 AOC 1 RESULTS SUMMARY | 4-1 |
| 4.2 AOC 2 RESULTS SUMMARY | 4-2 |
| 4.3 AOC 3 RESULTS SUMMARY | 4-3 |
| 4.4 AOC 4 RESULTS SUMMARY | 4-4 |
| 4.5 AOC 5 RESULTS SUMMARY | 4-4 |
| 4.6 AOC 6 RESULTS SUMMARY | 4-5 |
| 5. WASTE CHARACTERIZATION DISCUSSION..... | 5-1 |
| 5.1 SOIL..... | 5-1 |
| 5.2 BUILDING MATERIALS | 5-1 |

TABLE OF CONTENTS (CONTINUED)

| | | |
|-----------|---|------------|
| 5.3 | HAZARD CATAGORIZATION | 5-1 |
| 6. | ESTIMATED SITE WASTE VOLUMES | 6-1 |
| 7. | SUMMARY | 7-1 |
| 8. | REFERENCES | 8-1 |

LIST OF FIGURES

| | |
|------------|---|
| Figure 1 | Site Location Map |
| Figure 2 | Site Layout |
| Figure 3 | Soil Sample Location Map |
| Figure 4A | AOC 1 – Sample Results – Lead |
| Figure 4B | AOC 1 – Sample Results – Arsenic |
| Figure 4C | AOC 1 – Sample Results – Mercury |
| Figure 5A | AOC 2 – Sample Results – Lead |
| Figure 5B | AOC 2 – Sample Results – Arsenic |
| Figure 5C | AOC 2 – Sample Results – Mercury |
| Figure 6A | AOC 3 – Sample Results – Lead |
| Figure 6B | AOC 3 – Sample Results – Arsenic |
| Figure 6C | AOC 3 – Sample Results – Mercury |
| Figure 7A | AOC 4 – Sample Results – Lead |
| Figure 7B | AOC 4 – Sample Results – Arsenic |
| Figure 7C | AOC 4 – Sample Results – Mercury |
| Figure 8A | AOC 5 – Sample Results – Lead |
| Figure 8B | AOC 5 – Sample Results – Arsenic |
| Figure 8C | AOC 5 – Sample Results – Mercury |
| Figure 9 | AOC 6 – Sample Results |
| Figure 10A | Removal Area – Surface Sample Results |
| Figure 10B | Removal Area – Subsurface Sample Results |
| Figure 11 | Headframe Removal Area Fencing |
| Figure 12 | Headframe Removal Areas - Lead > 80, 200, 400 mg/kg |

LIST OF TABLES

| | |
|---------|--|
| Table 1 | Analytical Results for Surface Soil |
| Table 2 | Analytical Results for Subsurface Soil |
| Table 3 | TCLP Analytical Results for Surface Soil |
| Table 4 | Analytical Results for Bulk Material |

LIST OF APPENDICES

| | |
|------------|---------------------|
| Appendix A | Photographic Log |
| Appendix B | Laboratory Reports |
| Appendix C | Container Inventory |

LIST OF ABBREVIATIONS AND ACRONYMS

| | |
|-----------|---|
| % | percent |
| °C | degrees Celsius |
| °F | degrees Fahrenheit |
| ACM | asbestos-containing material |
| AOC | Area of Concern |
| APN | Assessor's parcel number |
| ASC | Anthropological Studies Center |
| bgs | below ground surface |
| CFR | Code of Federal Regulations |
| cy | cubic yards |
| DCN | Document Control Number |
| DTSC | California Department of Toxic Substances Control |
| E&E | Ecology and Environment |
| EPA | U.S. Environmental Protection Agency |
| FOSC | Federal On-Scene Coordinator |
| Geosyntec | Geosyntec Consultants |
| GPS | Global Positioning System |
| mg/kg | milligrams per kilogram |
| mg/L | milligrams per liter |
| PM | Project Manager |
| RCRA | Resource Conservation and Recovery Act |
| RML | Removal Management Level |
| RPM | Remedial Project Manager |
| RSL | Regional Screening Level |
| SAP | Sampling and Analysis Plan |
| START | Superfund Technical Assessment and Response Team |
| TAL | Target Analyte List |
| TCLP | Toxicity Characteristic Leaching Procedure |
| URS | URS Corporation |
| WESTON® | Weston Solutions, Inc. |
| WRCC | Western Regional Climate Center |
| XRF | X-ray fluorescence |

1. INTRODUCTION

The U.S. Environmental Protection Agency (EPA) Region 9 Federal On-Scene Coordinator (FOSC) Michelle Rogow tasked Weston Solutions, Inc. (WESTON®) Superfund Technical Assessment and Response Team (START) to support removal assessment sampling at the Argonaut Mine Headframe Area in Jackson, Amador County, California, hereafter referred to as the Site (Figure 1). This removal assessment was conducted under the WESTON EPA Region 9 START contract number 68HE0919D0002 and under Task Order Number 68HE0919F0081-02.

The removal assessment was conducted from February 11 to February 14, June 4, and July 20 to 21, 2020. under the direction of FOSCs Michelle Rogow and Patricia Bowlin. The assessment included documenting current Site conditions, collecting surface and subsurface soil samples, and hazard categorizing samples from containers found onsite.

The following table lists the contact information of key personnel present during the investigation.

| Title/Responsibility | Name | Email Address |
|-----------------------------|------------------|--------------------------------------|
| EPA FOSC | Michelle Rogow | rogow.michelle@epa.gov |
| EPA FOSC | Patricia Bowlin | bowlin.patricia@epa.gov |
| WESTON Project Manager (PM) | Greg Roussos | greg.roussos@westonsolutions.com |
| WESTON Sampling Team | Ireland Sherrill | ireland.sherrill@westonsolutions.com |
| WESTON Sampling Team | Kazami Brockman | kazami.brockman@westonsolutions.com |

2. SITE BACKGROUND

This section provides the Site description and history.

2.1 SITE DESCRIPTION

The Argonaut Mine Site is one of many gold mines belonging to the Mother Lode Gold Mining District along the foothills of the Sierra Nevada Mountains. The Argonaut Mine, together with the Kennedy Mine, constitutes California Historical Landmark #786. The Argonaut Mining Company historically owned approximately 330 acres of land northwest of downtown Jackson, Amador County, California. The property was sold after the mine closed, and approximately 90 acres of the former property have been developed as residential neighborhoods (Argonaut, 1907; Anthropological Studies Center [ASC], 2014).

The Headframe Area of the Argonaut Mine Site occupies approximately 80 acres in a residential area and has shafts and buildings on the east and west sides of Highway 49. The Headframe Area is bordered to the north by a residential home, two businesses, and the Kennedy Mine property; to the west by residential homes; to the south by residential homes and a hotel; and to the east by residential homes and an apartment building. The geographic coordinates for the centroid of the Headframe Area are 38° 21' 45.5" north latitude and 120° 47' 4.0" east longitude. The elevation of the Headframe Area ranges from approximately 1,260 to 1,650 feet above mean sea level. The Headframe Area layout is shown in Figure 2.

The western portion of the Headframe Area (above and west of Highway 49), is located on Amador County Assessor's parcel number (APN) 44-360-018 on an eastward steeply sloped hillside with a terraced area constructed of waste rock from the mine. The terraced area is developed with large galvanized metal buildings and a steel hoist tower over the main mine shaft. A 1930 Sanborn Map shows the buildings were used as a hoist house, ore bin, compressor house, machine shop, steel shop, and storage. A concrete foundation on the southern portion of the parcel appears to be the remains of an assay building that has a small furnace and a crucible dump on the slope between the building and Highway 49. The mine buildings are secured with a chain link fence and gated entrance from Spunn Road. A former 60-stamp mill was located uphill of the mine shaft and has been subdivided by the Argonaut Heights II residential development into more than 50 residential parcels (ASC, 2014).

The eastern portion of the Headframe Area (below and east of Highway 49) is located on APNs 044-010-029 and 44-010-031 on a gently sloped valley drained by an unnamed intermittent stream draining to the North Fork Jackson Creek. Highway 49 is located above a steep embankment from the mine buildings. The property is developed with two galvanized metal buildings and the foundation of a former 40-stamp mill (removed in 1916). A 1930 Sanborn Map shows the buildings were used as a hoist engine house and transformer house. A large waste rock pile is located on the east side of the highway and north of the buildings. The Moore Ditch (a former water conveyance canal) runs north-south and is located east of the waste rock pile and former 40-stamp mill. Land east of the buildings is undeveloped and vegetated with grass, trees, and dense blackberry bushes along the intermittent stream. An unvegetated gray sand (processed tailings) area is located east of the intermittent stream. The parcels are fenced with barbed wire along Highway 49, with a gated entrance on an access road from the highway (ASC, 2014).

2.2 SITE HISTORY

The Argonaut Mine operated as a gold mine from the 1850s until 1942. The raw ore was processed using stamp mills located at the Argonaut Mine Headframe Area. After 1917, the mill tailings were transported by gravity through a flume to the Argonaut Mine Tailings Area located approximately 0.5 mile south of the mill. The tailings were further treated using cyanide to extract gold, and the processed material was placed in impoundments (ASC, 2014).

Previous investigations at the Argonaut Mine Tailings Area have indicated that arsenic, lead, and mercury are present in on-site soil and tailings at concentrations exceeding EPA Regional Screening Levels (RSLs) for residential and industrial soil (EPA 2020). More than 100 residential properties have been developed on tailings or within 200 feet of tailings. Surface water from the Argonaut Mine Site drains to Jackson Creek, and wetlands are located in the tailing impoundments.

The Site history and EPA assessment results from 1993 to 2013 are documented in the Argonaut Mine Tailings Pile Removal Assessment Report prepared by Ecology & Environment, Inc. (E&E) START in December 2013. In July 2013, E&E START conducted an assessment of the Site, in general accordance with their EPA-approved Sampling and Analysis Plan (SAP) dated July 2013. A total of 95 soil and sediment samples (including field duplicate and preparation duplicate samples) were collected and analyzed for metals using X-ray fluorescence (XRF) techniques and laboratory analyses by EPA Method 6010B. The assessment documented elevated concentrations of arsenic, lead, and mercury in semi-processed ore, tailings, and drainages at the Argonaut Mine Tailings Area.

WESTON was tasked by EPA to perform a Site Inspection to more completely evaluate the Argonaut Mine Site using the EPA Hazard Ranking System. From July 28, 2014 through August 1, 2014, WESTON collected soil, sediment, and surface water samples at the Argonaut Mine Site. A total of 90 soil samples (including 9 duplicate soil samples) were collected from the surface (0 to 6 inches below ground surface [bgs]) and shallow subsurface (up to 2 feet bgs) at 47 sampling locations at the Argonaut Mine Site. Soil samples were collected from 9 locations at the Headframe Area on the west side of Highway 49; 9 locations at the Headframe Area on the east side of Highway 49; 5 soil locations at the Tailings Area; 19 locations at residential properties; and 3 locations at Jackson Junior High School. Background soil samples were collected from two locations west and north of the Tailings Area. Arsenic concentrations in the samples ranged from 13.4 to 743 milligrams per kilogram (mg/kg), lead concentrations in the samples ranged from 3.6 to 47,200 mg/kg, and mercury concentrations in the samples ranged from <0.1 mg/kg (non-detect) to 348 mg/kg.

2.3 GEOLOGICAL INFORMATION

Gold deposits are in a north and northwest trending mile-wide belt of gray to black slate of the Mariposa Formation (Upper Jurassic age), with some interbedded coarse and locally sheared conglomerate and minor sandy layers. Massive greenstone of the Logtown Ridge Formation (Upper Jurassic) lies west of the belt of Mariposa Formation slate. Metasedimentary rocks, chiefly graphitic schist, metachert, and amphibolites of the Calveras Formation (Carboniferous to Permian), are to the east. Several deposits of Tertiary auriferous (gold-bearing) channel gravels

are exposed south of Jackson. Alluvial soils, such as Pardee cobbly loam, are found throughout the ground surface in the Jackson area. The ore deposits contain disseminated fine free gold, arsenopyrite (arsenic sulfide), and minor amounts of other sulfide minerals (URS Corporation [URS], 2009; E&E, 2013).

2.4 CLIMATE INFORMATION

Jackson is located in the foothills of the Sierra Nevada mountain range in Northern California. The climate is characterized as mild with a warm summer season. Total annual precipitation averages 28.5 inches per year with the highest rainfall totals between the months of November and April. The mean maximum temperature is 71.9 degrees Fahrenheit (°F) with a high of 92.9 °F in July. The mean minimum temperature is 49.1 °F with a low of 38.0 °F in January (Western Regional Climate Center [WRCC], 2020).

2.5 PREVIOUS INVESTIGATIONS

Environmental sampling has been conducted at the Argonaut Mine Site by regulatory agencies since 1987. The majority of the previous investigations at the Argonaut Mine were focused on the Tailings Area. Conversely, the Headframe Area has had minimal environmental sampling conducted by property developers at the location of the former 60-stamp mill and the property south of the former 40-stamp mill. The following provides a description of the sampling events conducted at the Headframe Area and brief summaries of the results:

- In 2004, a Phase I/II Environmental Site Assessment was conducted for a planned Home Depot development at the eastern portion of the Headframe Area. In 2005 and 2006, additional Phase II investigations were conducted for the development project. Arsenic concentrations were documented at concentrations up to 79.9 mg/kg in surface soil samples and up to 150 mg/kg in subsurface samples. Sediment and surface water samples were collected from the Site; however, the data were not available. The reports indicate that a sediment sample collected from Jackson Creek had an arsenic concentration of 14 mg/kg, and surface water samples did not contain detectable concentrations of dissolved arsenic (Geosyntec Consultants [Geosyntec], 2006).
- In 2006, the California Department of Toxic Substance Control (DTSC) collected soil samples for analysis using XRF techniques. The XRF data indicated that arsenic contamination remained at the Site in concentrations up to 7,227 mg/kg (URS, 2009).
- In 2014, the EPA collected 14 surface soil samples and 8 subsurface soil samples at the location of a probable mercury amalgamation building, along with 17 surface soil/sediment samples and 11 subsurface soil/sediment samples from below the concrete Eastwood Multiple Arch Dam. The samples were analyzed for metals using XRF techniques. Arsenic concentrations ranged from 134 to 8,557 mg/kg, and mercury was detected at concentrations up to 179 mg/kg in the soil samples collected from the probable amalgamation building. Arsenic concentrations ranged from 15 to 2,313 mg/kg in the soil/sediment samples collected below the concrete dam (WESTON, 2015).

3. REMOVAL ASSESSMENT ACTIVITIES

This section discusses activities undertaken by START at the Site. The objective of the removal assessment was to further delineate high concentrations of metals in soil identified during the 2014 Site Inspection and to investigate the concentrations of metals in the soil across the Headframe Area. Removal Assessment activities were performed in accordance with the Sampling and Analysis Plan, Argonaut Mine Headframe Area Removal Assessment, Jackson, Amador County, California (WESTON, 2020).

The removal assessment activities were conducted under the direction of FOSCs Michelle Rogow and Patricia Bowlin on February 11 to February 14, June 4, and July 20 to 21, 2020.

3.1 SITE RECONNAISSANCE AND OBSERVATIONS

START arrived on the Argonaut Mine Site on February 11, 2020 for a preliminary Site walk with the EPA Remedial Project Manager (RPM) John Hillenbrand. The Headframe Area is located on a very steep slope that spans from the residences to the west down to Highway 49. Several buildings, including two warehouse buildings, were constructed on a terraced area of a steep hillside. The historic headframe is standing, and the mine shaft has been filled in.

The Site west of Highway 49 was fenced and gated around the buildings (Headframe Area), but access is open to some of the areas in AOCs 1 through 3. AOC 1 consists of the area between Highway 49 and the southern warehouse. It consists of the crucible dump area where several ceramic crucibles lay broken. They are suspected to have been dumped after being used in an on-site assay office. AOC 2 consists of the area west of the warehouses and east of the residences. This area is on a very steep hillside. AOC 3 consists of the area between Highway 49 and includes the northern warehouse and headframe building (Figure 3). East of the highway, the Site was fenced along the road with one gated access point. AOCs 4 and 5 have open access, and there were clear signs of trespassing and people living on the property. AOC 4 consists of the area east of Highway 49 past sample point AMA20-57. AOC 4 encompasses all the Headframe Area buildings east of the highway, which includes the pre-1916 stamp mill foundation. AOC 5 consists of the remaining Site east of AOC 4. Later in the week, the EPA RPM spoke with some people who were passing through the Site who confirmed that several people live on-site at any given time.

3.2 SOIL SAMPLING INVESTIGATION

Soil sampling was conducted to further delineate elevated concentrations of metals in soil samples collected during the 2014 Site Investigation following the SAP (WESTON, 2020). A sample was collected from the 2014 sampling point and then concentric rings were laid out around the historic sample points at 10 feet and 25 feet. Four samples were collected from the inner 10-foot ring and aligned with a cardinal direction (N, S, E, W), which was incorporated into the sample name. Four samples were collected from the outer 25-foot ring and aligned with an intermediate direction (NE, SE, SW, NW), which was incorporated into the sample name. In addition, a grid was laid over the Site to potentially identify additional elevated areas, and samples were collected at each grid point.

A direct-push drill rig was utilized to collect samples where access was achievable. These borings were advanced to 4 feet bgs, with three locations advanced to 16 feet bgs. The remaining samples were collected by hand using a hand auger to a maximum depth of 2 feet bgs.

To evaluate environmental concerns from contaminants in soil at the Site, 110 discrete surface soil samples (plus 12 duplicates) and 91 discrete subsurface soil samples (plus 11 duplicates) were collected from the Site. Each of the soil samples were analyzed for Target Analyte List (TAL) metals. Five of the soil samples were also selected for Toxicity Characteristic Leaching Procedure (TCLP) metals analysis. Three samples of other materials (ceramic, brick, and metal) were submitted for TAL metals analysis. One building material sample was submitted for asbestos analysis. See Figure 3 for sampling locations. See Appendix A for photographs of sampling activities.

On July 20 and 21, 2020 EPA and START remobilized to the Site to collect additional surface soil samples. These additional samples were collected to fill identified data gaps and were collected from 0 to 6 inches bgs. Forty-eight discrete samples (plus 5 duplicates) were collected from the Site. Each of the soil samples were analyzed for TAL metals.

All samples were stored on ice at 4 degrees Celsius (°C) after collection and were shipped in insulated coolers to keep samples under 4 °C. The February samples were transported under chain-of-custody to Orange Coast Analytical, Inc. and July samples were transported to Test America, Inc. for analysis. The table below outlines the analyses conducted on the samples.

3.3 TEMPORATRY FENCE INSTALLATION

From June 1 to 4, 2020 EPA and ERRS installed fencing was installed at the site to secure the area where the highest concentrations of arsenic, lead, and mercury were detected. This area was previously accessible to the public with evidence of use. On June 4, 2020 START arrived onsite to collect the GPS location of the newly installed fence. While onsite at the direction of the OSC, START collected building material samples to be analyzed for asbestos. Figure 11 shows the location of the installed temporary fencing.

3.4 HAZARD CATAGORIZATION

On July 20 and 21, 2020 EPA and START collected, inventoried, and hazard categorized 62 containers of suspected oils, solvents, and other materials found on site. The containers were in the three warehouse/storage buildings at the Headframe Area, in AOC 1 and 3. The containers were gathered to the front of each building, labeled with a unique identifier, and analyzed using hazard categorization techniques. Results of the hazard categorization are discussed in Section 5.3 and the container inventory is included in Appendix C.

4. ANALYTICAL RESULTS

START collected a total of 249 discrete soil samples and 28 duplicates from the Site. Eleven of the soil samples were also analyzed for TCLP metals. Three samples of other material (brick, ceramic, and metal) were collected. All samples were analyzed for TAL metals by EPA Method 6010B and mercury by EPA Method 7471A. Five additional samples of building material was submitted for asbestos analysis.

Analytical results were initially compared against the EPA RMLs for commercial/industrial soil (EPA, 2020) and arsenic, lead, and mercury were the only analytes which exceeded these criteria. EPA assigned site-specific screening levels for arsenic, lead, and mercury to further characterize the site. A summary of exceedances by analyte is shown below, and the following subsections address the exceedances by AOC. Analytical reports are provided in Appendix B, and summaries of the analytical data are provided in Table 1 through Table 4.

Lead exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg in 117 samples, with detected concentrations ranging from 1.9 to 71,000 mg/kg. Lead exceeded the EPA non-carcinogenic residential Removal Management Level (RML) and residential RSL of 400 mg/kg in 37 samples and exceeded 10,000 mg/kg in 5 samples. See Figures 4 through 9 and Tables 1 and 2.

Arsenic exceeded the Argonaut site-specific screening level of 100 mg/kg in 108 samples, with detected concentrations ranging from 3.3 to 1,600 mg/kg. Arsenic exceeded 500 mg/kg in 12 samples and 1,000 mg/kg in eight samples. See Figures 4 through 9 and Tables 1 and 2.

Mercury exceeded the EPA residential RSL of 12 mg/kg in eight samples, with detected concentrations ranging from 0.12 to 260 mg/kg. Mercury exceeded the residential RML of 33 mg/kg in six samples and the industrial RML of 140 mg/kg in two samples. See Figures 4 through 9 and Tables 1 and 2.

TCLP lead exceeded Resource Conservation and Recovery Act (RCRA) levels for hazardous waste of 5 milligrams per liter (mg/L) in three samples, with detected concentrations ranging from 0.21 mg/L to 870 mg/L. See Figures 4A and 8A and Table 3 for TCLP analytical data.

A ceramic crucible was sampled from AOC 1 and contained lead at a concentration of 67,000 mg/kg (Table 4).

Two of the samples of building materials collected from AOC 1 and AOC 3 were positive for asbestos. Both materials have a concentration of 35% Chrysotile. (Table 4).

4.1 AOC 1 RESULTS SUMMARY

START collected 63 discrete soil samples from AOC 1. Total metals analyses were conducted on all samples. TCLP analysis was conducted on 11 samples. TCLP lead was detected in all samples, ranging from 0.21 to 870 mg/L, and exceeded RCRA levels for hazardous waste in six samples (Figure 4A).

Lead was detected in all 93 samples, ranging from 5 to 71,000 mg/kg. Fifty-eight samples exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg, 53 samples exceeded the EPA RML and RSL for residential soil of 400 mg/kg, and 5 samples exceeded 10,000 mg/kg (Figure 4A). Arsenic was detected in all 93 of the samples, ranging from 3 to 1,600 mg/kg. Forty samples exceeded the site-specific screening level of 100 mg/kg, five exceeded 500 mg/kg, and four exceeded 1,000 mg/kg (Figure 4B). Mercury was detected in 79 samples, ranging from 0.12 to 260 mg/kg. Seven samples exceeded the residential RSL of 11 mg/kg, three samples exceeded residential RML of 33 mg/kg, and one sample exceeded the industrial RML of 140 mg/kg (Figure 4C).

One sample of a building material was collected and analyzed for asbestos. The material was positive for asbestos at 35% Chrysotile.

| AOC 1 Sampling Exceedances Summary | | | | |
|---|---------------------------------|---|---|--|
| Sample Information | TCLP Lead (mg/L) | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
| Number of Samples [†] | 11 | 93 | 93 | 93 |
| Number of Detections [†] | 11 | 93 | 93 | 79 |
| Detected Result Range | 0.21 – 870 | 5 – 71,000 | 3 – 1,600 | 0.12 – 260 |
| Number of Exceedances[†] (Screening Level) | <u>6</u> (5)^a | <u>58</u> (80)^b <u>53</u> (400)^c | <u>40</u> (100)^d <u>5</u> (500) | <u>7</u> (11)^e <u>3</u> (33)^f |
| Notes: [†] Numbers do not include duplicates. a = exceeds Resource Conservation and Recovery Act (RCRA) level for characteristic hazardous waste (Code of Federal Regulations [CFR] 40, part 261.24) b = exceeds California Department of Toxic Substances Control (DTSC) Residential Screening Level for Soil (DTSC, 2019). c = exceeds U.S. Environmental Protection Agency Removal Management Levels (EPA RMLs) and EPA Regional Screening Levels (RSLs) for residential soil (EPA, 2019). d = exceeds the EPA Argonaut Mine Site-Specific Arsenic Screening Level of 100 mg/kg. e = exceeds the EPA RSL for residential soil (EPA, 2019). f = exceeds the EPA RML for residential soil (EPA, 2019). mg/kg = milligrams per kilogram mg/L = milligrams per liter | | | | |

4.2 AOC 2 RESULTS SUMMARY

START collected 30 discrete soil samples from AOC 2. Total metals analyses were conducted on all samples. Lead was detected in all 30 samples, ranging from 4.1 to 250 mg/kg. Three samples exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg, and zero samples exceeded the EPA RML and RSL for residential soil for lead of 400 mg/kg (Figure 5A). Arsenic was detected in 29 of the samples, ranging from 5.5 to 350 mg/kg. Nine samples exceeded the site-specific screening level of 100 mg/kg, and zero exceeded 500 mg/kg (Figure 5B). Mercury was detected in 14 samples, ranging from 0.12 to 260 mg/kg. None of the samples exceeded a site-specific screening level for mercury (Figure 5C).

| AOC 2 Sampling Exceedances Summary | | | |
|---|---|---|--|
| Sample Information | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
| Number of Samples [†] | 30 | 30 | 30 |
| Number of Detections [†] | 30 | 29 | 16 |
| Detected Result Range | 4.1 – 250 | 5.5 – 350 | 0.12 – 2.3 |
| <u>Number of Exceedances[†]</u> (Screening Level) | <u>3</u> (80) ^a <u>0</u> (400) ^b | <u>2</u> (100) ^c <u>0</u> (500) | <u>0</u> (11) ^d <u>0</u> (33) ^e |
| Notes: [†] Numbers do not include duplicates. a = exceeds California Department of Toxic Substances Control (DTSC) Residential Screening Level for Soil (DTSC, 2019). b = exceeds U.S. Environmental Protection Agency Removal Management Levels (EPA RMLs) and EPA Regional Screening Levels (RSLs) for residential soil (EPA, 2019). c = exceeds the EPA Argonaut Mine Site-Specific Arsenic Screening Level of 100 mg/kg d = exceeds the EPA RSL for residential soil (EPA, 2019). e = exceeds the EPA RML for residential soil (EPA, 2019). mg/kg = milligrams per kilogram | | | |

4.3 AOC 3 RESULTS SUMMARY

START collected 46 discrete soil samples from AOC 3. Total metals analyses were conducted on all samples. Lead was detected in all 46 samples, ranging from 1.9 to 1,400 mg/kg. Twenty-five samples exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg, and two samples exceeded the EPA RML for residential soil of 400 mg/kg (Figure 6A). Arsenic was detected in 42 of the samples, ranging from 6.3 to 1,200 mg/kg. Twenty-five samples exceeded the site-specific screening level of 100 mg/kg, four exceeded 500 mg/kg, and two exceeded 1,000 mg/kg (Figure 6B). Mercury was detected in 39 samples, ranging from 0.12 to 8.9 mg/kg. None of the samples exceeded the site-specific screening levels (Figure 6C).

Four samples of building materials were collected from inside the warehouse and analyzed for asbestos. One sample was positive for asbestos at 35% Chrysotile.

| AOC 3 Sampling Exceedances Summary | | | |
|--|--|--|--|
| Sample Information | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
| Number of Samples [†] | 46 | 46 | 46 |
| Number of Detections [†] | 46 | 42 | 39 |
| Detected Result Range | 1.9 – 4,100 | 6.3 – 1,200 | 0.14 – 8.9 |
| <u>Number of Exceedances[†]</u> (Screening Level) | <u>25</u> (80) ^a <u>2</u> (400) ^b | <u>25</u> (100) ^c <u>4</u> (500) | <u>0</u> (11) ^d <u>0</u> (33) ^e |

AOC 3 Sampling Exceedances Summary

Notes:

†Numbers do not include duplicates.

a = exceeds California Department of Toxic Substances Control (DTSC) Residential Screening Level for Soil (DTSC, 2019).

b = exceeds U.S. Environmental Protection Agency Removal Management Levels (EPA RMLs) and EPA Regional Screening Levels (RSLs) for residential soil (EPA, 2019).

c = exceeds the EPA Argonaut Mine Site-Specific Arsenic Screening Level of 100 mg/kg

d = exceeds the EPA RSL for residential soil (EPA, 2019).

e = exceeds the EPA RML for residential soil (EPA, 2019).

mg/kg = milligrams per kilogram

4.4 AOC 4 RESULTS SUMMARY

START collected 37 discrete soil samples from AOC 4. Total metals analyses were conducted on all samples. Lead was detected in all 37 samples, ranging from 12 to 450 mg/kg. Three samples exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg, and one sample exceeded the EPA RML for residential soil of 400 mg/kg (Figure 7A). Arsenic was detected in 37 of the samples, ranging from 14 to 360 mg/kg. Twelve samples exceeded the site-specific screening level of 100 mg/kg, and zero exceeded 500 mg/kg (Figure 7B). Mercury was detected in all 37 samples, ranging from 0.14 to 75 mg/kg. Five samples exceeded the residential RSL of 11 mg/kg, and one sample exceeded residential RML of 33 mg/kg (Figure 7C).

AOC 4 Sampling Exceedances Summary

| Sample Information | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
|---|---|--|--|
| Number of Samples† | 37 | 37 | 37 |
| Number of Detections† | 37 | 37 | 37 |
| Detected Result Range | 12 – 450 | 14 – 360 | 0.14 – 75 |
| <u>Number of Exceedances†</u> (Screening Level) | <u>3</u> (80) ^a <u>1</u> (400) ^b | <u>12</u> (100) ^c <u>0</u> (500) | <u>4</u> (11) ^d <u>1</u> (33) ^e |

Notes:

†Numbers do not include duplicates.

a = exceeds California Department of Toxic Substances Control (DTSC) Residential Screening Level for Soil (DTSC, 2019).

b = exceeds U.S. Environmental Protection Agency Removal Management Levels (EPA RMLs) and EPA Regional Screening Levels (RSLs) for residential soil (EPA, 2019).

c = exceeds the EPA Argonaut Mine Site Specific Arsenic Screening Level of 100 mg/kg.

d = exceeds the EPA RSL for residential soil (EPA, 2019).

e = exceeds the EPA RML for residential soil (EPA, 2019).

mg/kg = milligrams per kilogram

4.5 AOC 5 RESULTS SUMMARY

START collected 40 discrete soil samples from AOC 5. Total metals analyses were conducted on all samples. TCLP analysis was conducted on one sample. None of the TCLP analytes exceeded a screening level (Figure 8A).

Lead was detected in all 40 samples, ranging from 3.4 to 910 mg/kg. Seventeen samples exceeded the DTSC Residential Non-cancer screening level of 80 mg/kg, and one sample exceeded the EPA RML for residential soil of 400 mg/kg (Figure 8A). Arsenic was detected in 39 of the samples, ranging from 5.8 to 1,200 mg/kg. Twelve samples exceeded the site-specific screening level of 100 mg/kg, and two exceeded 500 mg/kg (Figure 8B). Mercury was detected in 32 samples, ranging from 0.12 to 27 mg/kg. Three samples exceeded the residential RSL of 11 mg/kg, and the highest concentration was 27 mg/kg (Figure 8C).

| AOC 5 Sampling Exceedances Summary | | | | |
|--|----------------------------------|--|--|--|
| Sample Information | TCLP Lead (mg/L) | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
| Number of Samples [†] | 1 | 40 | 40 | 40 |
| Number of Detections [†] | 0 | 40 | 39 | 32 |
| Detected Result Range | NA | 3.4 – 910 | 5.8 – 1,200 | 0.12 – 27 |
| <u>Number of Exceedances[†]</u> (Screening Level) | <u>0</u> (5) ^a | <u>17</u> (80) ^b <u>1</u> (400) ^c | <u>12</u> (100) ^d <u>2</u> (500) | <u>3</u> (11) ^e <u>0</u> (33) ^c |

Notes:

[†]Numbers do not include duplicates.

a = exceeds Resource Conservation and Recovery Act (RCRA) level for characteristic hazardous waste (Code of Federal Regulations [CFR] 40, part 261.24)

b = exceeds California Department of Toxic Substances Control (DTSC) Residential Screening Level for Soil (DTSC, 2019).

c = exceeds U.S. Environmental Protection Agency Removal Management Levels (EPA RMLs) and EPA Regional Screening Levels (RSLs) for residential soil (EPA, 2019).

d = exceeds the EPA Argonaut Mine Site Specific Arsenic Screening Level of 100 mg/kg

e = exceeds the EPA RSL for residential soil (EPA, 2019).

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

4.6 AOC 6 RESULTS SUMMARY

START collected six discrete soil samples from AOC 6. Total metals analyses were conducted on all samples. None of the metals results exceeded a site-specific screening level (Figure 9). Lead was detected in all six samples, with concentrations ranging from 8.6 to 14 mg/kg. Arsenic was detected in all six samples, with concentrations ranging from 8.1 to 24 mg/kg. Mercury was not detected in any of the samples.

5. WASTE CHARACTERIZATION DISCUSSION

5.1 SOIL

In order to characterize the soil for disposal purposes, discrete soil samples were collected and analyzed for TCLP metals. Based on the analytical results, TCLP lead results were found to be the only driver of the characteristically hazardous waste at the Site. Soil with concentrations of TCLP lead above 5 mg/L is determined to be RCRA hazardous waste under Code of Federal Regulations (CFR) Title 40, Part 261.24 and requires disposal as a hazardous waste. Of the 11 samples collected at the Site for TCLP metals, six exceeded RCRA levels of 5 mg/L and were located in AOC 1 only. See Figure 4A for TCLP lead exceedances at the Site. No TCLP metals other than lead exceeded RCRA regulatory levels.

5.2 BUILDING MATERIALS

Five samples of building materials were collected and analyzed for asbestos. Two materials were positive for asbestos with concentrations at 35% Chrysotile.

5.3 HAZARD CATEGORIZATION

Sixty-two containers suspected oils, solvents, and other materials were collected, labeled, organized at the front of the building they were found, and hazard categorized. Due to time constraints, not all containers were field tested. Containers suspected of hazards (cyanide, flammability) were prioritized, and similar containers were grouped, with one selected for field testing. The full container inventory is in Attachment C with the hazard categorization results. Most of the contents seem to be petroleum based, legible dates on labels indicate many containers were from the mid to late 1970's. Of all the hazard categorization filed tests the positive results are as follows: VOC headspace readings ranged from 0 to 300 ppm, pH ranged from 3 to 11, container B-18 had a positive oxidizer test, and container C-18 was positive for flammability. All other field test results were negative and are detailed in Appendix C.

6. ESTIMATED SITE WASTE VOLUMES

AOC 1 contains the majority of the significant site-specific screening level exceedances and has been identified as the primary removal area. Lead, arsenic, and mercury results for surface soil samples are shown on Figure 10A. The results for the subsurface samples are shown on Figure 10B. The exceedances are centered around the former assay office and the crucible dump area. Most of the exceedances of any screening level are contained within the first 2 feet of soil. The building material which was positive for asbestos is located in the footprint of the former Assay Office.

AOC 3 contains four significant site-specific screening level exceedances for arsenic. The exceedances are located underneath the Headframe and adjacent to building along the southern edge of the AOC. The building material which tested positive for asbestos is located in the northern warehouse building.

To better delineate the extent of contamination, additional sampling can be performed. There is lead contamination above 400 mg/kg in surface samples in the middle of and along the northern boundary of AOC 1. Adjacent and to the west of the driveway entrance to the Headframe Area, a mound of soil is present which appears to be out of place with the surrounding terrain.

All waste volumes and weights outlined below are approximations based on field observations and publicly available satellite images. These approximations are not intended for use in design-level estimates. Sample locations were identified in the field with a Trimble Global Positioning System (GPS) unit. Only the lead, arsenic, and mercury exceeded any site-specific soil action levels set for this removal assessment. Waste volumes may change if assumptions change or additional sampling is conducted.

An estimate of the percentage of soil as characteristic hazardous waste was made based on the analytical results, and estimated volumes of hazardous and non-hazardous waste soil were calculated. The estimated waste volume will vary depending on which action level is selected for the Removal Action. A summary of the waste volumes is shown in the table below and depicted on Figure 12.

| Summary of Estimated Waste Volumes with Various Removal Levels | | | | |
|--|------------------|-------------------------|---------------------------|--------------------------|
| | Excavation Depth | Area (ft ²) | Volume (yd ³) | Total (yd ³) |
| Estimated Soil Volume Lead > 80 mg/kg | 0 – 2 ft | 26,997 | 2,000 | 2,277 |
| | 2 – 4 ft | 3,742 | 277 | |
| Estimated Soil Volume Lead > 200 mg/kg | 0 – 2 ft | 18,080 | 1,339 | 1,523 |
| | 2 – 4 ft | 2,474 | 183 | |
| Estimated Soil Volume Lead > 400 mg/kg | 0 – 2 ft | 8,382 | 621 | 788 |
| | 2 – 4 ft | 2,255 | 167 | |
| Estimated Hazardous Soil Volume | 0 – 2 ft | 2,025 | 150 | 150 |
| Asbestos-Containing Material | ¾ cy | < ¼ cy | | < 1 |

| | |
|--|---|
| | Notes: All volumes are estimates and are not intended for design-level uses. yd ³ = cubic yard |
|--|---|

Lead > 80 mg/kg

Total estimated volume of soil with a removal level of 80 mg/kg is 2,277 cubic yards (yd³). This estimate is based on an excavation depth of 2 feet across the removal area with approximately 14% of the excavation being continued to 4 feet.

Lead > 200 mg/kg

Total estimated volume of soil with a removal level of 200 mg/kg is 1,808 cubic yards (yd³). This estimate is based on an excavation depth of 2 feet across the removal area with approximately 14% of the excavation being continued to 4 feet.

Lead > 400 mg/kg

Total estimated volume of soil with a removal level of 400 mg/kg is 8,382 cubic yards (yd³). This estimate is based on an excavation depth of 2 feet across the removal area with approximately 27% of the excavation being continued to 4 feet.

Based on the analytical results, the soil portion was estimated to contain 20% hazardous material. Therefore, the hazardous soil volume was 150 cy, and the non-hazardous soil volume was 450 cy.

The estimated volume of the asbestos-containing building material is <1 yd³.

7. SUMMARY

EPA tasked START with conducting a Removal Assessment, which included documenting current Site conditions and conducting soil sampling at the Site. EPA and START personnel were utilized to conduct Site activities. Discrete soil samples were collected from historic hot spots and along a grid spanning the Site, and all soil samples were analyzed for TAL metals. Eleven soil samples were also analyzed for TCLP metals. Five building material samples were collected and analyzed for asbestos.

The primary driver of the characteristically hazardous or non-hazardous nature of the waste at the Site was found to be lead. Samples from AOC 1 exceeded RCRA levels of 5 mg/L TCLP lead for characteristic hazardous waste. In AOC 1, TCLP lead exceeding RCRA levels for hazardous waste was detected in three of four samples. Total lead at AOC 1 was detected in a range of 5 to 71,000 mg/kg.


Arsenic was detected at high concentrations in AOC 3 ranging from 6.3 to 1,200 mg/kg. None of the samples exceeded the RCRA hazardous waste level of 5 mg/kg for TCLP arsenic. Total lead at AOC 3 was detected in a range of 1.9 – 4,100 mg/kg.

Percentages of contaminated soil were estimated based on sample locations collected with a Trimble GPS, and volume of hazardous soil was estimated based on analytical results. Approximate volumes of characteristically hazardous soil and non-hazardous soil were calculated. All waste volumes and weights outlined in this report are approximations based on field observations and are not intended for use in design-level estimates. The estimated total of non-hazardous soil will depend on the removal action level used. The estimates are 2,277 yd³, 1,523 yd³, and 788 yd³ for 80 mg/kg, 200 mg/kg, and 400 mg/kg, respectively. The estimated totals of hazardous soil and ACM debris at the Site were as follows: 150 cy hazardous soil and < 1 cy ACM debris.


8. REFERENCES


- Anthropological Studies Center (ASC). 2014. Sonoma State University, A Cultural Resource Inventory and Evaluation for the Argonaut Mine Cyanide Plant and Tailings Site, Jackson, Amador County, California. April 29.
- Code of Federal Regulations (CFR) Title 40 Part 261.24, Toxicity Characteristic.
- Ecology and Environmental, Inc. (E&E). 2013. Sampling and Analysis Plan, Argonaut Mine Tailings Pile. July.
- Geosyntec Consultants (Geosyntec). 2006. Additional Soil Investigation, Proposed Home Depot – Jackson, California, Parcels 020-120-024, 020-070-025, 020-070-027, and 044-010-031. July 18.
- U.S. Environmental Protection Agency (EPA). 2020. Regional Screening Levels (RSLs) for Chemical Contaminants at Superfund Sites. RSL Summary Table. May 2020.
- URS Corporation (URS). 2009. Site Investigation Report, Argonaut Mine Tailings Site. March.
- Western Regional Climate Center (WRCC). 2020. Camp Pardee, California (041428) Climate Summary, <http://www.wrcc.dri.edu/>.
- Weston Solutions, Inc. (WESTON). 2015. Site Inspection Report Argonaut Mine, Jackson, Amador County, California. July.
- WESTON. 2020. Sampling and Analysis Plan, Argonaut Mine Mill Area Removal Assessment.


FIGURES



Legend

 Former Argonaut Property Boundary

 Argonaut Mine Head Area



0 0.5 1
Miles


PREPARED BY:
Region 9, START
Weston Solutions
Concord, CA 94520
AUGUST 2020





PREPARED FOR:
EPA Region 9
Emergency
Response
Section




FIGURE 1
SITE LOCATION MAP
Argonaut Mine Headframe Area Assessment
Jackson, Amador County, California








| Sample ID | Depth | Lead (mg/kg) | TCLP-Pb (mg/L) | Sample ID | Depth | Lead (mg/kg) | Sample ID | Depth | Lead (mg/kg) |
|------------------|------------|--------------|----------------|-----------------|------------|--------------|----------------|------------|--------------|
| AMA20-06-0 | Surface | 41,000 | 190 | AMA20-08-10N-3 | Subsurface | 10 | AMA20-76-2 | Subsurface | 9,200 |
| AMA20-06-10N-0 | Surface | 1,800 | 1.7 | AMA20-08-10S-1 | Surface | 310 | AMA20-85-0 | Surface | 2,900 |
| AMA20-06-10N-2 | Subsurface | 340 | - | AMA20-08-10S-3 | Subsurface | 9 | AMA20-86-BRICK | Surface | 170 |
| AMA20-06-10W-0 | Surface | 55,000 | - | AMA20-08-10W-1 | Surface | 10 J | AMA20-86-METAL | Surface | 21 |
| AMA20-06-10W-2 | Subsurface | 4,700 | - | AMA20-08-10W-2 | Subsurface | 18 | AMA20-106-0 | Surface | 71 |
| AMA20-06-15S-0 | Surface | 5,100 | - | AMA20-08-25NE-1 | Surface | 130 | AMA20-107-0 | Surface | 430 |
| AMA20-06-15S-2 | Subsurface | 4,800 | - | AMA20-08-25NE-4 | Subsurface | 13 | AMA20-108-0 | Surface | 120 |
| AMA20-06-25E-0 | Surface | 200 | - | AMA20-08-25NW-1 | Surface | 1,000 | AMA20-109-0 | Surface | 55 |
| AMA20-06-25E-1 | Subsurface | 25 | - | AMA20-08-25NW-4 | Subsurface | 6 | AMA20-110-0 | Surface | 41 |
| AMA20-06-25NW-0 | Surface | 1,400 | - | AMA20-08-25SE-1 | Surface | 230 | AMA20-111-0 | Surface | 170 |
| AMA20-06-25NW-2 | Subsurface | 740 | - | AMA20-08-25SE-3 | Subsurface | 12 | AMA20-112-0 | Surface | 350 |
| AMA20-06-30NE-0 | Surface | 180 | - | AMA20-08-25SW-1 | Surface | 320 | AMA20-113-0 | Surface | 630 |
| AMA20-06-30NE-2 | Subsurface | 34 | - | AMA20-08-25SW-3 | Subsurface | 9 | AMA20-114-0 | Surface | 740 |
| AMA20-06-30SE-0 | Surface | 4,100 | - | AMA20-30-0 | Surface | 400 | AMA20-115-0 | Surface | 1500 |
| AMA20-06-30SE-2 | Subsurface | 420 | - | AMA20-30-10 | Subsurface | 16 | AMA20-116-0 | Surface | 560 |
| AMA20-07-1 | Surface | 14,000 | 170 | AMA20-30-12 | Subsurface | 5 | AMA20-117-0 | Surface | 890 |
| AMA20-07-4 | Subsurface | 120 | - | AMA20-30-14.5 | Subsurface | 5 | AMA20-118-0 | Surface | 610 |
| AMA20-07-10E-1 | Surface | 1,800 | - | AMA20-30-4 | Subsurface | 9 | AMA20-119-0 | Surface | 350 |
| AMA20-07-10E-2 | Subsurface | 31 | - | AMA20-30-6 | Subsurface | 8 | AMA20-120-0 | Surface | 210 |
| AMA20-07-10N-1 | Surface | 31,000 | - | AMA20-30-8 | Subsurface | 17 | AMA20-121-0 | Surface | 2100 |
| AMA20-07-10N-2 | Subsurface | 470 | - | AMA20-31-0 | Surface | 140 | AMA20-122-0 | Surface | 720 |
| AMA20-07-10S-1 | Surface | 71,000 | 820 | AMA20-31-2 | Subsurface | 9 | AMA20-123-0 | Surface | 4200 |
| AMA20-07-10S-4 | Subsurface | 20 | - | AMA20-35-0 | Surface | 94 | AMA20-124-0 | Surface | 1000 |
| AMA20-07-25NE-1 | Surface | 2,200 | - | AMA20-35-11 | Subsurface | 5 | AMA20-125-0 | Surface | 2400 |
| AMA20-07-25NE-2 | Subsurface | 180 | - | AMA20-35-13 | Subsurface | 5 | AMA20-126-0 | Surface | 61 |
| AMA20-07-25SE-1 | Surface | 7,200 | - | AMA20-35-2 | Subsurface | 90 | AMA20-127-0 | Surface | 160 |
| AMA20-07-25SE-2 | Subsurface | 2,000 | - | AMA20-35-4 | Subsurface | 22 | AMA20-128-0 | Surface | 360 |
| AMA20-08-1 | Surface | 50 | - | AMA20-35-7 | Subsurface | 11 | AMA20-129-0 | Surface | 2800 |
| AMA20-08-3 | Subsurface | 8 | - | AMA20-36-0 | Surface | 26 | AMA20-130-0 | Surface | 230 |
| AMA20-08-10E-1.5 | Surface | 8 | - | AMA20-36-1.5 | Subsurface | 11 | AMA20-131-0 | Surface | 720 |
| AMA20-08-10E-4 | Subsurface | 9 | - | AMA20-76-0 | Surface | 3,900 | AMA20-132-0 | Surface | 320 |
| AMA20-08-10N-1 | Surface | 400 | - | | | | | | |























Legend

Areas of Concern (AOCs)

Building Footprint

Lead Surface Samples

< 80 mg/kg

80 - 400 mg/kg

400 - 10,000 mg/kg

> 10,000 mg/kg

TCLP - Lead Samples

< 5 mg/L

> 5 mg/L

Lead Subsurface Samples

< 80 mg/kg

80 - 400 mg/kg

400 - 10,000 mg/kg

| Sample ID | Depth | Lead (mg/kg) | TCLP-Pb (mg/L) |
|------------------|------------|--------------|----------------|
| AMA20-15-0 | Surface | 910 | 0.3 |
| AMA20-15-10E-1 | Surface | 270 | - |
| AMA20-15-10E-4 | Subsurface | 10 | - |
| AMA20-15-10N-1 | Surface | 120 | - |
| AMA20-15-10N-4 | Subsurface | 7.4 | - |
| AMA20-15-10S-1 | Surface | 39 J | - |
| AMA20-15-10S-2.5 | Subsurface | 8.9 | - |
| AMA20-15-10W-1 | Surface | 33 | - |
| AMA20-15-10W-4 | Subsurface | 11 | - |
| AMA20-15-25NE-1 | Surface | 110 | - |
| AMA20-15-25NE-3 | Subsurface | 14 | - |
| AMA20-15-25NW-1 | Surface | 110 | - |
| AMA20-15-25NW-2 | Subsurface | 9.8 | - |
| AMA20-15-25SE-1 | Surface | 98 | - |
| AMA20-15-25SE-2 | Subsurface | 9 | - |
| AMA20-15-25SW-1 | Surface | 100 | - |
| AMA20-15-25SW-3 | Subsurface | 11 | - |
| AMA20-41-0 | Surface | 200 | - |
| AMA20-41-1.5 | Subsurface | 110 | - |
| AMA20-42-0 | Surface | 88 | - |
| AMA20-42-2 | Subsurface | 100 | - |
| AMA20-43-0 | Surface | 170 | - |
| AMA20-43-2 | Subsurface | 22 | - |
| AMA20-44-1.5 | Surface | 90 J | - |
| AMA20-44-3 | Subsurface | 44 | - |
| AMA20-45-0 | Surface | 180 | - |
| AMA20-45-1.5 | Subsurface | 90 | - |
| AMA20-48-0 | Surface | 44 | - |
| AMA20-49-1.5 | Surface | 42 | - |
| AMA20-49-3 | Subsurface | 97 | - |
| AMA20-50-1.5 | Surface | 40 | - |
| AMA20-50-3 | Subsurface | 4.8 | - |
| AMA20-54-1 | Surface | 50 | - |
| AMA20-54-2.5 | Subsurface | 16 | - |
| AMA20-55-1 | Surface | 130 | - |
| AMA20-55-3 | Subsurface | 21 | - |
| AMA20-56-1 | Surface | 15 | - |
| AMA20-56-2.5 | Subsurface | 4.2 | - |
| AMA20-59-1 | Surface | 70 | - |
| AMA20-59-3 | Subsurface | 3.4 | - |

0

50

100

Feet

PREPARED BY:

Region 9, START

Weston Solutions

Concord, CA 94520

AUGUST 2020

WESTON

SOLUTIONS

PREPARED FOR:

EPA Region 9

Emergency Response Section

UNITED STATES

EPA

REGION IX

EMERGENCY RESPONSE

ENVIRONMENTAL PROTECTION AGENCY

FIGURE 8A

AOC 5 - SAMPLE RESULTS - LEAD

Argonaut Mine Headframe Area Assessment

Jackson, Amador County, California

Contract: 68HE0919D0002; Task Order: 68HE0919F0081-02

Document Control Number: 0023-08-AABD

Legend

Areas of Concern (AOCs)

Building Footprint

Arsenic Surface Samples

Arsenic Subsurface Samples

TCLP - Arsenic Samples

< 100 mg/kg

100 - 500 mg/kg

500 - 1,000 mg/kg

> 1,000 mg/kg

< 100 mg/kg

100 - 500 mg/kg

500 - 1,000 mg/kg

> 1,000 mg/kg

< 5 mg/L

| Sample ID | Depth | Arsenic (mg/kg) | TCLP-As (mg/L) |
|------------------|------------|-----------------|----------------|
| AMA20-15-0 | Surface | 76 | 0.08 U |
| AMA20-15-10E-1 | Surface | 58 | - |
| AMA20-15-10E-4 | Subsurface | 11 | - |
| AMA20-15-10N-1 | Surface | 71 | - |
| AMA20-15-10N-4 | Subsurface | 6.4 | - |
| AMA20-15-10S-1 | Surface | 29 | - |
| AMA20-15-10S-2.5 | Subsurface | 19 | - |
| AMA20-15-10W-1 | Surface | 17 | - |
| AMA20-15-10W-4 | Subsurface | 15 | - |
| AMA20-15-25NE-1 | Surface | 100 | - |
| AMA20-15-25NE-3 | Subsurface | 22 | - |
| AMA20-15-25NW-1 | Surface | 66 | - |
| AMA20-15-25NW-2 | Subsurface | 12 | - |
| AMA20-15-25SE-1 | Surface | 50 | - |
| AMA20-15-25SE-2 | Subsurface | 8.5 | - |
| AMA20-15-25SW-1 | Surface | 55 | - |
| AMA20-15-25SW-3 | Subsurface | 5.8 | - |
| AMA20-41-0 | Surface | 1200 | - |
| AMA20-41-1.5 | Subsurface | 200 | - |
| AMA20-42-0 | Surface | 170 | - |
| AMA20-42-2 | Subsurface | 300 | - |
| AMA20-43-0 | Surface | 68 | - |
| AMA20-43-2 | Subsurface | 33 | - |
| AMA20-44-1.5 | Surface | 92 | - |
| AMA20-44-3 | Subsurface | 25 | - |
| AMA20-45-0 | Surface | 110 | - |
| AMA20-45-1.5 | Subsurface | 93 | - |
| AMA20-48-0 | Surface | 110 | - |
| AMA20-49-1.5 | Surface | 110 | - |
| AMA20-49-3 | Subsurface | 160 | - |
| AMA20-50-1.5 | Surface | 97 | - |
| AMA20-50-3 | Subsurface | 18 | - |
| AMA20-54-1 | Surface | 250 | - |
| AMA20-54-2.5 | Subsurface | 56 | - |
| AMA20-55-1 | Surface | 610 | - |
| AMA20-55-3 | Subsurface | 330 | - |
| AMA20-56-1 | Surface | 52 | - |
| AMA20-56-2.5 | Subsurface | 8.3 | - |
| AMA20-59-1 | Surface | 190 | - |
| AMA20-59-3 | Subsurface | 2.1 | U |

0

50

100

Feet

PREPARED BY:

Region 9, START

Weston Solutions

Concord, CA 94520

AUGUST 2020

WESTON SOLUTIONS

PREPARED FOR:

EPA Region 9

Emergency Response Section

UNITED STATES

EPA REGION IX

EMERGENCY RESPONSE

ENVIRONMENTAL PROTECTION AGENCY

FIGURE 8B


AOC 5 - SAMPLE RESULTS - ARSENIC

Argonaut Mine Headframe Area Assessment

Jackson, Amador County, California

Contract: 68HE0919D0002; Task Order: 68HE0919F0081-02

Document Control Number: 0023-08-AABD



Legend

Areas of Concern (AOCs)

Lead Surface Samples

< 80 mg/kg

80 - 400 mg/kg

400 - 10,000 mg/kg

> 10,000 mg/kg

Arsenic Surface Samples

< 100 mg/kg

100 - 500 mg/kg

500 - 1,000 mg/kg

> 1,000 mg/kg

Mercury Surface Samples


< 11 mg/kg

11 - 33 mg/kg

33 - 140 mg/kg

> 140 mg/kg

| Sample ID | Depth | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
|--------------|---------|--------------|-----------------|-----------------|
| AWEST-01-0.5 | Surface | 13 | 8.1 | 0.12 U |
| AWEST-02-0.5 | Surface | 14 | 24 | 0.12 U |
| AWEST-03-0.5 | Surface | 13 | 22 | 0.12 U |
| AWEST-04-0.5 | Surface | 12 | 11 | 0.11 U |
| AWEST-05-0.5 | Surface | 11 | 18 | 0.11 U |
| AWEST-06-0.5 | Surface | 8.6 | 24 | 1.1 U |



0

50

100


Feet

N

PREPARED BY:
Region 9, START
Weston Solutions
Concord, CA 94520
AUGUST 2020

PREPARED FOR:
EPA Region 9
Emergency
Response
Section

FIGURE 9
AOC 6 - SAMPLE RESULTS
Argonaut Mine Headframe Area Assessment
Jackson, Amador County, California



| Sample ID | Depth | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) | Sample ID | Depth | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) | Sample ID | Depth | Lead (mg/kg) | Arsenic (mg/kg) | Mercury (mg/kg) |
|------------------|---------|--------------|-----------------|-----------------|----------------|---------|--------------|-----------------|-----------------|-------------|---------|--------------|-----------------|-----------------|
| AMA20-05-1 | Surface | 32 J | 270 | 0.14 | AMA20-26-0 | Surface | 60 | 66 | 0.52 | AMA20-121-0 | Surface | 2100 | 380 | 4.3 |
| AMA20-05-10E-1 | Surface | 390 | 170 | 5.5 | AMA20-30-0 | Surface | 400 | 84 | 4.9 | AMA20-122-0 | Surface | 720 | 97 | 3.7 |
| AMA20-05-10S-1 | Surface | 49 | 82 | 0.42 | AMA20-31-0 | Surface | 140 | 9.5 | 0.13 | AMA20-123-0 | Surface | 4200 | 190 | 8.7 |
| AMA20-05-10W-0 | Surface | 180 | 220 | 1.3 | AMA20-35-0 | Surface | 94 | 49 | 0.23 | AMA20-124-0 | Surface | 1000 | 190 | 4.1 |
| AMA20-05-25SE-1 | Surface | 1100 | 97 | 0.7 | AMA20-36-0 | Surface | 26 | 68 | 0.72 | AMA20-125-0 | Surface | 2400 | 220 | 4.3 |
| AMA20-05-25W-0 | Surface | 83 | 57 | 0.25 | AMA20-76-0 | Surface | 3900 | 300 | 2.5 | AMA20-126-0 | Surface | 61 | 56 | 0.19 |
| AMA20-06-0 | Surface | 41000 | 150 | 15 | AMA20-77-0 | Surface | 66 | 1000 | 3.8 J | AMA20-127-0 | Surface | 160 | 73 | 0.34 |
| AMA20-06-10N-0 | Surface | 1800 | 87 | 4.2 | AMA20-78-0 | Surface | 85 | 80 | 8.6 | AMA20-128-0 | Surface | 360 | 110 | 0.32 |
| AMA20-06-10W-0 | Surface | 55000 | 330 | 20 | AMA20-79-0 | Surface | 220 | 130 | 5.1 | AMA20-129-0 | Surface | 2800 | 38 | 39 |
| AMA20-06-15S-0 | Surface | 5100 | 470 | 1.3 | AMA20-80-0 | Surface | 24 | 720 J | 0.37 | AMA20-130-0 | Surface | 230 | 40 | 0.13 |
| AMA20-06-25E-0 | Surface | 200 | 56 | 1.7 | AMA20-81-0 | Surface | 120 J | 460 | 0.55 | AMA20-131-0 | Surface | 720 | 62 | 0.13 |
| AMA20-06-25NW-0 | Surface | 1400 | 230 | 5.9 | AMA20-82-0 | Surface | 31 | 67 | 0.11 U | AMA20-132-0 | Surface | 320 | 160 | 2.5 |
| AMA20-06-30NE-0 | Surface | 180 | 40 | 0.32 | AMA20-85-0 | Surface | 2900 | 150 | 3.9 | AMA20-133-0 | Surface | 160 | 640 | 3.8 |
| AMA20-06-30SE-0 | Surface | 4100 | 440 | 0.82 | AMA20-86-BRICK | Surface | 170 | 5.3 | 0.1 U | AMA20-134-0 | Surface | 350 | 110 | 4.1 |
| AMA20-07-1 | Surface | 14000 | 430 | 260 | AMA20-86-METAL | Surface | 21 | 2 U | 0.1 U | AMA20-135-0 | Surface | 290 | 100 | 6.6 |
| AMA20-07-10E-1 | Surface | 1800 | 57 | 3.9 | AMA20-87-0 | Surface | 160 | 1200 | 0.89 | AMA20-136-0 | Surface | 4100 | 80 | 0.74 |
| AMA20-07-10N-1 | Surface | 31000 | 240 | 78 | AMA20-106-0 | Surface | 71 | 52 | 0.85 | AMA20-137-0 | Surface | 340 | 280 | 2.4 |
| AMA20-07-10S-1 | Surface | 71000 | 1200 | 16 | AMA20-107-0 | Surface | 430 | 72 | 4.2 | AMA20-138-0 | Surface | 210 | 100 | 3 |
| AMA20-07-25NE-1 | Surface | 2200 | 120 | 5.3 | AMA20-108-0 | Surface | 120 | 36 | 0.27 | AMA20-139-0 | Surface | 200 | 380 | 1.1 |
| AMA20-07-25SE-1 | Surface | 7200 | 1600 | 12 | AMA20-109-0 | Surface | 55 | 35 | 0.25 | AMA20-140-0 | Surface | 240 | 210 | 0.39 |
| AMA20-08-1 | Surface | 50 | 35 | 1.8 | AMA20-110-0 | Surface | 41 | 24 | 0.15 | AMA20-141-0 | Surface | 120 | 48 | 0.85 |
| AMA20-08-10E-1.5 | Surface | 7.5 | 31 | 0.12 U | AMA20-111-0 | Surface | 170 | 62 | 1 | AMA20-142-0 | Surface | 270 | 280 | 0.53 |
| AMA20-08-10N-1 | Surface | 400 | 370 | 0.83 | AMA20-112-0 | Surface | 350 | 120 | 0.32 | AMA20-143-0 | Surface | 130 | 270 | 0.37 |
| AMA20-08-10S-1 | Surface | 310 | 200 | 0.55 | AMA20-113-0 | Surface | 630 | 100 | 4.8 | AMA20-144-0 | Surface | 120 | 44 | 12 |
| AMA20-08-10W-1 | Surface | 10 J | 32 J | 0.13 J | AMA20-114-0 | Surface | 740 | 89 | 0.69 | AMA20-145-0 | Surface | 240 | 120 | 8.9 |
| AMA20-08-25NE-1 | Surface | 130 | 150 | 0.32 | AMA20-115-0 | Surface | 1500 | 1100 | 6.7 | AMA20-146-0 | Surface | 55 | 46 | 0.71 |
| AMA20-08-25NW-1 | Surface | 1000 | 110 | 0.31 | AMA20-116-0 | Surface | 560 | 120 | 6.5 | AMA20-147-0 | Surface | 350 | 230 | 1.5 |
| AMA20-08-25SE-1 | Surface | 230 | 120 | 2.1 | AMA20-117-0 | Surface | 890 | 64 | 130 | AMA20-148-0 | Surface | 59 | 35 | 0.17 |
| AMA20-08-25SW-1 | Surface | 320 | 450 | 0.12 | AMA20-118-0 | Surface | 610 | 120 | 6.4 | AMA20-149-0 | Surface | 130 | 240 | 1.4 |
| AMA20-21-0 | Surface | 70 | 170 | 0.76 | AMA20-119-0 | Surface | 350 | 1100 | 6 | AMA20-150-0 | Surface | 140 | 180 | 1.6 |
| AMA20-25-1 | Surface | 7.9 | 72 | 2 | AMA20-120-0 | Surface | 210 | 100 | 6.9 | AMA20-151-0 | Surface | 70 | 58 | 0.86 |



0 50 100
Feet

PREPARED BY:
Region 9, START
Weston Solutions
Concord, CA 94520
AUGUST 2020


PREPARED FOR:
EPA Region 9
Emergency Response
Section

FIGURE 10B
REMOVAL AREA - SUBSURFACE SAMPLE RESULTS
Argonaut Mine Headframe Area Assessment
Jackson, Amador County, California



Legend

- New Fenceline
- Caltrans Fenceline
- Existing Fencing
- Right of Way




PREPARED BY:
Region 9, START
Weston Solutions
Concord, CA 94520
JUNE 2020



PREPARED FOR:
EPA Region 9
Emergency
Response
Section



FIGURE 11
HEADFRAME REMOVAL AREA FENCING
Argonaut Mine Headframe Area Assessment
Jackson, Amador County, California



Legend

- Subsurface - Arsenic > 100 mg/kg
- Surface - Arsenic > 100 mg/kg
- Subsurface - Lead > 400 mg/kg
- Surface - Lead > 400 mg/kg
- Subsurface - Lead > 200 mg/kg
- Surface - Lead > 200 mg/kg
- Subsurface - Lead > 80 mg/kg
- Surface - Lead > 80 mg/kg
- Areas of Concern (AOCs)

Arsenic Surface Sample

- < 100 mg/kg
- > 100 mg/kg

Arsenic Subsurface Sample

- < 100 mg/kg
- > 100 mg/kg

Lead Surface Sample

- < 80 mg/kg
- 80 - 200 mg/kg
- 200 - 400 mg/kg
- > 400 mg/kg

Lead Subsurface Sample

- < 80 mg/kg
- 80 - 200 mg/kg
- 200 - 400 mg/kg
- > 400 mg/kg

| Removal Parameters | Excavation Depth | Area (ft ²) | Volume (yd ³) | Total Volume (yd ³) |
|---------------------|------------------|-------------------------|---------------------------|---------------------------------|
| Lead > 80 mg/kg | 0 - 2 ft | 26,997 | 2,000 | 2,277 |
| | 2 - 4 ft | 3,742 | 277 | |
| Lead > 200 mg/kg | 0 - 2 ft | 18,080 | 1,339 | 1,523 |
| | 2 - 4 ft | 2,474 | 183 | |
| Lead > 400 mg/kg | 0 - 2 ft | 8,382 | 621 | 788 |
| | 2 - 4 ft | 2,255 | 167 | |
| Arsenic > 100 mg/kg | 0 - 2 ft | 52,343 | 3,877 | 4,801 |
| | 2 - 4 ft | 12,475 | 924 | |

TABLES

Table 1
Analytical Results for Surface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|-----------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|--------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-05-1 | 0 | 12 | 2/12/2020 | 2.4 U | 270 | 200 | 0.6 U | 7.5 | 37 | 47 | 140 | 32 | 1.2 U | 50 | 5.7 U | 0.6 U | 2.4 U | 140 | 260 | 0.14 |
| AMA20-05-10E-1 | 0 | 12 | 2/12/2020 | 3.4 U | 170 | 260 | 0.85 U | 6.1 | 120 | 27 | 130 | 390 | 1.7 U | 53 | 8.2 U | 0.85 U | 3.4 U | 110 | 390 | 5.5 |
| AMA20-05-10S-1 | 0 | 12 | 2/12/2020 | 2.4 U | 82 | 190 | 0.62 | 3.6 | 77 | 33 | 100 | 49 | 1.2 U | 45 | 5.7 U | 0.59 U | 2.4 U | 120 | 480 | 0.42 |
| AMA20-05-10W-0 | 0 | 12 | 2/13/2020 | 4.8 | 220 | 310 | 0.56 U | 7.5 | 49 | 41 | 130 | 180 | 1.1 U | 47 | 5.4 U | 0.56 U | 2.2 U | 85 | 890 | 1.3 |
| AMA20-05-25SE-1 | 0 | 12 | 2/12/2020 | 2.2 U | 97 | 77 | 0.54 U | 2.9 | 51 | 22 | 89 | 1,100 | 1.1 U | 33 | 5.2 U | 0.54 U | 2.2 U | 78 | 120 | 0.7 |
| AMA20-05-25SW-0 | 0 | 12 | 2/13/2020 | 2.2 U | 57 | 84 | 0.58 | 2.5 | 55 | 36 | 120 | 83 | 1.1 U | 44 | 5.4 U | 0.56 U | 2.2 U | 110 | 260 | 0.25 |
| AMA20-06-0 | 0 | 6 | 2/14/2020 | 2.5 U | 150 | 96 | 0.62 U | 7.5 | 61 | 26 | 150 | 41,000 | 1.2 U | 52 | 6 U | 21 | 2.5 U | 75 | 820 | 15 |
| AMA20-06-10N-0 | 0 | 6 | 2/14/2020 | 2.4 U | 87 | 240 | 0.62 | 3.6 | 76 | 31 | 170 | 1,800 | 1.2 U | 60 | 5.8 U | 7.2 | 2.4 U | 120 | 640 | 4.2 |
| AMA20-06-10W-0 | 0 | 6 | 2/14/2020 | 2.4 U | 330 | 110 | 0.6 U | 11 | 55 | 23 | 140 | 55,000 | 1.2 U | 66 | 5.8 U | 71 | 2.4 U | 61 | 960 | 20 |
| AMA20-06-15S-0 | 0 | 6 | 2/14/2020 | 6.4 | 470 | 310 | 0.61 U | 13 | 43 | 26 | 220 | 5,100 | 1.2 U | 200 | 5.9 U | 3.9 | 2.4 U | 100 | 620 | 1.3 |
| AMA20-06-25E-0 | 0 | 6 | 2/14/2020 | 2.5 U | 56 | 97 | 0.64 | 2 | 64 | 27 | 95 | 200 | 1.2 U | 42 | 6 U | 0.62 U | 2.5 U | 110 | 100 | 1.7 |
| AMA20-06-25NW-0 | 0 | 6 | 2/14/2020 | 3.5 | 230 | 380 | 0.6 U | 9 | 66 | 26 | 260 | 1,400 | 1.2 U | 110 | 5.8 U | 2.5 | 2.4 U | 84 | 940 | 5.9 |
| AMA20-06-30NE-0 | 0 | 6 | 2/14/2020 | 2.4 U | 40 | 200 | 0.72 | 1.9 | 72 | 33 | 120 | 180 | 1.2 U | 59 | 5.7 U | 0.59 U | 2.4 U | 130 | 330 | 0.32 |
| AMA20-06-30SE-0 | 0 | 6 | 2/14/2020 | 5.1 | 440 | 100 | 0.61 U | 11 | 51 | 28 | 110 | 4,100 | 1.2 U | 75 | 5.8 U | 1.1 | 2.4 U | 80 | 180 | 0.82 |
| AMA20-07-1 | 0 | 12 | 2/12/2020 | 2.3 U | 430 | 150 | 0.57 U | 20 | 61 | 26 | 320 | 14,000 | 1.6 | 57 | 5.5 U | 56 | 2.3 U | 69 | 1,300 | 260 |
| AMA20-07-10E-1 | 0 | 12 | 2/12/2020 | 2.3 U | 57 | 87 | 0.61 | 2.3 | 100 | 31 | 110 | 1,800 | 1.1 U | 47 | 5.5 U | 8.6 | 2.3 U | 110 | 170 | 3.9 |
| AMA20-07-10N-1 | 0 | 12 | 2/12/2020 | 2.4 U | 240 | 130 | 0.6 U | 11 | 64 | 23 | 240 | 31,000 | 1.2 U | 41 | 5.7 U | 57 | 2.4 U | 93 | 790 | 78 |
| AMA20-07-10S-1 | 0 | 12 | 2/12/2020 | 2.4 U | 1,200 | 83 | 0.6 U | 73 | 54 | 36 | 1,700 | 71,000 | 2.6 | 49 | 5.8 U | 32 | 2.4 U | 66 | 1,300 | 16 |
| AMA20-07-25NE-1 | 0 | 12 | 2/12/2020 | 2.4 U | 120 | 370 | 0.59 U | 5 | 120 | 38 | 140 | 2,200 | 1.2 U | 84 | 5.7 U | 3.8 | 2.4 U | 100 | 320 | 5.3 |
| AMA20-07-25SE-1 | 0 | 12 | 2/12/2020 | 2.3 U | 1,600 | 150 | 0.58 U | 43 | 27 | 19 | 530 | 7,200 | 1.6 | 56 | 7 | 13 | 2.3 U | 34 | 810 | 12 |
| AMA20-08-1 | 0 | 12 | 2/12/2020 | 2.3 U | 35 | 77 | 0.7 | 1.6 | 87 | 26 | 110 | 50 | 1.1 U | 31 | 5.5 U | 0.57 U | 2.3 U | 120 | 83 | 1.8 |
| AMA20-08-10N-1 | 0 | 12 | 2/12/2020 | 2.3 U | 370 | 72 | 0.57 U | 10 | 43 | 26 | 140 | 400 | 1.1 U | 55 | 5.5 U | 1.1 | 2.3 U | 66 | 460 | 0.83 |
| AMA20-08-10E-1.5 | 6 | 18 | 2/12/2020 | 2.3 U | 31 | 73 | 0.58 U | 1.3 | 150 | 28 | 120 | 7.5 | 1.2 U | 62 | 5.6 U | 0.58 U | 2.3 U | 120 | 100 | 0.12 U |
| AMA20-08-10S-1 | 0 | 12 | 2/12/2020 | 2.3 U | 200 | 92 | 0.57 U | 6 | 43 | 30 | 160 | 310 | 1.1 U | 47 | 5.5 U | 0.57 U | 2.3 U | 83 | 270 | 0.55 |
| AMA20-08-10W-1 | 0 | 12 | 2/12/2020 | 2.3 U | 32 | 89 | 0.68 | 1.4 | 120 | 38 | 94 | 10 | 1.2 U | 74 | 5.6 U | 0.58 U | 2.3 U | 140 | 70 | 0.13 |
| AMA20-65-1 | duplicate of AMA20-08-10W-1 | | | 2.3 U | 110 | 190 | 0.63 | 3.7 | 98 | 38 | 110 | 120 | 1.1 U | 51 | 5.4 U | 0.56 U | 2.3 U | 120 | 120 | 0.85 |
| AMA20-08-25NE-1 | 0 | 6 | 2/12/2020 | 2.6 U | 150 | 290 | 0.66 | 5.1 | 65 | 37 | 150 | 130 | 1.3 U | 78 | 6.1 U | 0.64 U | 2.6 U | 110 | 340 | 0.32 |
| AMA20-08-25NW-1 | 0 | 12 | 2/12/2020 | 2.2 U | 110 | 110 | 0.58 | 4.3 | 81 | 28 | 100 | 1,000 | 1.1 U | 47 | 5.4 U | 0.56 U | 2.2 U | 100 | 300 | 0.31 |
| AMA20-08-25SE-1 | 0 | 12 | 2/12/2020 | 2.2 U | 120 | 120 | 0.55 U | 3.5 | 94 | 41 | 110 | 230 | 1.1 U | 45 | 5.3 U | 0.55 U | 2.2 U | 120 | 120 | 2.1 |
| AMA20-08-25SW-1 | 0 | 12 | 2/12/2020 | 2.3 U | 450 | 120 | 0.56 U | 12 | 77 | 26 | 110 | 320 | 1.1 U | 56 | 5.4 U | 2.3 | 2.3 U | 96 | 230 | 0.12 |
| AMA20-14-0 | 0 | 6 | 2/14/2020 | 2.7 U | 25 | 130 | 0.71 | 1.3 | 31 | 21 | 210 | 31 | 1.3 U | 45 | 6.4 U | 0.67 U | 2.7 U | 70 | 170 | 12 |
| AMA20-14-10E-1 | 0 | 12 | 2/13/2020 | 2.6 U | 110 | 160 | 0.79 | 3.3 | 35 | 21 | 220 | 64 | 1.3 U | 37 | 6.3 U | 1.8 | 2.6 U | 84 | 200 | 17 |
| AMA20-14-10N-0 | 0 | 6 | 2/14/2020 | 2.9 U | 17 | 120 | 0.87 | 0.88 | 26 | 17 | 230 | 22 | 1.4 U | 26 | 6.9 U | 0.72 U | 2.9 U | 87 | 130 | 5.5 |
| AMA20-14-10S-0 | 0 | 6 | 2/14/2020 | 3.2 U | 19 | 130 | 0.94 | 0.99 | 29 | 18 | 270 | 25 | 1.6 U | 27 | 7.6 U | 0.8 U | 3.2 U | 94 | 140 | 2.5 |
| AMA20-14-10W-0 | 0 | 6 | 2/14/2020 | 2.7 U | 54 | 120 | 0.77 | 2.4 | 34 | 19 | 400 | 43 | 1.3 U | 28 | 6.5 U | 9.2 | 2.7 U | 88 | 380 | 75 |
| AMA20-14-25NE-1 | 0 | 12 | 2/13/2020 | 2.4 U | 360 | 84 | 0.6 U | 8.9 | 28 | 14 | 120 | 130 | 1.2 U | 30 | 5.8 U | 1 | 2.4 U | 57 | 130 | 8.7 |
| AMA20-14-25SE-1 | 0 | 12 | 2/13/2020 | 2.3 U | 190 | 73 | 0.56 U | 5.2 | 39 | 23 | 89 | 50 | 1.1 U | 45 | 5.4 U | 0.56 U | 2.3 U | 70 | 120 | 3.7 |
| AMA20-14-25SW-1 | 0 | 12 | 2/13/2020 | 2.4 U | 93 | 140 | 0.69 | 2.9 | 46 | 24 | 64 | 51 | 1.2 U | 40 | 5.7 U | 0.59 U | 2.4 U | 82 | 93 | 4.2 |
| AMA20-15-0 | 0 | 6 | 2/14/2020 | 2.9 U | 76 | 400 | 0.71 U | 3.6 | 54 | 19 | 200 | 910 | 1.4 U | 48 | 6.8 U | 0.71 U | 2.9 U | 77 | 470 | 8.8 |
| AMA20-15-10E-1 | 0 | 12 | 2/13/2020 | 2.6 U | 58 | 180 | 0.64 U | 3.3 | 56 | 17 | 190 | 270 | 1.3 U | 36 | 6.1 U | 0.64 U | 2.6 U | 82 | 560 | 6.8 |
| AMA20-15-10N-1 | 0 | 12 | 2/13/2020 | 2.5 U | 71 | 150 | 0.63 | 2.7 | 47 | 20 | 76 | 120 | 1.2 U | 34 | 5.9 U | 0.61 U | 2.5 U | 86 | 180 | 0.99 |
| AMA20-15-10S-1 | 0 | 12 | 2/13/2020 | 2.5 U | 29 | 140 | 0.71 | 1.5 | 57 | 26 | 85 | 39 | 1.2 U | 39 | 6 U | 0.62 U | 2.5 U | 100 | 110 | 4 |
| AMA20-70-1 | duplicate of AMA20-15-10S-1 | | | 2.5 U | 32 | 140 | 0.63 | 1.4 | 53 | 26 | 87 | 76 | 1.2 U | 38 | 6 U | 0.62 U | 2.5 U | 97 | 110 | 2.1 |
| AMA20-15-10W-1 | 0 | 12 | 2/13/2020 | 2.4 U | 17 | 130 | 0.61 U | 1.1 | 47 | 18 | 120 | 33 | 1.2 U | 47 | 5.8 U | 0.61 U | 2.4 U | 63 | 230 | 4.9 |
| AMA20-15-25NE-1 | 0 | 12 | 2/13/2020 | 2.5 U | 100 | 140 | 0.65 | 3.1 | 50 | 21 | 80 | 110 | 1.3 U | 36 | 6 U | 0.63 U | 2.5 U | 90 | 150 | 2 |
| AMA20-15-25NW-1 | 0 | 12 | 2/13/2020 | 2.5 U | 66 | 120 | 0.89 | 2.5 | 47 | 17 | 92 | 110 | 1.2 U | 53 | 5.9 U | 0.62 U | 2.5 U | 74 | 190 | 3.5 |
| AMA20-15-25SE-1 | 0 | 12 | 2/13/2020 | 2.4 U | 50 | 140 | 0.64 | 2 | 52 | 21 | 74 | 98 | 1.2 U | 33 | 5.7 U | 0.59 U | 2.4 U | 94 | 110 | 14 |
| AMA20-15-25SW-1 | 0 | 12 | 2/13/2020 | 2.5 U | 55 | 140 | 0.64 | 2.1 | 53 | 27 | 97 | 100 | 1.2 U | 43 | 5.9 U | 0.62 U | 2.5 U | 89 | 160 | 3.7 |

Table 1
Analytical Results for Surface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|--------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|---------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-20-0 | 0 | 6 | 2/12/2020 | 2.5 U | 280 | 130 | 0.63 U | 6.9 | 28 | 25 | 120 | 21 | 1.3 U | 19 | 6 U | 0.63 U | 2.5 U | 100 | 95 | 0.49 |
| AMA20-62-0 | duplicate of AMA20-20-0 | | | 2.5 U | 250 | 120 | 0.62 U | 6.3 | 34 | 23 | 110 | 22 | 1.2 U | 20 | 5.9 U | 0.62 U | 2.5 U | 110 | 97 | 0.42 |
| AMA20-21-0 | 0 | 6 | 2/11/2020 | 2.4 U | 170 | 93 | 0.69 | 4.9 | 50 | 24 | 84 | 70 | 1.2 U | 56 | 5.7 U | 0.65 | 2.4 U | 72 | 330 | 0.76 |
| AMA20-22-0 | 0 | 6 | 2/13/2020 | 2.5 U | 91 | 220 | 0.89 | 2.7 | 14 | 19 | 25 | 17 | 1.2 U | 9.1 | 6 U | 0.62 U | 2.5 U | 97 | 96 | 0.45 |
| AMA20-23-0 | 0 | 6 | 2/12/2020 | 2.4 U | 97 | 210 | 0.88 | 3 | 9.9 | 24 | 82 | 11 | 1.2 U | 9.3 | 5.7 U | 0.59 U | 2.4 U | 120 | 99 | 0.15 |
| AMA20-24-0 | 0 | 6 | 2/12/2020 | 2.4 U | 44 | 150 | 0.8 | 1.7 | 53 | 31 | 88 | 9 | 1.2 U | 24 | 5.7 U | 0.59 U | 2.4 U | 120 | 77 | 0.12 U |
| AMA20-63-0 | duplicate of AMA20-24-0 | | | 2.4 U | 45 | 140 | 0.79 | 1.6 | 51 | 29 | 86 | 8 | 1.2 U | 22 | 5.6 U | 0.59 U | 2.4 U | 110 | 75 | 0.12 U |
| AMA20-25-1 | 0 | 12 | 2/12/2020 | 2.2 U | 72 | 34 | 0.56 U | 2 | 11 | 7.2 | 22 | 7.9 | 1.1 U | 8.9 | 5.3 U | 0.56 U | 2.2 U | 24 | 27 | 2 |
| AMA20-26-0 | 0 | 6 | 2/11/2020 | 2.5 U | 66 | 140 | 0.8 | 2.5 | 70 | 32 | 76 | 60 | 1.3 U | 34 | 6.1 U | 0.64 U | 2.5 U | 130 | 190 | 0.52 |
| AMA20-27-0 | 0 | 6 | 2/13/2020 | 2.5 U | 120 | 1,300 | 1.1 | 3.8 | 15 | 76 | 56 | 25 | 1.3 U | 17 | 6.1 U | 0.64 U | 2.5 U | 150 | 100 | 0.27 |
| AMA20-28-0 | 0 | 6 | 2/12/2020 | 2.5 U | 110 | 160 | 0.79 | 3.5 | 12 | 23 | 85 | 16 | 1.2 U | 10 | 5.9 U | 0.62 U | 2.5 U | 120 | 99 | 0.31 |
| AMA20-29-0 | 0 | 6 | 2/12/2020 | 2.4 U | 31 | 130 | 0.75 | 1.7 | 54 | 31 | 94 | 11 | 1.2 U | 23 | 5.8 U | 0.6 U | 2.4 U | 110 | 200 | 0.12 U |
| AMA20-30-0 | 0 | 6 | 7/20/2020 | 7.2 | 84 | 250 | 0.29 | 2.2 | 34 | 17 | 130 | 400 | 2.3 | 30 | 1.4 U | 0.9 | 0.84 U | 59 | 500 | 4.9 |
| AMA20-30-4 | 0 | 48 | 2/12/2020 | 2.4 U | 64 | 130 | 0.8 | 2.2 | 78 | 36 | 91 | 8.8 | 1.2 U | 31 | 5.7 U | 0.59 U | 2.4 U | 130 | 70 | 0.22 |
| AMA20-31-0 | 0 | 6 | 2/11/2020 | 2.4 U | 9.5 | 71 | 0.62 | 0.92 | 110 | 35 | 100 | 140 | 1.2 U | 73 | 5.7 U | 0.59 U | 2.4 U | 110 | 82 | 0.13 |
| AMA20-32-0 | 0 | 6 | 2/13/2020 | 2.5 U | 40 | 160 | 0.63 U | 1.9 | 13 | 19 | 86 | 34 | 1.3 U | 10 | 6 U | 0.63 U | 2.5 U | 100 | 310 | 0.13 U |
| AMA20-33-0 | 0 | 6 | 2/12/2020 | 2.5 U | 150 | 160 | 0.74 | 4.3 | 9.4 | 22 | 120 | 14 | 1.2 U | 10 | 5.9 U | 0.62 U | 2.5 U | 120 | 89 | 0.15 |
| AMA20-34-1 | 0 | 12 | 2/12/2020 | 2.4 U | 44 | 93 | 0.74 | 2.4 | 61 | 32 | 110 | 84 | 1.2 U | 27 | 5.7 U | 0.59 U | 2.4 U | 120 | 200 | 0.13 |
| AMA20-35-0 | 0 | 6 | 7/21/2020 | 0.99 U | 49 | 120 | 0.61 | 1.7 | 69 | 28 | 110 | 94 | 0.79 U | 40 | 1.5 U | 0.095 U | 0.88 U | 120 | 450 | 0.23 |
| AMA20-35-2 | 12 | 24 | 2/12/2020 | 2.3 U | 56 | 150 | 0.69 | 2.2 | 77 | 35 | 110 | 90 | 1.1 U | 51 | 5.5 U | 0.57 U | 2.3 U | 130 | 96 | 0.24 |
| AMA20-36-0 | 0 | 6 | 2/11/2020 | 2.4 U | 68 | 130 | 0.85 | 2 | 64 | 31 | 85 | 26 | 1.2 U | 30 | 5.8 U | 0.6 U | 2.4 U | 160 | 90 | 0.72 |
| AMA20-37-0 | 0 | 6 | 2/12/2020 | 2.4 U | 98 | 170 | 0.7 | 2.8 | 10 | 21 | 120 | 9.2 | 1.2 U | 9.8 | 5.8 U | 0.6 U | 2.4 U | 110 | 81 | 0.12 U |
| AMA20-38-0 | 0 | 6 | 2/13/2020 | 2.4 U | 62 | 180 | 0.95 | 2 | 21 | 31 | 120 | 15 | 1.2 U | 15 | 5.7 U | 0.59 U | 2.4 U | 140 | 99 | 0.19 |
| AMA20-39-0 | 0 | 6 | 2/13/2020 | 2.5 U | 97 | 170 | 0.68 | 2.8 | 14 | 23 | 100 | 15 | 1.2 U | 14 | 5.9 U | 0.62 U | 2.5 U | 110 | 80 | 0.14 |
| AMA20-41-0 | 0 | 6 | 2/13/2020 | 3.3 U | 1,200 | 110 | 0.83 U | 28 | 35 | 38 | 150 | 200 | 1.7 U | 120 | 7.9 U | 3.3 | 3.3 U | 58 | 250 | 3.3 |
| AMA20-42-0 | 0 | 6 | 2/13/2020 | 3.1 U | 170 | 47 | 0.78 U | 5.2 | 31 | 25 | 100 | 88 | 1.6 U | 75 | 7.5 U | 0.91 | 3.1 U | 55 | 450 | 4.8 |
| AMA20-43-0 | 0 | 6 | 2/13/2020 | 2.6 U | 68 | 66 | 0.66 U | 2.1 | 36 | 23 | 77 | 170 | 1.3 U | 60 | 6.4 U | 0.66 U | 2.6 U | 37 | 230 | 3.3 |
| AMA20-44-1.5 | 0 | 18 | 2/13/2020 | 2.3 U | 92 | 81 | 0.57 U | 2.5 | 36 | 22 | 88 | 90 | 1.1 U | 52 | 5.5 U | 0.57 U | 2.3 U | 52 | 130 | 0.82 |
| AMA20-45-0 | 0 | 6 | 2/14/2020 | 2.6 U | 110 | 180 | 0.9 | 3.5 | 74 | 30 | 120 | 180 | 1.3 U | 35 | 6.2 U | 0.65 U | 2.6 U | 130 | 250 | 3 |
| AMA20-46-0 | 0 | 6 | 2/13/2020 | 2.4 U | 220 | 77 | 0.61 U | 6 | 27 | 23 | 82 | 72 | 1.2 U | 63 | 5.8 U | 0.61 U | 2.4 U | 41 | 150 | 0.49 |
| AMA20-47-0 | duplicate of AMA20-46-0 | | | 2.8 U | 33 | 130 | 0.95 | 1.3 | 28 | 21 | 510 | 41 | 1.4 U | 30 | 6.6 U | 0.69 U | 2.8 U | 130 | 140 | 0.63 |
| AMA20-48-0 | 0 | 6 | 2/13/2020 | 2.3 U | 110 | 89 | 0.58 U | 3 | 36 | 24 | 89 | 44 | 1.2 U | 56 | 5.6 U | 0.58 U | 2.3 U | 56 | 120 | 0.82 |
| AMA20-49-1.5 | 0 | 18 | 2/13/2020 | 2.3 U | 110 | 180 | 0.76 | 3.5 | 30 | 28 | 120 | 42 | 1.2 U | 35 | 5.6 U | 0.59 U | 2.3 U | 94 | 150 | 4.8 |
| AMA20-50-1.5 | 0 | 18 | 2/13/2020 | 2.4 U | 97 | 110 | 0.62 | 2.9 | 46 | 22 | 73 | 40 | 1.2 U | 37 | 5.8 U | 0.6 U | 2.4 U | 78 | 110 | 0.37 |
| AMA20-51-1 | 0 | 12 | 2/13/2020 | 2.3 U | 98 | 79 | 0.57 | 2.6 | 26 | 14 | 68 | 25 | 1.1 U | 46 | 5.5 U | 0.57 U | 2.3 U | 38 | 92 | 0.33 |
| AMA20-52-0 | 0 | 6 | 2/14/2020 | 2.3 U | 40 | 230 | 0.58 U | 1.5 | 22 | 18 | 69 | 77 | 1.2 U | 39 | 5.5 U | 1.1 | 2.3 U | 27 | 140 | 23 |
| AMA20-53-0 | 0 | 6 | 2/14/2020 | 2.3 U | 120 | 120 | 0.58 U | 3.3 | 29 | 17 | 67 | 49 | 1.2 U | 52 | 5.6 U | 0.58 U | 2.3 U | 36 | 100 | 1.7 |
| AMA20-54-1 | 0 | 12 | 2/13/2020 | 2.5 U | 250 | 70 | 0.62 U | 6.3 | 12 | 14 | 61 | 50 | 1.2 U | 35 | 6 U | 0.99 | 2.5 U | 20 | 110 | 9.3 |
| AMA20-55-1 | 0 | 12 | 2/13/2020 | 2.4 U | 610 | 150 | 0.61 U | 15 | 33 | 16 | 110 | 130 | 1.2 U | 28 | 5.9 U | 0.61 U | 2.4 U | 65 | 220 | 6.8 |
| AMA20-56-1 | 0 | 12 | 2/13/2020 | 2.5 U | 52 | 140 | 0.78 | 1.6 | 73 | 30 | 88 | 15 | 1.3 U | 34 | 6 U | 0.63 U | 2.5 U | 130 | 71 | 0.93 |
| AMA20-57-1 | 0 | 12 | 2/13/2020 | 2.4 U | 140 | 120 | 0.59 U | 3.7 | 38 | 15 | 61 | 34 | 1.2 U | 42 | 5.7 U | 0.59 U | 2.4 U | 50 | 110 | 0.9 |
| AMA20-57E-1 | 0 | 12 | 2/13/2020 | 2.3 U | 43 | 110 | 0.58 U | 1.6 | 30 | 15 | 71 | 23 | 1.2 U | 51 | 5.5 U | 0.58 U | 2.3 U | 32 | 180 | 0.51 |
| AMA20-68-1 | duplicate of AMA20-57E-1 | | | 2.3 U | 39 | 100 | 0.57 U | 1.5 | 29 | 15 | 69 | 21 | 1.1 U | 49 | 5.5 U | 0.57 U | 2.3 U | 31 | 170 | 0.56 |
| AMA20-57N-1 | 0 | 12 | 2/13/2020 | 2.4 U | 53 | 89 | 0.59 U | 1.6 | 27 | 20 | 69 | 22 | 1.2 U | 51 | 5.6 U | 0.59 U | 2.4 U | 29 | 110 | 0.41 |
| AMA20-57W-0 | 0 | 6 | 2/14/2020 | 2.8 U | 57 | 160 | 0.87 | 1.7 | 28 | 20 | 350 | 37 | 1.4 U | 30 | 6.8 U | 0.71 U | 2.8 U | 95 | 120 | 0.65 |
| AMA20-59-1 | 0 | 12 | 2/13/2020 | 2.4 U | 190 | 58 | 0.6 U | 5.3 | 19 | 13 | 68 | 70 | 1.2 U | 34 | 5.8 U | 1.4 | 2.4 U | 31 | 220 | 27 |
| AMA20-60-1 | 0 | 12 | 2/13/2020 | 2.4 U | 230 | 98 | 0.61 U | 5.7 | 20 | 20 | 48 | 43 | 1.2 U | 53 | 5.9 U | 0.61 U | 2.4 U | 37 | 84 | 0.72 |
| AMA20-61-0 | 0 | 6 | 2/14/2020 | 2.6 U | 50 | 130 | 0.72 | 1.7 | 28 | 18 | 350 | 30 | 1.3 U | 31 | 6.2 U | 0.64 U | 2.6 U | 78 | 130 | 1.4 |

Table 1
Analytical Results for Surface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|--------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|----------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-67-1 | 0 | 12 | 2/13/2020 | 2.4 U | 160 | 120 | 0.72 | 4.4 | 41 | 35 | 85 | 32 | 1.2 U | 50 | 5.8 U | 0.61 U | 2.4 U | 87 | 100 | 0.68 |
| AMA20-75-0 | 0 | 6 | 2/14/2020 | 2.1 U | 350 | 200 | 0.53 U | 11 | 27 | 22 | 710 | 250 | 1.8 | 42 | 5.1 U | 1.3 | 2.1 U | 63 | 620 | 2.3 |
| AMA20-76-0 | 0 | 6 | 2/14/2020 | 2.4 U | 300 | 220 | 0.63 | 9.9 | 56 | 30 | 210 | 3,900 | 1.2 U | 77 | 5.8 U | 1.8 | 2.4 U | 110 | 660 | 2.5 |
| AMA20-77-0 | 0 | 6 | 2/14/2020 | 2.1 U | 1,000 | 79 | 0.53 U | 25 | 22 | 20 | 140 | 66 | 2.3 | 79 | 5.1 U | 1.1 | 2.1 U | 16 | 250 | 3.8 |
| AMA20-97-0 | duplicate of AMA20-77-0 | | | 2.1 U | 1,200 | 71 | 0.53 U | 31 | 17 | 20 | 140 | 87 | 2.1 | 80 | 5.1 U | 5 | 2.1 U | 13 | 230 | 6.8 |
| AMA20-78-0 | 0 | 6 | 2/14/2020 | 2.7 U | 80 | 160 | 0.78 | 4.6 | 78 | 33 | 130 | 85 | 1.3 U | 41 | 6.4 U | 0.66 U | 2.7 U | 130 | 720 | 8.6 |
| AMA20-79-0 | 0 | 6 | 2/14/2020 | 2.7 U | 130 | 150 | 0.67 U | 5.8 | 61 | 27 | 120 | 220 | 1.3 U | 47 | 6.5 U | 0.79 | 2.7 U | 93 | 550 | 5.1 |
| AMA20-80-0 | 0 | 6 | 2/14/2020 | 2 U | 720 | 67 | 0.5 U | 18 | 16 | 20 | 86 | 24 | 2.6 | 99 | 4.8 U | 0.69 | 2 U | 19 | 160 | 0.37 |
| AMA20-93-0 | duplicate of AMA20-80-0 | | | 2 U | 400 | 75 | 0.5 U | 13 | 20 | 21 | 87 | 32 | 3.1 | 100 | 4.8 U | 4 | 2 U | 19 | 590 | 0.3 |
| AMA20-81-0 | 0 | 6 | 2/14/2020 | 2.2 | 460 | 87 | 0.52 U | 12 | 18 | 16 | 68 | 120 | 1.3 | 57 | 5 U | 1.7 | 2.1 U | 26 | 220 | 0.55 |
| AMA20-96-0 | duplicate of AMA20-81-0 | | | 2.1 U | 280 | 89 | 0.52 U | 8.3 | 26 | 18 | 66 | 1,600 | 1 U | 47 | 10 | 3.2 | 2.1 U | 42 | 190 | 0.43 |
| AMA20-82-0 | 0 | 6 | 2/14/2020 | 2.3 U | 67 | 95 | 0.75 | 4.1 | 78 | 34 | 99 | 31 | 1.1 U | 41 | 5.4 U | 0.57 U | 2.3 U | 120 | 610 | 0.11 U |
| AMA20-83-0 | 0 | 2 | 2/14/2020 | 2.3 U | 41 | 150 | 0.79 | 2.3 | 65 | 33 | 98 | 18 | 1.2 U | 28 | 5.6 U | 0.58 U | 2.3 U | 120 | 340 | 0.15 |
| AMA20-94-0 | duplicate of AMA20-83-0 | | | 2.3 U | 35 | 140 | 0.8 | 2.1 | 72 | 34 | 100 | 14 | 1.2 U | 30 | 5.6 U | 0.58 U | 2.3 U | 120 | 310 | 0.12 U |
| AMA20-84-0 | 0 | 6 | 2/14/2020 | 2.1 U | 150 | 150 | 0.55 | 5.7 | 51 | 29 | 220 | 98 | 1.1 U | 39 | 5.1 U | 0.53 U | 2.1 U | 97 | 320 | 0.56 |
| AMA20-85-0 | 0 | 2 | 2/14/2020 | 36 | 150 | 300 | 0.55 U | 46 | 58 | 19 | 1,900 | 2,900 | 1.1 U | 57 | 5.3 U | 1.8 | 2.2 U | 58 | 3100 | 3.9 |
| AMA20-87-0 | 0 | 4 | 2/14/2020 | 2.1 U | 1,200 | 81 | 0.53 U | 27 | 19 | 18 | 220 | 160 | 1.8 | 52 | 5 U | 1.7 | 2.1 U | 38 | 170 | 0.89 |
| AMA20-88-0 | 0 | 6 | 2/14/2020 | 2.3 U | 66 | 160 | 0.57 U | 2.2 | 35 | 16 | 65 | 67 | 1.1 U | 41 | 5.5 U | 0.57 U | 2.3 U | 60 | 270 | 1.5 |
| AMA20-98-0 | duplicate of AMA20-88-0 | | | 2.3 U | 56 | 87 | 0.57 U | 1.9 | 34 | 16 | 57 | 62 | 1.1 U | 40 | 5.5 U | 0.57 U | 2.3 U | 57 | 260 | 1 |
| AMA20-89-0 | 0 | 6 | 2/14/2020 | 3.2 U | 14 | 130 | 1.1 | 0.79 U | 30 | 16 | 360 | 24 | 1.6 U | 27 | 7.6 U | 0.79 U | 3.2 U | 120 | 130 | 0.49 |
| AMA20-99-0 | duplicate of AMA20-99-0 | | | 3.2 U | 16 | 130 | 1 | 0.85 | 29 | 18 | 350 | 24 | 1.6 U | 26 | 7.7 U | 0.8 U | 3.2 U | 110 | 130 | 0.56 |
| AMA20-92-0 | 0 | 6 | 2/14/2020 | 3.1 U | 23 | 150 | 0.94 | 1.1 | 29 | 22 | 320 | 37 | 1.5 U | 32 | 7.4 U | 0.77 U | 3.1 U | 97 | 150 | 0.92 |
| AWEST-01-0.5 | 0 | 6 | 2/14/2020 | 2.4 U | 8.1 | 180 | 1.1 | 0.89 | 18 | 28 | 82 | 13 | 1.2 U | 14 | 5.8 U | 0.6 U | 2.4 U | 130 | 98 | 0.12 U |
| AWEST-02-0.5 | 0 | 6 | 2/14/2020 | 2.4 U | 24 | 150 | 0.88 | 1.2 | 24 | 24 | 82 | 14 | 1.2 U | 19 | 5.6 U | 0.59 U | 2.4 U | 130 | 150 | 0.12 U |
| AWEST-03-0.5 | 0 | 6 | 2/14/2020 | 2.4 U | 22 | 170 | 1 | 1.3 | 18 | 23 | 77 | 13 | 1.2 U | 15 | 5.9 U | 0.61 U | 2.4 U | 120 | 210 | 0.12 U |
| AWEST-04-0.5 | 0 | 6 | 2/14/2020 | 2.2 U | 11 | 170 | 0.91 | 0.82 | 24 | 25 | 100 | 12 | 1.1 U | 24 | 5.2 U | 0.54 U | 2.2 U | 120 | 580 | 0.11 U |
| AWEST-05-0.5 | 0 | 6 | 2/14/2020 | 2.2 U | 18 | 110 | 0.7 | 1 | 23 | 19 | 64 | 11 | 1.1 U | 21 | 5.2 U | 0.54 U | 2.2 U | 100 | 140 | 0.11 U |
| AWEST-06-0.5 | 0 | 6 | 2/14/2020 | 2.1 U | 24 | 68 | 0.54 U | 0.9 | 18 | 13 | 39 | 8.6 | 1.1 U | 15 | 5.1 U | 0.54 U | 2.1 U | 59 | 100 | 1.1 U |
| AMA20-106-0 | 0 | 3 | 7/20/2020 | 0.95 UJ | 52 | 78 | 0.49 | 0.25 | 77 J | 28 | 680 | 71 J | 1.7 J | 38 | 7.4 | 0.091 U | 0.85 U | 110 | 100 | 0.85 |
| AMA20-107-0 | 0 | 1 | 7/20/2020 | 2.5 | 72 | 240 | 0.35 | 1.7 | 59 | 28 | 1500 | 430 | 6.7 | 51 | 8.3 | 0.75 | 0.85 U | 64 | 350 | 4.2 |
| AMA20-108-0 | 0 | 2 | 7/20/2020 | 0.96 U | 36 | 140 | 0.56 | 1.7 | 46 | 19 | 110 | 120 | 0.77 U | 25 | 1.4 U | 0.54 | 0.86 U | 110 | 400 | 0.27 |
| AMA20-109-0 | 0 | 1 | 7/20/2020 | 0.9 U | 35 | 140 | 0.44 | 1.7 | 48 | 17 | 93 | 55 | 0.72 J | 27 | 1.3 U | 0.086 U | 0.8 U | 90 | 410 | 0.25 |
| AMA20-110-0 | 0 | 6 | 7/20/2020 | 0.92 U | 24 | 83 | 0.36 | 0.64 | 62 | 16 | 63 | 41 | 0.73 U | 24 | 1.4 U | 0.088 U | 0.82 U | 94 | 180 | 0.15 |
| AMA20-111-0 | 0 | 2 | 7/20/2020 | 0.97 U | 62 | 110 | 0.45 | 1.1 | 46 | 16 | 150 | 170 | 1.3 J | 27 | 1.4 U | 0.093 U | 0.87 U | 82 | 290 | 1 |
| AMA20-112-0 | 0 | 6 | 7/20/2020 | 0.98 U | 120 | 100 | 0.46 | 20 | 52 | 26 | 140 | 350 | 2 J | 61 | 1.5 U | 0.094 U | 0.87 U | 84 | 440 | 0.32 |
| AMA20-113-0 | 0 | 2 | 7/20/2020 | 18 | 100 | 180 | 0.33 | 2.1 | 47 | 13 | 400 | 630 | 5.4 | 36 | 2.9 | 0.6 | 0.87 U | 44 | 490 | 4.8 |
| AMA20-114-0 | 0 | 6 | 7/20/2020 | 0.96 U | 89 | 490 | 0.52 | 4 | 54 | 24 | 140 | 740 | 1.3 J | 39 | 1.4 U | 0.092 U | 0.86 U | 90 | 1,100 | 0.69 |
| AMA20-115-0 | 0 | 6 | 7/20/2020 | 0.98 U | 1,100 | 87 | 0.21 | 2.4 | 52 | 18 | 140 | 1,500 | 2.2 | 140 | 5.2 | 16 | 0.87 U | 24 | 490 | 6.7 |
| AMA20-116-0 | 0 | 6 | 7/20/2020 | 0.97 U | 120 | 150 | 0.28 | 2.2 | 30 | 13 | 230 | 560 | 2.8 | 31 | 3.8 | 0.9 | 0.87 U | 40 | 580 | 6.5 |
| AMA20-117-0 | 0 | 3 | 7/20/2020 | 1.3 J | 64 | 160 | 0.36 | 2.2 | 32 | 10 | 110 | 890 J | 2.8 | 22 | 1.8 J | 0.97 J | 0.79 U | 47 | 500 | 130 |
| AMA20-317-0 | duplicate of AMA20-317-0 | | | 6.5 J | 70 | 180 | 0.3 | 2.5 | 33 | 12 | 130 | 2,400 J | 3.6 | 21 | 1.9 J | 3.2 J | 0.84 U | 51 | 590 | 170 |
| AMA20-118-0 | 0 | 6 | 7/20/2020 | 5.7 | 120 | 170 | 0.38 | 5.8 | 53 | 20 | 250 | 610 | 9.7 | 48 | 1.4 U | 1.1 | 0.86 U | 60 | 1,300 | 6.4 |
| AMA20-119-0 | 0 | 1 | 7/20/2020 | 12 J | 1,100 | 270 | 0.14 J | 2.6 | 59 J | 23 | 740 | 350 | 17 J | 83 J | 2.4 | 1.6 | 0.87 U | 49 | 540 | 6 |
| AMA20-120-0 | 0 | 1 | 7/20/2020 | 5.2 | 100 | 240 | 0.29 | 2.3 | 45 | 20 | 360 | 210 | 8.1 | 47 | 2.3 | 1.7 | 0.88 U | 44 | 420 | 6.9 |
| AMA20-121-0 | 0 | 6 | 7/20/2020 | 2.7 | 380 | 140 | 0.32 | 2.2 | 41 | 19 | 230 | 2,100 | 3 | 59 | 3 | 7.5 | 0.82 U | 48 | 490 | 4.3 |
| AMA20-122-0 | 0 | 6 | 7/20/2020 | 6.1 J | 97 | 180 | 0.44 | 2.5 | 58 | 22 | 270 | 720 | 2.4 | 44 | 1.5 U | 0.97 J | 0.9 U | 83 | 620 | 3.7 |
| AMA20-322-0 | duplicate of AMA20-122-0 | | | 2.2 J | 93 | 140 | 0.46 | 2.6 | 58 | 24 | 200 | 610 | 1.8 J | 47 | 1.5 U | 0.096 UJ | 0.9 U | 91 | 690 | 2.9 |
| AMA20-123-0 | 0 | 6 | 7/20/2020 | 320 | 190 | 290 | 0.35 | 4.1 | 53 | 21 | 650 | 4,200 | 4.2 | 65 | 1.4 U | 5.2 | 0.84 U | 69 | 920 | 8.7 |
| AMA20-124-0 | 0 | 6 | 7/20/2020 | 16 | 190 | 270 | 0.33 | 3.5 | 68 | 28 | 450 | 1,000 | 7.1 | 140 | 1.4 U | 1.9 | 0.85 U | 76 | 1,000 | 4.1 |
| AMA20-125-0 | 0 | 6 | 7/20/2020 | 7.7 | 220 | 420 | 0.42 | 3.8 | 63 | 29 | 270 | 2,400 | 2.5 | 120 | 1.5 U | 3 | 0.9 U | 99 | 970 | 4.3 |
| AMA20-126-0 | 0 | 3 | 7/20/2020 | 2.8 | 56 | 150 | 0.6 | 0.12 J | 66 | 26 | 76 | 61 | 0.83 U | 31 | 1.6 U | 0.1 U | 0.93 U | 140 | 130 | 0.19 |

Table 1
Analytical Results for Surface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|--------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|---------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-127-0 | 0 | 6 | 7/20/2020 | 2.7 | 73 | 170 | 0.55 | 0.24 | 60 | 26 | 98 | 160 | 0.8 U | 36 | 1.5 U | 0.096 U | 0.9 U | 130 | 220 | 0.34 |
| AMA20-128-0 | 0 | 6 | 7/20/2020 | 3.9 | 110 | 250 | 0.41 | 0.62 | 63 | 26 | 160 | 360 | 1.8 J | 73 | 1.4 U | 0.4 J | 0.86 U | 94 | 560 | 0.32 |
| AMA20-129-0 | 0 | 6 | 7/20/2020 | 3.7 J | 38 | 480 J | 0.29 | 0.56 J | 57 | 15 | 75 | 2,800 J | 1.4 J | 47 | 1.6 U | 0.19 J | 0.94 U | 79 | 6,500 J | 39 J |
| AMA20-329-0 | duplicate of AMA20-129-0 | | | 1.1 UJ | 30 | 87 J | 0.38 | 0.29 J | 71 | 18 | 78 | 320 J | 0.85 U | 37 | 1.6 U | 0.1 U | 0.95 U | 90 | 210 J | 0.15 J |
| AMA20-130-0 | 0 | 6 | 7/20/2020 | 2.9 | 40 | 100 | 0.54 | 0.089 J | 67 | 25 | 100 | 230 | 0.76 U | 35 | 1.4 U | 0.091 U | 0.85 U | 120 | 130 | 0.13 |
| AMA20-131-0 | 0 | 6 | 7/20/2020 | 2.4 | 62 | 110 | 0.49 | 0.57 | 65 | 24 | 100 | 720 | 0.77 U | 43 | 1.4 U | 0.092 U | 0.86 U | 110 | 160 | 0.13 |
| AMA20-132-0 | 0 | 2 | 7/20/2020 | 9.8 | 160 | 310 | 0.19 | 3 | 34 | 16 | 250 | 320 | 4.3 | 36 | 1.3 U | 1 | 0.81 U | 52 | 610 | 2.5 |
| AMA20-133-0 | 0 | 2 | 7/20/2020 | 2.5 | 640 | 240 | 0.18 J | 2.8 | 18 | 20 | 290 | 160 | 3 | 49 | 1.4 U | 1.4 | 0.84 U | 22 | 600 | 3.8 |
| AMA20-134-0 | 0 | 1 | 7/20/2020 | 8.6 | 110 | 300 | 0.17 J | 4.1 | 34 | 18 | 270 | 350 | 4.3 | 28 | 1.4 U | 1 | 0.82 U | 58 | 1,200 | 4.1 |
| AMA20-135-0 | 0 | 1 | 7/20/2020 | 5.8 J | 100 J | 600 | 0.19 | 5.7 | 46 | 26 | 330 | 290 | 6.7 | 37 | 1.7 J | 38 J | 0.8 U | 94 | 740 | 6.6 |
| AMA20-335-0 | duplicate of AMA20-135-0 | | | 2.7 J | 220 J | 620 | 0.28 | 5.3 | 46 | 23 | 280 | 290 | 5.6 | 31 | 2.3 | 0.32 J | 0.84 U | 92 | 740 | 7.2 |
| AMA20-136-0 | 0 | 6 | 7/20/2020 | 16 | 80 | 970 | 0.33 | 4.7 | 52 | 21 | 740 | 4,100 | 2.2 | 180 | 1.5 U | 1.3 | 0.9 U | 120 | 2,400 | 0.74 |
| AMA20-137-0 | 0 | 6 | 7/20/2020 | 5.5 | 280 | 450 | 0.26 | 2 | 42 | 18 | 190 | 340 | 2.2 | 59 | 1.4 U | 1.1 | 0.86 U | 54 | 680 | 2.4 |
| AMA20-138-0 | 0 | 3 | 7/20/2020 | 4.9 | 100 | 280 | 0.23 | 6.9 | 31 | 16 | 72 | 210 | 1.3 J | 28 | 1.4 U | 0.6 | 0.81 U | 57 | 1,400 | 3 |
| AMA20-139-0 | 0 | 3 | 7/20/2020 | 4.3 J | 380 | 140 J | 0.38 | 1.3 | 34 | 21 | 120 | 200 | 2.1 | 48 | 1.5 U | 0.093 U | 0.87 U | 59 J | 440 | 1.1 |
| AMA20-140-0 | 0 | 2 | 7/20/2020 | 2 | 210 | 81 | 0.23 | 13 | 39 | 14 | 67 | 240 | 1.9 J | 75 | 1.4 U | 0.091 U | 0.85 U | 32 | 3,000 | 0.39 |
| AMA20-141-0 | 0 | 1 | 7/20/2020 | 3.8 | 48 | 870 | 0.29 | 0.71 | 33 | 22 | 59 | 120 | 2.4 | 18 | 1.5 J | 0.087 U | 0.99 J | 100 | 160 | 0.85 |
| AMA20-341-0 | duplicate of AMA20-141-0 | | | 3.2 | 49 | 790 | 0.29 | 0.71 | 35 | 23 | 61 | 120 | 2.7 | 22 | 1.3 U | 0.086 U | 0.8 U | 110 | 150 | 0.96 |
| AMA20-142-0 | 0 | 6 | 7/20/2020 | 1.6 J | 280 | 82 | 0.28 | 5.4 | 46 | 20 | 700 | 270 | 2.5 | 97 | 1.6 J | 0.75 | 0.84 U | 45 | 2,000 | 0.53 |
| AMA20-143-0 | 0 | 6 | 7/20/2020 | 0.99 U | 270 | 100 | 0.46 | 2.9 | 84 | 30 | 220 | 130 | 3.1 | 71 | 1.5 U | 0.095 U | 0.89 U | 92 | 1,100 | 0.37 |
| AMA20-144-0 | 0 | 6 | 7/20/2020 | 0.94 U | 44 | 740 | 0.27 | 1.1 | 36 | 31 | 160 | 120 | 2.8 | 23 | 1.4 U | 0.09 U | 0.85 J | 130 | 240 | 12 |
| AMA20-145-0 | 0 | 6 | 7/20/2020 | 1 U | 120 | 160 | 0.42 | 4.6 | 49 | 20 | 150 | 240 | 1.6 J | 47 | 1.5 U | 0.1 U | 0.93 U | 90 | 1,400 | 8.9 |
| AMA20-146-0 | 0 | 6 | 7/20/2020 | 1 U | 46 | 98 | 0.58 | 0.27 | 51 | 21 | 74 | 55 | 0.8 U | 27 | 1.5 U | 0.096 U | 0.9 U | 100 | 170 | 0.71 |
| AMA20-147-0 | 0 | 6 | 7/20/2020 | 1.1 J | 230 | 110 | 0.37 | 1.3 | 38 | 18 | 84 | 350 | 1.3 J | 47 | 1.5 U | 0.16 J | 0.87 U | 64 | 410 | 1.5 |
| AMA20-148-0 | 0 | 2 | 7/20/2020 | 0.94 U | 35 | 120 | 0.61 | 0.18 J | 66 | 23 | 76 | 59 | 0.75 U | 32 | 1.4 U | 0.09 U | 0.84 U | 110 | 160 | 0.17 |
| AMA20-149-0 | 0 | 4 | 7/20/2020 | 2.9 | 240 | 280 | 0.26 | 1.1 | 27 | 18 | 87 | 130 | 2.6 | 38 | 1.5 U | 0.24 J | 0.88 U | 59 | 290 | 1.4 |
| AMA20-150-0 | 0 | 2 | 7/20/2020 | 2.3 | 180 | 73 | 0.3 | 0.67 | 18 | 15 | 58 | 140 | 3.1 | 48 | 1.4 U | 3.2 | 0.86 U | 23 | 200 | 1.6 |
| AMA20-151-0 | 0 | 2 | 7/20/2020 | 0.92 U | 58 | 540 | 0.21 | 0.29 | 22 | 15 | 32 | 70 | 1.4 J | 17 | 1.4 U | 0.089 U | 0.83 U | 73 | 110 | 0.86 |

bgs - below ground surface

mg/kg - milligrams per kilogram

U - not reported at or above the sample detection limit (SDL)

BOLD value indicates a reported value at or above the SDL

a = U.S. Environmental Protection Agency (EPA) Argonaut Mine Site - Specific Arsenic Screening Level

b = DTSC Residential Screening Level for Soil

c = EPA Removal Management Levels (RMLs) and EPA Regional Screening Levels (RSLs) for residential soil

d = EPA RSL for residential soil

e = EPA RML for residential soil

f = EPA RML for commercial soil

Shaded values exceed the Site-Specific Screening Level for Arsenic (100 mg/kg), Lead (80 mg/kg), or Mercury (11 mg/kg)

Shaded values exceed the Site-Specific Screening Level for Arsenic (500 mg/kg), Lead (400 mg/kg), or Mercury (70 mg/kg)

Shaded values exceed the Site-Specific Screening Level for Arsenic (1,000 mg/kg), Lead (10,000 mg/kg), or Mercury (260 mg/kg)

Metals by U.S. Environmental Protection Agency (EPA) Method 6010B

Mercury by EPA Method 7471A

Table 2
Analytical Results for Subsurface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|------------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|--------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-05-4 | 36 | 48 | 2/12/2020 | 2.1 U | 2.1 U | 69 | 0.66 | 0.53 U | 51 | 31 | 110 | 3.6 | 1.1 U | 43 | 5.1 U | 0.53 U | 2.1 U | 130 | 58 | 0.11 U |
| AMA20-05-10E-2.5 | 18 | 30 | 2/12/2020 | 2.3 U | 16 | 97 | 0.71 | 1.3 | 68 | 42 | 110 | 17 | 1.1 U | 44 | 5.5 U | 0.57 U | 2.3 U | 110 | 81 | 0.17 |
| AMA20-05-10S-4 | 36 | 48 | 2/12/2020 | 2.4 U | 2.4 U | 70 | 0.82 | 0.64 | 120 | 36 | 140 | 7.5 | 1.2 U | 42 | 5.7 U | 0.59 U | 2.4 U | 170 | 78 | 0.12 U |
| AMA20-66-4 | duplicate of AMA20-05-10S-4 | | | 2.3 U | 2.3 U | 87 | 0.85 | 0.7 | 100 | 41 | 160 | 4.1 | 1.2 U | 54 | 5.6 U | 0.58 U | 2.3 U | 180 | 80 | 0.12 U |
| AMA20-05-25SE-3 | 24 | 36 | 2/12/2020 | 2.4 U | 9.6 | 130 | 0.74 | 0.78 | 62 | 39 | 140 | 180 | 1.2 U | 35 | 5.6 U | 0.59 U | 2.4 U | 120 | 73 | 0.12 U |
| AMA20-06-10N-2 | 18 | 24 | 2/14/2020 | 3.1 | 15 | 71 | 0.62 | 1.2 | 62 | 28 | 110 | 340 | 1.1 U | 41 | 5.4 U | 0.61 | 2.3 U | 110 | 150 | 6.7 |
| AMA20-06-10W-2 | 18 | 24 | 2/14/2020 | 2.4 U | 33 | 91 | 0.8 | 2.5 | 110 | 39 | 130 | 4,700 | 1.2 U | 68 | 5.7 U | 11 | 2.4 U | 130 | 1,200 | 10 |
| AMA20-06-15S-2 | 18 | 24 | 2/14/2020 | 2.5 U | 360 | 220 | 0.61 U | 11 | 31 | 17 | 120 | 4,800 | 1.6 | 81 | 5.9 U | 3.1 | 2.5 U | 38 | 250 | 1.3 |
| AMA20-06-25E-1 | 6 | 12 | 2/14/2020 | 2.5 U | 120 | 150 | 0.78 | 3.2 | 66 | 33 | 75 | 25 | 1.2 U | 31 | 5.9 U | 0.62 U | 2.5 U | 140 | 74 | 1.5 |
| AMA20-06-25NW-2 | 18 | 24 | 2/14/2020 | 2.4 U | 240 | 350 | 0.6 U | 11 | 62 | 37 | 280 | 740 | 1.2 U | 160 | 5.8 U | 1.1 | 2.4 U | 100 | 810 | 2.8 |
| AMA20-06-30NE-2 | 18 | 24 | 2/14/2020 | 2.3 U | 50 | 140 | 1 | 1.9 | 70 | 33 | 94 | 34 | 1.1 U | 37 | 5.5 U | 0.57 U | 2.3 U | 170 | 130 | 0.16 |
| AMA20-06-30SE-2 | 18 | 24 | 2/14/2020 | 2.4 U | 59 | 110 | 0.75 | 2 | 80 | 31 | 110 | 420 | 1.2 U | 41 | 5.7 U | 0.6 U | 2.4 U | 130 | 78 | 0.12 U |
| AMA20-07-4 | 36 | 48 | 2/12/2020 | 2.3 U | 47 | 150 | 0.79 | 2.3 | 86 | 50 | 140 | 120 | 1.2 U | 61 | 5.6 U | 7.4 | 2.3 U | 140 | 180 | 2.9 |
| AMA20-07-10E-2 | 12 | 24 | 2/12/2020 | 2.4 U | 53 | 84 | 0.66 | 1.9 | 87 | 35 | 99 | 31 | 1.2 U | 46 | 5.7 U | 0.59 U | 2.4 U | 130 | 83 | 0.98 |
| AMA20-07-10N-2 | 12 | 48 | 2/12/2020 | 2.3 U | 37 | 110 | 0.68 | 2.6 | 76 | 32 | 130 | 470 | 1.2 U | 43 | 5.6 U | 7.7 | 2.3 U | 120 | 470 | 6.2 |
| AMA20-07-10S-4 | 36 | 48 | 2/12/2020 | 2.4 U | 28 | 91 | 0.71 | 1.4 | 83 | 37 | 110 | 20 | 1.2 U | 45 | 5.7 U | 0.59 U | 2.4 U | 130 | 69 | 0.12 U |
| AMA20-07-25NE-2 | 12 | 24 | 2/12/2020 | 2.4 U | 37 | 130 | 0.69 | 1.7 | 86 | 33 | 130 | 180 | 1.2 U | 37 | 5.8 U | 0.6 U | 2.4 U | 120 | 88 | 0.6 |
| AMA20-07-25SE-2 | 12 | 24 | 2/12/2020 | 2.4 U | 170 | 130 | 0.66 | 4.8 | 78 | 32 | 150 | 2,000 | 1.2 U | 58 | 5.7 U | 0.59 U | 2.4 U | 99 | 240 | 0.12 U |
| AMA20-08-3 | 24 | 36 | 2/12/2020 | 2.4 U | 51 | 170 | 0.77 | 1.9 | 65 | 35 | 93 | 8.2 | 1.2 U | 29 | 5.7 U | 0.6 U | 2.4 U | 120 | 70 | 0.35 |
| AMA20-08-10E-4 | 36 | 48 | 2/12/2020 | 2.4 U | 79 | 140 | 0.76 | 2.6 | 77 | 31 | 88 | 8.5 | 1.2 U | 34 | 5.8 U | 0.6 U | 2.4 U | 130 | 74 | 0.19 |
| AMA20-08-10N-3 | 24 | 36 | 2/12/2020 | 2.4 U | 76 | 170 | 0.75 | 2.5 | 63 | 33 | 100 | 9.8 | 1.2 U | 29 | 5.8 U | 0.6 U | 2.4 U | 130 | 77 | 0.12 U |
| AMA20-08-10S-3 | 24 | 36 | 2/12/2020 | 2.4 U | 79 | 160 | 0.84 | 2.5 | 74 | 41 | 99 | 8.8 | 1.2 U | 37 | 5.7 U | 0.6 U | 2.4 U | 140 | 76 | 0.13 |
| AMA20-08-10W-2 | 12 | 24 | 2/12/2020 | 2.4 U | 130 | 140 | 0.63 | 3.5 | 41 | 27 | 110 | 18 | 1.2 U | 19 | 5.7 U | 0.59 U | 2.4 U | 110 | 82 | 0.27 |
| AMA20-08-25NE-4 | 36 | 48 | 2/12/2020 | 2.4 U | 50 | 130 | 0.77 | 1.9 | 87 | 34 | 110 | 13 | 1.2 U | 46 | 5.8 U | 0.61 U | 2.4 U | 150 | 92 | 0.12 U |
| AMA20-08-25NW-4 | 36 | 48 | 2/12/2020 | 2.3 U | 7.2 | 130 | 0.58 U | 0.67 | 81 | 22 | 68 | 5.8 | 1.2 U | 36 | 5.6 U | 0.58 U | 2.3 U | 140 | 64 | 0.12 U |
| AMA20-64-4 | duplicate of AMA20-25NW-4 | | | 2.3 U | 7.4 | 110 | 0.58 U | 0.67 | 79 | 21 | 71 | 4.4 | 1.2 U | 35 | 5.6 U | 0.58 U | 2.3 U | 150 | 58 | 0.12 U |
| AMA20-08-25SE-3 | 24 | 36 | 2/12/2020 | 2.4 U | 28 | 93 | 0.71 | 1.4 | 97 | 34 | 100 | 12 | 1.2 U | 52 | 5.7 U | 0.59 U | 2.4 U | 130 | 80 | 0.12 U |
| AMA20-08-25SW-3 | 24 | 36 | 2/12/2020 | 2.4 U | 73 | 160 | 0.79 | 2.4 | 82 | 35 | 99 | 8.5 | 1.2 U | 34 | 5.8 U | 0.6 U | 2.4 U | 130 | 76 | 0.34 |
| AMA20-14-10E-3 | 24 | 36 | 2/13/2020 | 2.4 U | 63 | 130 | 0.63 | 2 | 40 | 20 | 64 | 15 | 1.2 U | 39 | 5.7 U | 0.59 U | 2.4 U | 64 | 73 | 0.9 |
| AMA20-14-25NE-3 | 24 | 36 | 2/13/2020 | 2.3 U | 50 | 130 | 0.57 U | 1.6 | 35 | 15 | 57 | 16 | 1.1 U | 41 | 5.5 U | 0.57 U | 2.3 U | 49 | 82 | 0.31 |
| AMA20-14-25SE-3 | 24 | 36 | 2/13/2020 | 2.2 U | 60 | 65 | 0.55 U | 2 | 38 | 20 | 98 | 23 | 1.1 U | 52 | 5.3 U | 0.55 U | 2.2 U | 43 | 110 | 0.85 |
| AMA20-14-25SW-3 | 24 | 36 | 2/13/2020 | 2.4 U | 25 | 120 | 0.6 U | 1.1 | 55 | 14 | 60 | 12 | 1.2 U | 47 | 5.8 U | 0.6 U | 2.4 U | 44 | 77 | 0.25 |
| AMA20-74-3 | duplicate of AMA20-14-25SW-3 | | | 2.4 U | 18 | 130 | 0.6 U | 0.79 | 47 | 19 | 53 | 17 | 1.2 U | 46 | 5.8 U | 0.6 U | 2.4 U | 43 | 78 | 0.17 |
| AMA20-15-10E-4 | 36 | 48 | 2/13/2020 | 2.3 U | 11 | 650 | 0.58 U | 0.64 | 25 | 14 | 52 | 10 | 1.2 U | 39 | 5.5 U | 0.58 U | 2.3 U | 24 | 91 | 0.12 U |
| AMA20-15-10N-4 | 36 | 48 | 2/13/2020 | 2.4 U | 6.4 | 92 | 0.59 U | 0.68 | 24 | 7.1 | 95 | 7.4 | 1.2 U | 26 | 5.7 U | 0.59 U | 2.4 U | 38 | 82 | 0.12 U |
| AMA20-15-10S-2.5 | 18 | 30 | 2/13/2020 | 2.4 U | 19 | 67 | 0.62 | 1.2 | 42 | 8.5 | 55 | 8.9 | 2.1 | 38 | 5.7 U | 0.6 U | 2.4 U | 49 | 74 | 0.27 |
| AMA20-15-10W-4 | 36 | 48 | 2/13/2020 | 2.3 U | 15 | 300 | 0.82 | 2.2 | 29 | 20 | 110 | 11 | 2.5 | 110 | 5.5 U | 0.58 U | 2.3 U | 55 | 270 | 0.23 |
| AMA20-15-25NE-3 | 36 | 48 | 2/13/2020 | 2.4 U | 22 | 120 | 0.6 U | 1 | 43 | 18 | 64 | 14 | 2.4 | 36 | 5.8 U | 0.6 U | 2.4 U | 52 | 76 | 0.12 U |
| AMA20-15-25NW-2 | 16 | 26 | 2/13/2020 | 2.3 U | 12 | 93 | 0.57 U | 0.84 | 31 | 6 | 61 | 9.8 | 1.1 U | 35 | 5.5 U | 0.57 U | 2.3 U | 33 | 62 | 0.3 |
| AMA20-15-25SE-2 | 24 | 36 | 2/13/2020 | 2.2 U | 8.5 | 94 | 0.56 U | 0.56 U | 31 | 16 | 30 | 9 | 1.1 U | 32 | 5.4 U | 0.56 U | 2.2 U | 43 | 64 | 0.12 |
| AMA20-15-25SW-3 | 24 | 36 | 2/13/2020 | 2.2 U | 5.8 | 240 | 0.56 U | 1.9 | 26 | 56 | 120 | 11 | 3 | 170 | 5.4 U | 0.56 U | 2.2 U | 48 | 120 | 0.11 U |

Table 2
Analytical Results for Subsurface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|-------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|--------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-20-2 | 18 | 24 | 2/12/2020 | 2.3 U | 22 | 100 | 0.88 | 1.4 | 140 | 34 | 73 | 5 | 1.2 U | 47 | 5.6 U | 0.59 U | 2.3 U | 140 | 62 | 0.12 U |
| AMA20-62-2 | duplicate of AMA20-20-2 | | | 2.3 U | 7.7 | 99 | 0.97 | 0.87 | 140 | 34 | 73 | 4.3 | 1.2 U | 49 | 5.6 U | 0.59 U | 2.3 U | 150 | 63 | 0.12 U |
| AMA20-21-1.5 | 12 | 18 | 2/11/2020 | 2.3 U | 64 | 92 | 0.76 | 2.3 | 54 | 26 | 99 | 42 | 1.2 U | 33 | 5.6 U | 0.58 U | 2.3 U | 110 | 180 | 0.33 |
| AMA20-22-1.5 | 12 | 18 | 2/13/2020 | 2.5 U | 61 | 210 | 0.83 | 2 | 10 | 17 | 28 | 10 | 1.2 U | 7.2 | 5.9 U | 0.62 U | 2.5 U | 93 | 66 | 0.17 |
| AMA20-23-2 | 18 | 24 | 2/12/2020 | 2.4 U | 60 | 180 | 0.98 | 2 | 12 | 25 | 89 | 9.7 | 1.2 U | 10 | 5.8 U | 0.6 U | 2.4 U | 120 | 94 | 0.12 U |
| AMA20-24-2 | 18 | 24 | 2/12/2020 | 2.4 U | 63 | 170 | 0.82 | 2.1 | 39 | 30 | 88 | 9.2 | 1.2 U | 19 | 5.7 U | 0.6 U | 2.4 U | 120 | 82 | 0.12 U |
| AMA20-63-2 | duplicate of AMA20-24-2 | | | 2.4 U | 56 | 150 | 0.82 | 1.8 | 47 | 28 | 90 | 7.9 | 1.2 U | 23 | 5.7 U | 0.59 U | 2.4 U | 120 | 79 | 0.19 |
| AMA20-25-4 | 36 | 48 | 2/12/2020 | 2.3 U | 2.3 U | 140 | 0.64 | 0.56 U | 45 | 36 | 140 | 1.9 | 1.1 U | 28 | 5.4 U | 0.56 U | 2.3 U | 97 | 50 | 0.11 U |
| AMA20-25-6 | 60 | 72 | 2/12/2020 | 2.2 U | 2.2 U | 79 | 0.61 | 0.61 | 51 | 29 | 110 | 2.2 | 1.1 U | 40 | 5.3 U | 0.55 U | 2.2 U | 110 | 44 | 0.11 U |
| AMA20-26-2 | 18 | 24 | 2/11/2020 | 2.3 U | 6.3 | 100 | 0.98 | 0.97 | 70 | 34 | 110 | 6.3 | 1.2 U | 33 | 5.6 U | 0.58 U | 2.3 U | 190 | 69 | 0.12 U |
| AMA20-27-2 | 18 | 24 | 2/13/2020 | 2.4 U | 110 | 250 | 0.85 | 3.1 | 9.1 | 20 | 54 | 10 | 1.2 U | 7.9 | 5.8 U | 0.6 U | 2.4 U | 95 | 72 | 0.17 |
| AMA20-28-2 | 18 | 24 | 2/12/2020 | 2.5 U | 66 | 140 | 0.64 | 2.2 | 43 | 38 | 85 | 8.1 | 1.3 U | 18 | 6.1 U | 0.64 U | 2.5 U | 99 | 79 | 0.13 U |
| AMA20-30-10 | 96 | 120 | 2/12/2020 | 2.4 U | 170 | 160 | 0.76 | 4.6 | 62 | 27 | 79 | 16 | 1.2 U | 25 | 5.8 U | 0.61 U | 2.4 U | 130 | 82 | 1.5 |
| AMA20-30-12 | 120 | 144 | 2/12/2020 | 2.5 U | 11 | 120 | 0.68 | 0.75 | 79 | 30 | 77 | 4.8 | 1.2 U | 26 | 5.9 U | 0.62 U | 2.5 U | 120 | 46 | 0.12 U |
| AMA20-30-14.5 | 144 | 174 | 2/12/2020 | 2.3 U | 3.3 | 90 | 0.86 | 0.87 | 66 | 16 | 110 | 4.6 | 1.1 U | 17 | 5.4 U | 0.57 U | 2.3 U | 170 | 62 | 0.12 |
| AMA20-30-6 | 60 | 72 | 2/12/2020 | 2.4 U | 130 | 150 | 0.61 U | 3.9 | 35 | 27 | 88 | 7.8 | 1.2 U | 17 | 5.8 U | 0.61 U | 2.4 U | 98 | 64 | 0.32 |
| AMA20-30-8 | 72 | 96 | 2/12/2020 | 2.4 U | 100 | 160 | 0.8 | 3.2 | 63 | 32 | 91 | 17 | 1.2 U | 28 | 5.8 U | 0.61 U | 2.4 U | 120 | 91 | 0.58 |
| AMA20-31-2 | 18 | 24 | 2/11/2020 | 2.4 U | 45 | 130 | 0.82 | 1.8 | 64 | 33 | 76 | 8.6 | 1.2 U | 32 | 5.8 U | 0.61 U | 2.4 U | 150 | 66 | 0.12 U |
| AMA20-32-2 | 18 | 24 | 2/13/2020 | 3 U | 28 | 140 | 0.75 U | 1.1 | 5.8 | 11 | 82 | 4.5 | 1.5 U | 6.3 | 7.2 U | 0.75 U | 3 U | 67 | 75 | 0.15 U |
| AMA20-33-2 | 18 | 24 | 2/12/2020 | 2.5 U | 130 | 170 | 0.67 | 3.9 | 9 | 25 | 110 | 9.8 | 1.2 U | 8.3 | 5.9 U | 0.61 U | 2.5 U | 110 | 82 | 0.12 |
| AMA20-34-4 | 36 | 48 | 2/12/2020 | 2.2 U | 5.5 | 31 | 1 | 0.92 | 120 | 37 | 110 | 4.1 | 1.1 U | 55 | 5.4 U | 0.56 U | 2.2 U | 200 | 67 | 0.11 U |
| AMA20-35-11 | 120 | 132 | 2/12/2020 | 2.2 U | 2.2 U | 100 | 0.83 | 0.79 | 120 | 40 | 110 | 5.3 | 1.1 U | 61 | 5.4 U | 0.56 U | 2.2 U | 130 | 61 | 0.11 U |
| AMA20-35-13 | 144 | 156 | 2/12/2020 | 2.3 U | 33 | 85 | 0.85 | 1.5 | 96 | 37 | 130 | 5 | 1.2 U | 55 | 5.6 U | 0.58 U | 2.3 U | 150 | 78 | 0.12 U |
| AMA20-35-4 | 36 | 48 | 2/12/2020 | 2.5 U | 42 | 110 | 0.72 | 1.6 | 150 | 30 | 99 | 22 | 1.2 U | 37 | 5.9 U | 0.62 U | 2.5 U | 140 | 77 | 0.15 |
| AMA20-35-7 | 60 | 84 | 2/12/2020 | 2.3 U | 59 | 90 | 0.68 | 2.1 | 76 | 30 | 110 | 11 | 1.2 U | 31 | 5.6 U | 0.58 U | 2.3 U | 120 | 84 | 0.17 |
| AMA20-36-1.5 | 12 | 18 | 2/11/2020 | 2.4 U | 56 | 150 | 0.91 | 1.8 | 64 | 34 | 92 | 11 | 1.2 U | 33 | 5.8 U | 0.6 U | 2.4 U | 170 | 77 | 0.36 |
| AMA20-37-2 | 18 | 24 | 2/12/2020 | 2.4 U | 48 | 190 | 0.73 | 1.5 | 20 | 25 | 120 | 6.3 | 1.2 U | 13 | 5.7 U | 0.59 U | 2.4 U | 140 | 74 | 0.12 U |
| AMA20-38-2 | 18 | 24 | 2/13/2020 | 2.4 U | 38 | 140 | 0.99 | 1.4 | 26 | 28 | 120 | 9 | 1.2 U | 15 | 5.7 U | 0.59 U | 2.4 U | 140 | 90 | 0.12 U |
| AMA20-39-2 | 18 | 24 | 2/13/2020 | 2.5 U | 43 | 120 | 0.62 U | 1.4 | 12 | 11 | 120 | 9.3 | 1.2 U | 11 | 5.9 U | 0.62 U | 2.5 U | 93 | 94 | 0.12 U |
| AMA20-41-1.5 | 12 | 18 | 2/13/2020 | 2.7 U | 200 | 60 | 0.68 U | 5.1 | 38 | 31 | 69 | 110 | 1.4 U | 110 | 6.5 U | 0.83 | 2.7 U | 51 | 150 | 0.99 |
| AMA20-42-2 | 18 | 24 | 2/13/2020 | 2.8 U | 300 | 54 | 0.71 U | 8.4 | 46 | 37 | 130 | 100 | 1.4 U | 80 | 6.8 U | 0.81 | 2.8 U | 84 | 500 | 5.1 |
| AMA20-43-2 | 18 | 24 | 2/13/2020 | 2.4 U | 33 | 47 | 0.59 U | 1.1 | 34 | 22 | 61 | 22 | 1.2 U | 70 | 5.7 U | 0.59 U | 2.4 U | 34 | 140 | 0.42 |
| AMA20-71-2 | duplicate of AMA20-43-2 | | | 2.4 U | 37 | 51 | 0.59 U | 1.3 | 40 | 25 | 69 | 23 | 1.2 U | 76 | 5.7 U | 0.59 U | 2.4 U | 44 | 170 | 0.29 |
| AMA20-44-3 | 24 | 36 | 2/13/2020 | 2.4 U | 25 | 100 | 0.99 | 1.4 | 150 | 38 | 130 | 44 | 1.2 U | 52 | 5.7 U | 0.59 U | 2.4 U | 190 | 120 | 0.8 |
| AMA20-45-1.5 | 12 | 18 | 2/14/2020 | 2.4 U | 93 | 180 | 0.96 | 2.9 | 77 | 35 | 120 | 90 | 1.2 U | 35 | 5.8 U | 0.61 U | 2.4 U | 130 | 170 | 1.8 |
| AMA20-46-2 | 18 | 24 | 2/13/2020 | 2.4 U | 130 | 110 | 0.71 | 3.8 | 53 | 21 | 82 | 28 | 1.2 U | 52 | 5.7 U | 0.59 U | 2.4 U | 86 | 120 | 0.44 |
| AMA20-47-1.5 | duplicate of AMA20-46-2 | | | 2.4 U | 33 | 74 | 0.6 U | 1.3 | 25 | 14 | 90 | 44 | 1.2 U | 48 | 5.7 U | 0.6 U | 2.4 U | 36 | 130 | 0.57 |
| AMA20-49-3 | 24 | 36 | 2/13/2020 | 2.5 U | 160 | 150 | 0.63 | 5 | 62 | 27 | 110 | 97 | 1.2 U | 50 | 6 U | 0.64 | 2.5 U | 98 | 330 | 8.1 |
| AMA20-50-3 | 24 | 36 | 2/13/2020 | 3.2 | 18 | 72 | 0.89 | 1 | 280 | 35 | 130 | 4.8 | 1.2 U | 110 | 5.8 U | 0.61 U | 2.4 U | 170 | 50 | 0.12 U |
| AMA20-54-2.5 | 18 | 30 | 2/13/2020 | 2.4 U | 56 | 190 | 0.82 | 1.8 | 81 | 32 | 85 | 16 | 1.2 U | 42 | 5.7 U | 0.6 U | 2.4 U | 100 | 63 | 0.74 |
| AMA20-55-3 | 24 | 36 | 2/13/2020 | 2.4 U | 330 | 160 | 0.91 | 8.1 | 55 | 27 | 92 | 21 | 1.2 U | 35 | 5.8 U | 0.61 U | 2.4 U | 93 | 62 | 0.12 U |

Table 2
Analytical Results for Subsurface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury |
|----------------------|--------------------------|--------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|--------|----------|----------|---------|------------------|
| EPA RSL | | | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 |
| Site Screening Level | | | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d |
| Site Screening Level | | | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e |
| Site Screening Level | | | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f |
| Sample ID | Depth (inches bgs) | | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | |
| | Top | Bottom | | | | | | | | | | | | | | | | | | |
| AMA20-56-2.5 | 18 | 30 | 2/13/2020 | 2.3 U | 8.3 | 91 | 0.82 | 0.77 | 47 | 26 | 140 | 4.2 | 1.1 U | 34 | 5.4 U | 0.56 U | 2.3 U | 180 | 62 | 0.11 U |
| AMA20-57-3 | 24 | 36 | 2/13/2020 | 2.3 U | 79 | 160 | 0.63 | 2.3 | 41 | 44 | 58 | 14 | 1.2 U | 53 | 5.6 U | 0.58 U | 2.3 U | 50 | 100 | 0.24 |
| AMA20-57E-2 | 12 | 24 | 2/13/2020 | 2.4 U | 30 | 100 | 0.59 U | 1.3 | 35 | 20 | 55 | 12 | 1.2 U | 38 | 5.7 U | 0.59 U | 2.4 U | 47 | 170 | 0.21 |
| AMA20-69-2 | duplicate of AMA20-57E-2 | | | 2.4 U | 38 | 130 | 0.6 U | 1.4 | 55 | 13 | 61 | 12 | 1.2 U | 41 | 5.8 U | 0.6 U | 2.4 U | 78 | 230 | 0.12 U |
| AMA20-57N-3 | 24 | 36 | 2/13/2020 | 2.3 U | 28 | 110 | 0.58 U | 1 | 29 | 12 | 66 | 16 | 1.2 U | 45 | 5.6 U | 0.58 U | 2.3 U | 35 | 90 | 0.19 |
| AMA20-59-3 | 24 | 36 | 2/13/2020 | 2.1 U | 2.1 U | 97 | 1.2 | 0.76 | 98 | 32 | 130 | 3.4 | 1.1 U | 34 | 5.1 U | 0.53 U | 2.1 U | 200 | 52 | 0.11 U |
| AMA20-60-3 | 24 | 36 | 2/13/2020 | 2.3 U | 140 | 110 | 0.62 | 3.9 | 16 | 26 | 61 | 22 | 1.2 U | 54 | 5.6 U | 0.59 U | 2.3 U | 39 | 81 | 0.14 |
| AMA20-73-3 | duplicate of AMA20-60-3 | | | 2.3 U | 140 | 110 | 0.67 | 4 | 20 | 26 | 70 | 23 | 1.2 U | 56 | 5.6 U | 0.59 U | 2.3 U | 53 | 88 | 0.12 U |
| AMA20-61-2 | 18 | 24 | 2/14/2020 | 3 | 200 | 160 | 0.72 | 5.3 | 32 | 28 | 130 | 67 | 1.2 U | 50 | 5.5 U | 0.58 U | 2.3 U | 59 | 150 | 2.4 |
| AMA20-67-3 | 12 | 36 | 2/13/2020 | 2.3 U | 110 | 41 | 0.88 | 2.8 | 5.7 | 8.8 | 63 | 19 | 1.2 U | 34 | 5.6 U | 0.58 U | 2.3 U | 9.3 | 89 | 0.22 |
| AMA20-72-3 | duplicate of AMA20-67-3 | | | 2.3 U | 110 | 37 | 0.9 | 3 | 5.5 | 7 | 64 | 19 | 1.2 U | 33 | 5.6 U | 0.59 U | 2.3 U | 9.3 | 96 | 0.22 |
| AMA20-75-3 | 24 | 36 | 2/14/2020 | 2.1 U | 2.1 U | 46 | 0.72 | 0.75 | 42 | 36 | 150 | 7.4 | 1.1 U | 30 | 5.1 U | 0.53 U | 2.1 U | 160 | 74 | 0.11 U |
| AMA20-76-2 | 18 | 24 | 2/14/2020 | 2.4 U | 540 | 180 | 0.6 U | 17 | 42 | 27 | 250 | 9,200 | 1.2 U | 87 | 5.7 U | 5.6 | 2.4 U | 80 | 510 | 2.7 |
| AMA20-78-2 | 18 | 24 | 2/14/2020 | 2.4 U | 130 | 130 | 0.82 | 4.4 | 72 | 32 | 100 | 40 | 1.2 U | 36 | 5.7 U | 0.59 U | 2.4 U | 130 | 330 | 2.5 |
| AMA20-81-1.5 | 12 | 18 | 2/14/2020 | 2.2 U | 110 | 120 | 0.72 | 3.6 | 74 | 37 | 89 | 50 | 1.1 U | 38 | 5.4 U | 0.56 U | 2.2 U | 110 | 100 | 0.23 |
| AMA20-84-2 | 18 | 24 | 2/14/2020 | 2.2 U | 140 | 170 | 0.67 | 4 | 62 | 36 | 110 | 21 | 1.1 U | 41 | 5.3 U | 0.55 U | 2.2 U | 120 | 100 | 0.19 |
| AMA20-87-1 | 6 | 12 | 2/14/2020 | 2.2 U | 310 | 87 | 0.54 U | 8.6 | 14 | 19 | 110 | 87 | 2.5 | 56 | 5.2 U | 0.71 | 2.2 U | 23 | 160 | 1.1 |
| AMA20-95-1 | duplicate of AMA20-87-1 | | | 2.1 U | 310 | 88 | 0.53 U | 8.3 | 12 | 16 | 95 | 84 | 1.9 | 54 | 5.1 U | 0.67 | 2.1 U | 23 | 150 | 0.92 |
| AMA20-90-1.5 | 12 | 18 | 2/14/2020 | 4.3 U | 45 | 360 | 1.1 U | 1.7 | 9 | 4.7 | 83 | 450 | 2.1 U | 12 | 10 U | 1.1 U | 4.3 U | 16 | 340 | 5.8 |
| AMA20-91-3 | 30 | 36 | 2/14/2020 | 4.9 | 76 | 160 | 0.81 U | 2.9 | 28 | 16 | 240 | 290 | 1.6 U | 34 | 7.8 U | 0.81 U | 3.2 U | 63 | 450 | 21 |

bgs - below ground surface
mg/kg - milligrams per kilogram
U - not reported at or above the sample detection limit (SDL)
BOLD value indicates a reported value at or above the SDL
a = U.S. Environmental Protection Agency (EPA) Argonaut Mine Site - Specific Arsenic Screening Level
b = DTSC Residential Screening Level for Soil
c = EPA Removal Management Levels (RMLs) and EPA Regional Screening Levels (RSLs) for residential soil
d = EPA RSL for residential soil
e = EPA RML for residential soil
f = EPA RML for commercial soil

Shaded values exceed the Site-Specific Screening Level for Arsenic (100 mg/kg), Lead (80 mg/kg), or Mercury (11 mg/kg)
Shaded values exceed the Site-Specific Screening Level for Arsenic (500 mg/kg), Lead (400 mg/kg), or Mercury (70 mg/kg)
Shaded values exceed the Site-Specific Screening Level for Arsenic (1,000 mg/kg), Lead (10,000 mg/kg), or Mercury (260 mg/kg)

Metals by U.S. Environmental Protection Agency (EPA) Method 6010B
Mercury by EPA Method 7471A

Table 3
TCLP Analytical Results for Surface Soil
Argonaut Mine Headframe Area Removal Assessment
Jackson, California

| Analyte | | TCLP Arsenic | TCLP Barium | TCLP Cadmium | TCLP Chromium | TCLP Lead | TCLP Selenium | TCLP Silver | TCLP Mercury |
|---|-----------|--------------------|----------------|-----------------|------------------|--------------|------------------|----------------|-----------------|
| Contaminants for the Toxicity Characteristic | | 5 | 100 | 1 | 5 | 5 | 1 | 5 | 0.2 |
| Sample ID | Date | TCLP Metals (mg/L) | | | | | | | |
| AMA20-06-0 | 2/14/2020 | 0.08 U | 0.56 | 0.03 | 0.02 U | 190 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-06-10N-0 | 2/14/2020 | 0.08 U | 0.71 | 0.02 U | 0.02 U | 1.7 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-06-30SE-0 | 2/14/2020 | 0.098 | 0.81 | 0.02 U | 0.02 U | 75 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-07-1 | 2/12/2020 | 0.08 U | 0.69 | 0.13 | 0.02 U | 170 | 0.2 U | 0.02 U | 0.12 |
| AMA20-07-10S-1 | 2/12/2020 | 0.08 U | 0.26 | 0.41 | 0.02 U | 820 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-07-25SE-2 | 2/12/2020 | 0.08 U | 0.52 | 0.02 U | 0.02 U | 3.5 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-08-10N-1 | 2/12/2020 | 0.08 U | 0.22 | 0.02 U | 0.02 U | 0.21 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-08-25NW-1 | 2/12/2020 | 0.08 U | 0.41 | 0.02 U | 0.02 U | 1.5 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-15-0 | 2/14/2020 | 0.08 U | 1.7 | 0.02 U | 0.02 U | 0.3 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-76-2 | 2/14/2020 | 0.1 | 0.86 | 0.071 | 0.02 U | 35 | 0.2 U | 0.02 U | 0.01 U |
| AMA20-101* | 2/14/2020 | 0.2 | 0.084 | 0.02 U | 0.02 U | 870 | 0.2 U | 0.02 U | 0.01 U |

mg/L - milligrams per liter
TCLP - Toxicity Characteristic Leaching Procedure
U - not reported at or above the sample detection limit (SDL)
BOLD value indicates a reported value at or above the SDL
* = sample of ceramic crucible


Shaded values exceed the TCLP Limits

Table 4
Analytical Results for Bulk Material
Argonaut Mine Headframe Area Removal Assessment
Jackson, California


| Analyte | | Antimony | Arsenic | Barium | Beryllium | Cadmium | Chromium | Cobalt | Copper | Lead | Molybdenum | Nickel | Selenium | Silver | Thallium | Vanadium | Zinc | Mercury | Asbestos |
|----------------|-----------|---|------------------|---------|-----------|---------|-----------|--------|--------|------------------|------------|--------|----------|--------|----------|----------|---------|------------------|----------------|
| EPA RSL | | 470 | 3 | 220,000 | 2,300 | 980 | 1,800,000 | 350 | 47,000 | 800 | 5,800 | 22,000 | 5,800 | 5,800 | 12 | 5,800 | 350,000 | 46 | -- |
| Site PCL | | -- | 100 ^a | -- | -- | -- | -- | -- | -- | 80 ^b | -- | -- | -- | -- | -- | -- | -- | 11 ^d | -- |
| Site PCL | | -- | 500 | -- | -- | -- | -- | -- | -- | 400 ^c | -- | -- | -- | -- | -- | -- | -- | 33 ^e | -- |
| Site PCL | | -- | 1,000 | -- | -- | -- | -- | -- | -- | 10,000 | -- | -- | -- | -- | -- | -- | -- | 140 ^f | -- |
| Sample ID | Date | Metals by EPA 6010B, Mercury by 7471A (mg/kg) | | | | | | | | | | | | | | | | | |
| AMA20-101 | 2/14/2020 | 2.1 U | 92 | 16 | 0.52 U | 3.5 | 6.1 | 1.8 | 10 | 67,000 | 1 U | 5.4 | 5 U | 2.6 | 2.8 | 4.7 | 44 | 0.69 | NA |
| AMA20-86-BRICK | 2/14/2020 | 2.3 | 5.3 | 7 | 0.51 U | 0.51 U | 180 | 1.4 | 17 | 170 | 1 U | 11 | 4.9 U | 0.51 U | 2 U | 2.2 | 18 | 0.1 U | NA |
| AMA20-86-METAL | 2/14/2020 | 11 | 2 U | 3.4 | 0.51 U | 0.51 U | 960 | 4.7 | 56 | 21 | 2.4 | 41 | 4.9 U | 0.51 U | 2 U | 3.7 | 5.1 U | 0.1 U | NA |
| AMA20-100 | 2/12/2020 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 35% Chrysotile |
| AMA20-102 | 6/4/2020 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| AMA20-103 | 6/4/2020 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| AMA20-104 | 6/4/2020 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 35% Chrysotile |
| AMA20-105 | 6/4/2020 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |

mg/kg - milligrams per kilogram
U - not reported at or above the sample detection limit (SDL)
BOLD value indicates a reported value at or above the SDL
a = U.S. Environmental Protection Agency (EPA) Argonaut Mine Site - Specific Arsenic Screening Level
b = DTSC Residential Screening Level for Soil
c = EPA Removal Management Levels (RMLs) and EPA Regional Screening Levels (RSLs) for residential soil
d = EPA RSL for residential soil
e = EPA RML for residential soil
f = EPA RML for commercial soil
Shaded values exceed the Site-Specific Screening Level for Arsenic (100 mg/kg), Lead (80 mg/kg), or Mercury (11 mg/kg)
Shaded values exceed the Site-Specific Screening Level for Arsenic (500 mg/kg), Lead (400 mg/kg), or Mercury (70 mg/kg)
Shaded values exceed the Site-Specific Screening Level for Arsenic (1,000 mg/kg), Lead (10,000 mg/kg), or Mercury (260 mg/kg)
Asbestos by EPA 600/R-93/116 PLM
Metals by U.S. Environmental Protection Agency (EPA) Method 6010B
Mercury by EPA Method 7471A


APPENDIX A
PHOTOGRAPHIC LOG


| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 1 | Date: 2/11/2020 |  | |
| Description: Photo of the headframe area, facing northwest. The headframe area was fenced and gated, but a gap in the fencing was observed along the eastern side. | | | |


| | | | |
|--|---------------------------|--|--|
| Photo No. 2 | Date: 2/12/2020 |  | |
| Description: Photo of the headframe area, facing northwest. The track-mounted direct-push drill rig used to collect samples is pictured in the foreground. | | | |

| | | | |
|--|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 3 | Date: 2/11/2020 |  | |
| Description: Photo of the headframe area, facing north. A kiln is visible in the center-right of the photo. | | | |


| | | |
|---|--------------------|--|
| Photo No. 4 | Date: 2/12/2020 |  |
| Description: Closer view of the kiln, facing east-northeast. Beyond the chain link fence in this photo is a steep slope down to the elevation of California State Route 88. | | |


| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 5 | Date: 6/24/2020 |  | |
| Description: Photo of an intact crucible cup recovered from the Argonaut Mine Mill site. | | | |


| | | |
|---|---------------------------|--|
| Photo No. 6 | Date: 2/12/2020 |  |
| Description: Photo at the headframe area facing northwest, showing the slope on the eastern side of the headframe area. | | |

| | | | |
|---|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 7 | Date: 2/14/2020 |  | |
| Description: Photo of the interior of the headframe structure, facing east. | | | |


| | |
|--|---------------------------|
| Photo No. 8 | Date: 2/14/2020 |
| Description: Photo of the interior of the southern warehouse structure in the headframe area, facing west. Large amounts of machinery, tools, parts, and containers were found in both warehouse structures. | |

A photograph of the interior of a southern warehouse structure in the headframe area, facing west. The space is cluttered with various items including machinery, tools, parts, and containers. A large vertical pipe or structure is visible on the right side, and a chain hangs from the top right. The floor is dirt and covered with debris.

| | | | |
|---|--------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 9 | Date: 6/4/2020 |  | |
| Description: A closed drum with a hazardous waste label was found in the northern warehouse structure in the headframe area. The label reads "Non RCRA Hazardous Waste Liquid" and the contents are labeled as "used oil". | | | |

| | | | |
|--|--------------------------|--|--|
| Photo No. 10 | Date: 6/4/2020 |  | |
| Description: Photo of an open metal drum found just inside the door of the northern warehouse structure. The side of the drum appears to have corroded in one area. The drum contained a solid white material. | | | |


| | | | |
|---|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 11 | Date: 2/13/2020 |  | |
| Description: Soil samples were collected using a hand auger in the areas that were difficult for the drill rig to access. | | | |

| | | |
|---|--------------------|--|
| Photo No. 12 | Date: 2/13/2020 |  |
| Description: START processing soil samples using a digital field collection device. | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 13 | Date: 2/14/2020 |  | |
| Description: A depression in the landscape in AOC 4, likely used as a canal. Photo was collected facing north. | | | |


| | | |
|--|--------------------|--|
| Photo No. 14 | Date: 2/11/2020 |  |
| Description: Camping gear and debris left in AOC 5. Evidence of current habitation was also evident in the former mill area. | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 15 | Date: 2/14/2020 |  | |
| Description: Sampling point in a circular depression in the landscape in the far eastern part of AOC 5. Photo was collected facing east. | | | |


| | | |
|--|---------------------------|--|
| Photo No. 16 | Date: 2/14/2020 |  |
| Description: Soil samples were collected near residences in AOC 6. | | |



PHOTOGRAPHIC LOG

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 17 | Date: 7/20/2020 |  | |
| Description: START collecting additional surface soil samples. | | | |

| | | |
|--|---------------------------|--|
| Photo No. 18 | Date: 7/21/2020 |  |
| Description: Container labeled "Aero Brand Cyanide" was hazard categorized, results were negative for cyanide. | | |

| | | | |
|---|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 19 | Date: 7/21/2020 |  | |
| Description: START inventorying containers found in the warehouses. | | | |

| | | |
|---|---------------------------|--|
| Photo No. 20 | Date: 7/21/2020 |  |
| Description: START performing hazard categorizing of containers | | |

APPENDIX B
LABORATORY REPORTS



Orange Coast Analytical, Inc.

3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (480) 736-0960 Fax (480) 736-0970

LABORATORY REPORT FORM

ORANGE COAST ANALYTICAL, INC.

3002 Dow Suite 532 Tustin, CA 92780

(714) 832-0064

Laboratory Certification (ELAP) No.: 2576

Expiration Date: 2020

Los Angeles County Sanitation District Lab ID# 10206

Laboratory Director's Name:

Mark Noorani

Client: Weston Solutions, Inc.

Laboratory Reference: WST 25001

Project Name: A930


Project Number:

Date Received: 2/19/2020

Date Reported: 3/12/2020

Chain of Custody Received: ☒

Analytical Method: 6010B, 7471A, 7470A, 1311/6010B,
1311/7470A, Moisture,



Mark Noorani, Laboratory Director

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Case Narrative

Sample Receipt:

All samples on the Chain of Custody were received by OCA at °C, on ice.

5 Coolers received with observed temperatures of 3.6, 2.2, 2.6, 2.2, 3.4 °C (IR#1 Correction= -0.2°C)
Sample AMA20-06-25S-2 not received (see clients email).

Holding Times:

All samples were analyzed within required holding times unless otherwise noted in the data qualifier section of the report.

Analytical Methods:

Sample analysis was performed following the analytical methods listed on the cover page.

Data Qualifiers:

Within this report, data qualifiers may have been assigned to clarify deviations in common laboratory procedures or any divergence from laboratory QA/QC criteria. If a data qualifier has been used, it will appear in the back of the report along with its description. All method QA/QC criteria have been met unless otherwise noted in the data qualifier section.

Definition of Terms:

The definitions of common terms and acronyms used in the report have been placed at the back of the report to assist data users.

Comments:

Soil results (total) reported in dry weight, reporting/detection limits are adjusted accordingly. Spike sample results are reported in wet weight.

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-05-1 | 25001-001 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-10E-1 | 25001-002 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-10E-2.5 | 25001-003 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-10S-1 | 25001-004 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-10S-4 | 25001-005 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-10W-0 | 25001-006 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-05-25SE-1 | 25001-007 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-25SE-3 | 25001-008 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-05-25W-0 | 25001-009 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-05-4 | 25001-010 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-06-0 | 25001-011 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-10N-0 | 25001-012 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-10N-2 | 25001-013 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-10W-0 | 25001-014 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-10W-2 | 25001-015 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-15S-0 | 25001-016 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-15S-2 | 25001-017 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-25E-0 | 25001-018 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-25E-1 | 25001-019 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-25NW-0 | 25001-020 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-25NW-2 | 25001-021 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-30NE-0 | 25001-023 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-30NE-2 | 25001-024 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-30SE-0 | 25001-025 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-06-30SE-2 | 25001-026 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-07-1 | 25001-027 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10E-1 | 25001-028 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10E-2 | 25001-029 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10N-1 | 25001-030 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10N-2 | 25001-031 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10S-1 | 25001-032 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-10S-4 | 25001-033 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-25NE-1 | 25001-034 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-25NE-2 | 25001-035 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-25SE-1 | 25001-036 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-25SE-2 | 25001-037 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-07-4 | 25001-038 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-1 | 25001-039 | 2/19/2020 | 2/12/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-08-10E-1.5 | 25001-040 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10E-4 | 25001-041 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10N-1 | 25001-042 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10N-3 | 25001-043 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10S-1 | 25001-044 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10S-3 | 25001-045 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10W-1 | 25001-046 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10W-2 | 25001-047 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25NE-1 | 25001-048 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25NE-4 | 25001-049 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25NW-1 | 25001-050 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25NW-4 | 25001-051 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25-SE-1 | 25001-052 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25SE-3 | 25001-053 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25SW-1 | 25001-054 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25SW-3 | 25001-055 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-3 | 25001-056 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-100 | 25001-057 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-101 | 25001-058 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-14-0 | 25001-059 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-14-10E-1 | 25001-060 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-10E-3 | 25001-061 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-10N-0 | 25001-062 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-14-10S-0 | 25001-063 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-14-10W-0 | 25001-064 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-14-25NE-1 | 25001-065 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-25NE-3 | 25001-066 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-25SE-1 | 25001-067 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-25SE-3 | 25001-068 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-25SW-1 | 25001-069 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-14-25SW-3 | 25001-070 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-0 | 25001-071 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-15-10E-1 | 25001-072 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10E-4 | 25001-073 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10N-1 | 25001-074 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10N-4 | 25001-075 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10S-1 | 25001-076 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10S-2.5 | 25001-077 | 2/19/2020 | 2/13/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-15-10W-1 | 25001-078 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-10W-4 | 25001-079 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25NE-1 | 25001-080 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25NE-3 | 25001-081 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25NW-1 | 25001-082 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25NW-2 | 25001-083 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25SE-1 | 25001-084 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25SE-2 | 25001-085 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25SW-1 | 25001-086 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-15-25SW-3 | 25001-087 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-20-0 | 25001-088 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-20-2 | 25001-089 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-21-0 | 25001-090 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-21-1.5 | 25001-091 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-22-0 | 25001-092 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-22-1.5 | 25001-093 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-23-0 | 25001-094 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-23-2 | 25001-095 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-24-0 | 25001-096 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-24-2 | 25001-097 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-25-1 | 25001-098 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-25-4 | 25001-099 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-25-6 | 25001-100 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-26-2 | 25001-101 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-26-0 | 25001-102 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-27-0 | 25001-103 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-27-2 | 25001-104 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-28-0 | 25001-105 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-28-2 | 25001-106 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-29-0 | 25001-107 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-10 | 25001-108 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-12 | 25001-109 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-14.5 | 25001-110 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-4 | 25001-111 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-6 | 25001-112 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-30-8 | 25001-113 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-31-0 | 25001-114 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-31-2 | 25001-115 | 2/19/2020 | 2/11/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-32-0 | 25001-116 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-32-2 | 25001-117 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-33-0 | 25001-118 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-33-2 | 25001-119 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-34-1 | 25001-120 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-34-4 | 25001-121 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-35-11 | 25001-122 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-35-13 | 25001-123 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-35-2 | 25001-124 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-35-4 | 25001-125 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-35-7 | 25001-126 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-36-0 | 25001-127 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-36-1.5 | 25001-128 | 2/19/2020 | 2/11/2020 | Soil |
| AMA20-37-0 | 25001-129 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-37-2 | 25001-130 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-38-0 | 25001-131 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-38-2 | 25001-132 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-39-0 | 25001-133 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-39-2 | 25001-134 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-41-0 | 25001-135 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-41-1.5 | 25001-136 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-42-0 | 25001-137 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-42-2 | 25001-138 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-43-0 | 25001-139 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-43-2 | 25001-140 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-44-1.5 | 25001-141 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-44-3 | 25001-142 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-45-0 | 25001-143 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-45-1.5 | 25001-144 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-46-0 | 25001-145 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-46-2 | 25001-146 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-47-0 | 25001-147 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-47-1.5 | 25001-148 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-48-0 | 25001-149 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-49-1.5 | 25001-150 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-49-3 | 25001-151 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-50-1.5 | 25001-152 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-50-3 | 25001-153 | 2/19/2020 | 2/13/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-51-1 | 25001-154 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-52-0 | 25001-155 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-53-0 | 25001-156 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-54-1 | 25001-157 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-54-2.5 | 25001-158 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-55-1 | 25001-159 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-55-3 | 25001-160 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-56-1 | 25001-161 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-56-2.5 | 25001-162 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57-1 | 25001-163 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57-3 | 25001-164 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57E-1 | 25001-165 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57E-2 | 25001-166 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57N-1 | 25001-167 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57N-3 | 25001-168 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-57W-0 | 25001-169 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-59-1 | 25001-170 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-59-3 | 25001-171 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-60-1 | 25001-172 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-60-3 | 25001-173 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-61-0 | 25001-174 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-61-2 | 25001-175 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-62-0 | 25001-176 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-62-2 | 25001-177 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-63-0 | 25001-178 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-63-2 | 25001-179 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-64-4 | 25001-180 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-65-1 | 25001-181 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-66-4 | 25001-182 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-67-1 | 25001-183 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-67-3 | 25001-184 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-68-1 | 25001-185 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-69-2 | 25001-186 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-70-1 | 25001-187 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-71-2 | 25001-188 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-72-3 | 25001-189 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-73-3 | 25001-190 | 2/19/2020 | 2/13/2020 | Soil |
| AMA20-74-3 | 25001-191 | 2/19/2020 | 2/13/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-75-0 | 25001-192 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-75-3 | 25001-193 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-76-0 | 25001-194 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-76-2 | 25001-195 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-77-0 | 25001-196 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-78-0 | 25001-197 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-78-2 | 25001-198 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-79-0 | 25001-199 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-80-0 | 25001-200 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-81-0 | 25001-201 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-81-1.5 | 25001-202 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-82-0 | 25001-203 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-83-0 | 25001-204 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-84-0 | 25001-205 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-84-2 | 25001-206 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-85-0 | 25001-207 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-86-BRICK | 25001-208 | 2/19/2020 | 2/14/2020 | Solid |
| AMA20-86-METAL | 25001-209 | 2/19/2020 | 2/14/2020 | Solid |
| AMA20-87-0 | 25001-210 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-87-1 | 25001-211 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-88-0 | 25001-212 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-89-0 | 25001-213 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-90-1.5 | 25001-214 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-91-3 | 25001-215 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-92-0 | 25001-216 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-93-0 | 25001-217 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-94-0 | 25001-218 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-95-1 | 25001-219 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-96-0 | 25001-220 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-97-0 | 25001-221 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-98-0 | 25001-222 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-99-0 | 25001-223 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-01-0.5 | 25001-224 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-02-0.5 | 25001-225 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-03-0.5 | 25001-226 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-04-0.5 | 25001-227 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-05-0.5 | 25001-228 | 2/19/2020 | 2/14/2020 | Soil |
| AWEST-06-0.5 | 25001-229 | 2/19/2020 | 2/14/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| EB-1 | 25001-230 | 2/19/2020 | 2/12/2020 | Water |
| EB-2 | 25001-231 | 2/19/2020 | 2/13/2020 | Water |
| EB-3 | 25001-232 | 2/19/2020 | 2/14/2020 | Water |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-05-1 | | | 25001-001 | 2/19/2020 | 10:20 | 2/12/2020 | 11:39 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-10E-1 | | | 25001-002 | 2/19/2020 | 10:20 | 2/12/2020 | 11:21 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 41 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-10E-2.5 | | | 25001-003 | 2/19/2020 | 10:20 | 2/12/2020 | 11:26 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 12 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-10S-1 | | | 25001-004 | 2/19/2020 | 10:20 | 2/12/2020 | 11:28 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-10S-4 | | | 25001-005 | 2/19/2020 | 10:20 | 2/12/2020 | 11:29 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-10W-0 | | | 25001-006 | 2/19/2020 | 10:20 | 2/13/2020 | 8:22 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 10 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-05-25SE-1 | | | 25001-007 | 2/19/2020 | 10:20 | 2/12/2020 | 11:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 8.2 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-25SE-3 | | | 25001-008 | 2/19/2020 | 10:20 | 2/12/2020 | 11:19 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-25W-0 | | | 25001-009 | 2/19/2020 | 10:20 | 2/13/2020 | 8:53 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 10 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-05-4 | | | 25001-010 | 2/19/2020 | 10:20 | 2/12/2020 | 11:44 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 6.4 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-06-0 | | | 25001-011 | 2/19/2020 | 10:20 | 2/14/2020 | 8:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 20 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |
| AMA20-06-10N-0 | | | 25001-012 | 2/19/2020 | 10:20 | 2/14/2020 | 8:38 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 02/27/20 16:55 | 02/28/20 09:15 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--|
| AMA20-06-10N-2 | 25001-013 | 2/19/2020 10:20 | 2/14/2020 8:39 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-10W-0 | 25001-014 | 2/19/2020 10:20 | 2/14/2020 8:16 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-10W-2 | 25001-015 | 2/19/2020 10:20 | 2/14/2020 8:18 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-15S-0 | 25001-016 | 2/19/2020 10:20 | 2/14/2020 8:58 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-15S-2 | 25001-017 | 2/19/2020 10:20 | 2/14/2020 8:59 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-25E-0 | 25001-018 | 2/19/2020 10:20 | 2/14/2020 9:05 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 20 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--|
| AMA20-06-25E-1 | 25001-019 | 2/19/2020 10:20 | 2/14/2020 9:12 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 02/27/20 16:55 02/28/20 09:15 -- 1 |
| AMA20-06-25NW-0 | 25001-020 | 2/19/2020 10:20 | 2/14/2020 8:25 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-06-25NW-2 | 25001-021 | 2/19/2020 10:20 | 2/14/2020 8:27 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-06-30NE-0 | 25001-023 | 2/19/2020 10:20 | 2/14/2020 8:52 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-06-30NE-2 | 25001-024 | 2/19/2020 10:20 | 2/14/2020 8:54 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-06-30SE-0 | 25001-025 | 2/19/2020 10:20 | 2/14/2020 9:22 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-06-30SE-2 | 25001-026 | 2/19/2020 10:20 | 2/14/2020 9:24 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-07-1 | 25001-027 | 2/19/2020 10:20 | 2/12/2020 13:56 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-07-10E-1 | 25001-028 | 2/19/2020 10:20 | 2/12/2020 14:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-07-10E-2 | 25001-029 | 2/19/2020 10:20 | 2/12/2020 14:36 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-07-10N-1 | 25001-030 | 2/19/2020 10:20 | 2/12/2020 14:06 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |
| AMA20-07-10N-2 | 25001-031 | 2/19/2020 10:20 | 2/12/2020 14:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 14:20 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|-------------------|---------------|-----------------------|----------------------|-------------|-----------|
| AMA20-07-10S-1 | | 25001-032 | 2/19/2020 | 10:20 | 2/12/2020 | 13:49 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |
| AMA20-07-10S-4 | | 25001-033 | 2/19/2020 | 10:20 | 2/12/2020 | 13:51 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |
| AMA20-07-25NE-1 | | 25001-034 | 2/19/2020 | 10:20 | 2/12/2020 | 14:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |
| AMA20-07-25NE-2 | | 25001-035 | 2/19/2020 | 10:20 | 2/12/2020 | 14:24 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |
| AMA20-07-25SE-1 | | 25001-036 | 2/19/2020 | 10:20 | 2/12/2020 | 14:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |
| AMA20-07-25SE-2 | | 25001-037 | 2/19/2020 | 10:20 | 2/12/2020 | 14:46 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-07-4 | | | 25001-038 | 2/19/2020 | 10:20 | 2/12/2020 | 13:58 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 | |
| AMA20-08-1 | | | 25001-039 | 2/19/2020 | 10:20 | 2/12/2020 | 10:14 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 12 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 | |
| AMA20-08-10E-1.5 | | | 25001-040 | 2/19/2020 | 10:20 | 2/12/2020 | 9:57 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 14:20 | 03/03/20 09:10 | -- | 1 | |
| AMA20-08-10E-4 | | | 25001-041 | 2/19/2020 | 10:20 | 2/12/2020 | 10:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-08-10N-1 | | | 25001-042 | 2/19/2020 | 10:20 | 2/12/2020 | 9:39 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 12 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-08-10N-3 | | | 25001-043 | 2/19/2020 | 10:20 | 2/12/2020 | 9:52 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-08-10S-1 | 25001-044 | 2/19/2020 10:20 | 2/12/2020 9:55 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-10S-3 | 25001-045 | 2/19/2020 10:20 | 2/12/2020 9:56 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-10W-1 | 25001-046 | 2/19/2020 10:20 | 2/12/2020 9:42 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-10W-2 | 25001-047 | 2/19/2020 10:20 | 2/12/2020 9:44 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25NE-1 | 25001-048 | 2/19/2020 10:20 | 2/12/2020 10:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 22 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25NE-4 | 25001-049 | 2/19/2020 10:20 | 2/12/2020 10:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-08-25NW-1 | 25001-050 | 2/19/2020 10:20 | 2/12/2020 10:26 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25NW-4 | 25001-051 | 2/19/2020 10:20 | 2/12/2020 22:28 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25-SE-1 | 25001-052 | 2/19/2020 10:20 | 2/12/2020 10:43 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 9.4 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25SE-3 | 25001-053 | 2/19/2020 10:20 | 2/12/2020 10:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25SW-1 | 25001-054 | 2/19/2020 10:20 | 2/12/2020 10:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |
| AMA20-08-25SW-3 | 25001-055 | 2/19/2020 10:20 | 2/12/2020 10:24 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 16:00 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-08-3 | | | 25001-056 | 2/19/2020 | 10:20 | 2/12/2020 | 10:19 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-101 | | | 25001-058 | 2/19/2020 | 10:20 | 2/14/2020 | 10:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 3.5 | %(w/w) | 03/05/20 17:15 | 03/06/20 09:20 | -- | 1 | |
| AMA20-14-0 | | | 25001-059 | 2/19/2020 | 10:20 | 2/14/2020 | 11:58 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 25 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-14-10E-1 | | | 25001-060 | 2/19/2020 | 10:20 | 2/13/2020 | 15:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 24 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-14-10E-3 | | | 25001-061 | 2/19/2020 | 10:20 | 2/13/2020 | 15:50 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 16:00 | 03/03/20 09:10 | -- | 1 | |
| AMA20-14-10N-0 | | | 25001-062 | 2/19/2020 | 10:20 | 2/14/2020 | 12:05 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 31 | %(w/w) | 02/28/20 17:15 | 03/03/20 09:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-14-10S-0 | 25001-063 | 2/19/2020 10:20 | 2/14/2020 12:11 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 37 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-10W-0 | 25001-064 | 2/19/2020 10:20 | 2/14/2020 12:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 26 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-25NE-1 | 25001-065 | 2/19/2020 10:20 | 2/13/2020 15:57 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-25NE-3 | 25001-066 | 2/19/2020 10:20 | 2/13/2020 16:01 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-25SE-1 | 25001-067 | 2/19/2020 10:20 | 2/13/2020 16:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-25SE-3 | 25001-068 | 2/19/2020 10:20 | 2/13/2020 16:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 9.5 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-14-25SW-1 | 25001-069 | 2/19/2020 10:20 | 2/13/2020 16:47 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-14-25SW-3 | 25001-070 | 2/19/2020 10:20 | 2/13/2020 16:50 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-0 | 25001-071 | 2/19/2020 10:20 | 2/14/2020 11:17 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 30 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10E-1 | 25001-072 | 2/19/2020 10:20 | 2/13/2020 12:25 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 22 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10E-4 | 25001-073 | 2/19/2020 10:20 | 2/13/2020 12:31 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10N-1 | 25001-074 | 2/19/2020 10:20 | 2/13/2020 12:01 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-15-10N-4 | 25001-075 | 2/19/2020 10:20 | 2/13/2020 12:11 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10S-1 | 25001-076 | 2/19/2020 10:20 | 2/13/2020 13:26 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 20 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10S-2.5 | 25001-077 | 2/19/2020 10:20 | 2/13/2020 13:29 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10W-1 | 25001-078 | 2/19/2020 10:20 | 2/13/2020 12:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-10W-4 | 25001-079 | 2/19/2020 10:20 | 2/13/2020 12:21 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-25NE-1 | 25001-080 | 2/19/2020 10:20 | 2/13/2020 12:55 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 20 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-15-25NE-3 | 25001-081 | 2/19/2020 10:20 | 2/13/2020 13:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 02/28/20 17:15 03/03/20 09:10 -- 1 |
| AMA20-15-25NW-1 | 25001-082 | 2/19/2020 10:20 | 2/13/2020 12:39 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-15-25NW-2 | 25001-083 | 2/19/2020 10:20 | 2/13/2020 13:05 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-15-25SE-1 | 25001-084 | 2/19/2020 10:20 | 2/13/2020 13:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-15-25SE-2 | 25001-085 | 2/19/2020 10:20 | 2/13/2020 13:23 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-15-25SW-1 | 25001-086 | 2/19/2020 10:20 | 2/13/2020 13:09 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-15-25SW-3 | 25001-087 | 2/19/2020 10:20 | 2/13/2020 13:16 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-20-0 | 25001-088 | 2/19/2020 10:20 | 2/12/2020 15:37 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 20 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-20-2 | 25001-089 | 2/19/2020 10:20 | 2/12/2020 15:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-21-0 | 25001-090 | 2/19/2020 10:20 | 2/11/2020 16:25 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-21-1.5 | 25001-091 | 2/19/2020 10:20 | 2/11/2020 16:34 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-22-0 | 25001-092 | 2/19/2020 10:20 | 2/13/2020 9:54 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 20 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-22-1.5 | | | 25001-093 | 2/19/2020 | 10:20 | 2/13/2020 | 10:02 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 19 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |
| AMA20-23-0 | | | 25001-094 | 2/19/2020 | 10:20 | 2/12/2020 | 15:57 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |
| AMA20-23-2 | | | 25001-095 | 2/19/2020 | 10:20 | 2/12/2020 | 16:03 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |
| AMA20-24-0 | | | 25001-096 | 2/19/2020 | 10:20 | 2/12/2020 | 15:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |
| AMA20-24-2 | | | 25001-097 | 2/19/2020 | 10:20 | 2/12/2020 | 15:54 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |
| AMA20-25-1 | | | 25001-098 | 2/19/2020 | 10:20 | 2/12/2020 | 9:06 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 10 | %(w/w) | 03/02/20 10:30 | 03/03/20 09:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-25-4 | 25001-099 | 2/19/2020 10:20 | 2/12/2020 9:11 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-25-6 | 25001-100 | 2/19/2020 10:20 | 2/12/2020 9:13 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 9.7 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-26-2 | 25001-101 | 2/19/2020 10:20 | 2/11/2020 15:39 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/02/20 10:30 03/03/20 09:10 -- 1 |
| AMA20-26-0 | 25001-102 | 2/19/2020 10:20 | 2/11/2020 15:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 21 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-27-0 | 25001-103 | 2/19/2020 10:20 | 2/13/2020 9:34 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 21 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-27-2 | 25001-104 | 2/19/2020 10:20 | 2/13/2020 9:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-28-0 | 25001-105 | 2/19/2020 10:20 | 2/12/2020 16:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-28-2 | 25001-106 | 2/19/2020 10:20 | 2/12/2020 16:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 21 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-29-0 | 25001-107 | 2/19/2020 10:20 | 2/12/2020 15:16 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-30-10 | 25001-108 | 2/19/2020 10:20 | 2/12/2020 8:38 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-30-12 | 25001-109 | 2/19/2020 10:20 | 2/12/2020 8:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |
| AMA20-30-14.5 | 25001-110 | 2/19/2020 10:20 | 2/12/2020 8:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 03/04/20 11:20 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-30-4 | | | 25001-111 | 2/19/2020 | 10:20 | 2/12/2020 | 8:08 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-30-6 | | | 25001-112 | 2/19/2020 | 10:20 | 2/12/2020 | 8:34 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-30-8 | | | 25001-113 | 2/19/2020 | 10:20 | 2/12/2020 | 8:36 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-31-0 | | | 25001-114 | 2/19/2020 | 10:20 | 2/11/2020 | 16:03 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-31-2 | | | 25001-115 | 2/19/2020 | 10:20 | 2/11/2020 | 16:09 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-32-0 | | | 25001-116 | 2/19/2020 | 10:20 | 2/13/2020 | 9:23 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 21 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-32-2 | | | 25001-117 | 2/19/2020 | 10:20 | 2/13/2020 | 9:27 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 33 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-33-0 | | | 25001-118 | 2/19/2020 | 10:20 | 2/12/2020 | 16:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-33-2 | | | 25001-119 | 2/19/2020 | 10:20 | 2/12/2020 | 16:38 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-34-1 | | | 25001-120 | 2/19/2020 | 10:20 | 2/12/2020 | 12:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-34-4 | | | 25001-121 | 2/19/2020 | 10:20 | 2/12/2020 | 12:07 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 10 | %(w/w) | 03/04/20 11:20 | 03/05/20 09:10 | -- | 1 | |
| AMA20-35-11 | | | 25001-122 | 2/19/2020 | 10:20 | 2/12/2020 | 9:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 11 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | |
|------------------|------------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| AMA20-35-13 | | 25001-123 | 2/19/2020 | 10:20 | 2/12/2020 | 9:34 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 14 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |
| AMA20-35-2 | | 25001-124 | 2/19/2020 | 10:20 | 2/12/2020 | 9:17 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 12 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |
| AMA20-35-4 | | 25001-125 | 2/19/2020 | 10:20 | 2/12/2020 | 9:21 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 19 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |
| AMA20-35-7 | | 25001-126 | 2/19/2020 | 10:20 | 2/12/2020 | 9:25 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 14 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |
| AMA20-36-0 | | 25001-127 | 2/19/2020 | 10:20 | 2/11/2020 | 16:13 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 17 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |
| AMA20-36-1.5 | | 25001-128 | 2/19/2020 | 10:20 | 2/11/2020 | 16:19 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | Moisture Content | -- | 17 | %(w/w) | 03/04/20 14:15 | 03/05/20 09:10 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-37-0 | 25001-129 | 2/19/2020 10:20 | 2/12/2020 16:22 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-37-2 | 25001-130 | 2/19/2020 10:20 | 2/12/2020 16:26 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-38-0 | 25001-131 | 2/19/2020 10:20 | 2/13/2020 10:16 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-38-2 | 25001-132 | 2/19/2020 10:20 | 2/13/2020 10:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-39-0 | 25001-133 | 2/19/2020 10:20 | 2/13/2020 9:08 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-39-2 | 25001-134 | 2/19/2020 10:20 | 2/13/2020 9:17 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-41-0 | 25001-135 | 2/19/2020 10:20 | 2/13/2020 12:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 40 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-41-1.5 | 25001-136 | 2/19/2020 10:20 | 2/13/2020 12:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 26 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-42-0 | 25001-137 | 2/19/2020 10:20 | 2/13/2020 12:58 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 36 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-42-2 | 25001-138 | 2/19/2020 10:20 | 2/13/2020 13:04 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 30 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-43-0 | 25001-139 | 2/19/2020 10:20 | 2/13/2020 15:35 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 24 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-43-2 | 25001-140 | 2/19/2020 10:20 | 2/13/2020 15:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-44-1.5 | 25001-141 | 2/19/2020 10:20 | 2/13/2020 14:19 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 03/04/20 14:15 03/05/20 09:10 -- 1 |
| AMA20-44-3 | 25001-142 | 2/19/2020 10:20 | 2/13/2020 14:25 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-45-0 | 25001-143 | 2/19/2020 10:20 | 2/14/2020 11:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 23 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-45-1.5 | 25001-144 | 2/19/2020 10:20 | 2/14/2020 11:36 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-46-0 | 25001-145 | 2/19/2020 10:20 | 2/13/2020 14:12 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-46-2 | 25001-146 | 2/19/2020 10:20 | 2/13/2020 14:16 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-47-0 | 25001-147 | 2/19/2020 10:20 | 2/13/2020 14:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 27 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-47-1.5 | 25001-148 | 2/19/2020 10:20 | 2/13/2020 14:53 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-48-0 | 25001-149 | 2/19/2020 10:20 | 2/13/2020 14:28 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-49-1.5 | 25001-150 | 2/19/2020 10:20 | 2/13/2020 14:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-49-3 | 25001-151 | 2/19/2020 10:20 | 2/13/2020 14:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-50-1.5 | 25001-152 | 2/19/2020 10:20 | 2/13/2020 13:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-50-3 | 25001-153 | 2/19/2020 10:20 | 2/13/2020 13:36 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-51-1 | 25001-154 | 2/19/2020 10:20 | 2/13/2020 16:35 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-52-0 | 25001-155 | 2/19/2020 10:20 | 2/14/2020 12:42 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-53-0 | 25001-156 | 2/19/2020 10:20 | 2/14/2020 13:14 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-54-1 | 25001-157 | 2/19/2020 10:20 | 2/13/2020 14:29 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-54-2.5 | 25001-158 | 2/19/2020 10:20 | 2/13/2020 14:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-55-1 | 25001-159 | 2/19/2020 10:20 | 2/13/2020 13:53 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-55-3 | 25001-160 | 2/19/2020 10:20 | 2/13/2020 14:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-56-1 | 25001-161 | 2/19/2020 10:20 | 2/13/2020 13:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 21 | %(w/w) | 03/04/20 16:15 03/05/20 09:10 -- 1 |
| AMA20-56-2.5 | 25001-162 | 2/19/2020 10:20 | 2/13/2020 13:42 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 03/05/20 11:50 03/06/20 09:20 -- 1 |
| AMA20-57-1 | 25001-163 | 2/19/2020 10:20 | 2/13/2020 15:07 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 03/06/20 09:20 -- 1 |
| AMA20-57-3 | 25001-164 | 2/19/2020 10:20 | 2/13/2020 15:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 11:50 03/06/20 09:20 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-57E-1 | | | 25001-165 | 2/19/2020 | 10:20 | 2/13/2020 | 15:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 13 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-57E-2 | | | 25001-166 | 2/19/2020 | 10:20 | 2/13/2020 | 15:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-57N-1 | | | 25001-167 | 2/19/2020 | 10:20 | 2/13/2020 | 14:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-57N-3 | | | 25001-168 | 2/19/2020 | 10:20 | 2/13/2020 | 15:03 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-57W-0 | | | 25001-169 | 2/19/2020 | 10:20 | 2/14/2020 | 12:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 30 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-59-1 | | | 25001-170 | 2/19/2020 | 10:20 | 2/13/2020 | 13:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-59-3 | | | 25001-171 | 2/19/2020 | 10:20 | 2/13/2020 | 13:49 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 6.0 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-60-1 | | | 25001-172 | 2/19/2020 | 10:20 | 2/13/2020 | 16:45 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 18 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-60-3 | | | 25001-173 | 2/19/2020 | 10:20 | 2/13/2020 | 16:46 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-61-0 | | | 25001-174 | 2/19/2020 | 10:20 | 2/14/2020 | 11:46 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 22 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-61-2 | | | 25001-175 | 2/19/2020 | 10:20 | 2/14/2020 | 11:50 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 13 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-62-0 | | | 25001-176 | 2/19/2020 | 10:20 | 2/12/2020 | 15:37 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 19 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-62-2 | | | 25001-177 | 2/19/2020 | 10:20 | 2/12/2020 | 15:41 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-63-0 | | | 25001-178 | 2/19/2020 | 10:20 | 2/12/2020 | 15:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-63-2 | | | 25001-179 | 2/19/2020 | 10:20 | 2/12/2020 | 15:54 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-64-4 | | | 25001-180 | 2/19/2020 | 10:20 | 2/12/2020 | 16:22 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-65-1 | | | 25001-181 | 2/19/2020 | 10:20 | 2/12/2020 | 16:24 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 11 | %(w/w) | 03/05/20 11:50 | 03/06/20 09:20 | -- | 1 | |
| AMA20-66-4 | | | 25001-182 | 2/19/2020 | 10:20 | 2/12/2020 | 16:44 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-67-1 | 25001-183 | 2/19/2020 10:20 | 2/13/2020 16:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-67-3 | 25001-184 | 2/19/2020 10:20 | 2/13/2020 16:42 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-68-1 | 25001-185 | 2/19/2020 10:20 | 2/13/2020 15:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 13 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-69-2 | 25001-186 | 2/19/2020 10:20 | 2/13/2020 15:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 17 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-70-1 | 25001-187 | 2/19/2020 10:20 | 2/13/2020 15:56 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 19 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-71-2 | 25001-188 | 2/19/2020 10:20 | 2/13/2020 15:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 16 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-72-3 | | | 25001-189 | 2/19/2020 | 10:20 | 2/13/2020 | 16:42 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-73-3 | | | 25001-190 | 2/19/2020 | 10:20 | 2/13/2020 | 16:46 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-74-3 | | | 25001-191 | 2/19/2020 | 10:20 | 2/13/2020 | 16:50 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-75-0 | | | 25001-192 | 2/19/2020 | 10:20 | 2/14/2020 | 10:24 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 5.3 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-75-3 | | | 25001-193 | 2/19/2020 | 10:20 | 2/14/2020 | 10:26 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 5.3 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-76-0 | | | 25001-194 | 2/19/2020 | 10:20 | 2/14/2020 | 8:08 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-76-2 | | | 25001-195 | 2/19/2020 | 10:20 | 2/14/2020 | 8:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-77-0 | | | 25001-196 | 2/19/2020 | 10:20 | 2/14/2020 | 8:48 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 5.5 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-78-0 | | | 25001-197 | 2/19/2020 | 10:20 | 2/14/2020 | 9:25 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 25 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-78-2 | | | 25001-198 | 2/19/2020 | 10:20 | 2/14/2020 | 9:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 16 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-79-0 | | | 25001-199 | 2/19/2020 | 10:20 | 2/14/2020 | 9:40 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 26 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |
| AMA20-80-0 | | | 25001-200 | 2/19/2020 | 10:20 | 2/14/2020 | 8:55 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 0.66 | %(w/w) | 03/05/20 14:10 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-81-0 | 25001-201 | 2/19/2020 10:20 | 2/14/2020 10:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 3.5 | %(w/w) | 03/05/20 14:10 03/06/20 09:20 -- 1 |
| AMA20-81-1.5 | 25001-202 | 2/19/2020 10:20 | 2/14/2020 10:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 11 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-82-0 | 25001-203 | 2/19/2020 10:20 | 2/14/2020 10:17 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 12 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-83-0 | 25001-204 | 2/19/2020 10:20 | 2/14/2020 9:03 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-84-0 | 25001-205 | 2/19/2020 10:20 | 2/14/2020 9:52 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 6.0 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-84-2 | 25001-206 | 2/19/2020 10:20 | 2/14/2020 9:55 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 9.4 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|-------|
| AMA20-85-0 | | | 25001-207 | 2/19/2020 | 10:20 | 2/14/2020 | 21:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 9.1 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-86-BRICK | | | 25001-208 | 2/19/2020 | 10:20 | 2/14/2020 | 9:16 | Solid |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 1.8 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-86-METAL | | | 25001-209 | 2/19/2020 | 10:20 | 2/14/2020 | 9:16 | Solid |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 2.0 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-87-0 | | | 25001-210 | 2/19/2020 | 10:20 | 2/14/2020 | 10:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 4.9 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-87-1 | | | 25001-211 | 2/19/2020 | 10:20 | 2/14/2020 | 10:21 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 7.3 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-88-0 | | | 25001-212 | 2/19/2020 | 10:20 | 2/14/2020 | 14:18 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 12 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AMA20-89-0 | 25001-213 | 2/19/2020 10:20 | 2/14/2020 14:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 37 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-90-1.5 | 25001-214 | 2/19/2020 10:20 | 2/14/2020 14:29 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 53 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-91-3 | 25001-215 | 2/19/2020 10:20 | 2/14/2020 14:37 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 38 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-92-0 | 25001-216 | 2/19/2020 10:20 | 2/14/2020 14:30 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 35 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-93-0 | 25001-217 | 2/19/2020 10:20 | 2/14/2020 14:31 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 0.44 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |
| AMA20-94-0 | 25001-218 | 2/19/2020 10:20 | 2/14/2020 14:31 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 14 | %(w/w) | 03/05/20 16:00 03/06/20 09:20 -- 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Inorganics

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|-------------------|---------------|-------------------|-----------------------|----------------------|-------------|-----------|------|
| AMA20-95-1 | | | 25001-219 | 2/19/2020 | 10:20 | 2/14/2020 | 14:32 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 5.5 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-96-0 | | | 25001-220 | 2/19/2020 | 10:20 | 2/14/2020 | 14:34 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 4.1 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-97-0 | | | 25001-221 | 2/19/2020 | 10:20 | 2/14/2020 | 14:35 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 5.5 | %(w/w) | 03/05/20 16:00 | 03/06/20 09:20 | -- | 1 | |
| AMA20-98-0 | | | 25001-222 | 2/19/2020 | 10:20 | 2/14/2020 | 14:18 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 12 | %(w/w) | 03/05/20 17:15 | 03/06/20 09:20 | -- | 1 | |
| AMA20-99-0 | | | 25001-223 | 2/19/2020 | 10:20 | 2/14/2020 | 14:20 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 37 | %(w/w) | 03/05/20 17:15 | 03/06/20 09:20 | -- | 1 | |
| AWEST-01-0.5 | | | 25001-224 | 2/19/2020 | 10:20 | 2/14/2020 | 12:00 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| Moisture Content | -- | 17 | %(w/w) | 03/05/20 17:15 | 03/06/20 09:20 | -- | 1 | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Inorganics

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--|
| AWEST-02-0.5 | 25001-225 | 2/19/2020 10:20 | 2/14/2020 12:06 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 15 | %(w/w) | 03/05/20 17:15 03/06/20 09:20 -- 1 |
| AWEST-03-0.5 | 25001-226 | 2/19/2020 10:20 | 2/14/2020 12:07 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 18 | %(w/w) | 03/05/20 17:15 03/06/20 09:20 -- 1 |
| AWEST-04-0.5 | 25001-227 | 2/19/2020 10:20 | 2/14/2020 12:10 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 7.6 | %(w/w) | 03/05/20 17:15 03/06/20 09:20 -- 1 |
| AWEST-05-0.5 | 25001-228 | 2/19/2020 10:20 | 2/14/2020 12:15 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 7.4 | %(w/w) | 03/05/20 17:15 03/06/20 09:20 -- 1 |
| AWEST-06-0.5 | 25001-229 | 2/19/2020 10:20 | 2/14/2020 12:18 | Soil |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> <u>Date Analyzed</u> <u>Qual</u> <u>DF</u> |
| Moisture Content | -- | 6.7 | %(w/w) | 03/05/20 17:15 03/06/20 09:20 -- 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-05-1 | | 25001-001 | 2/19/2020 | 10:20 | 2/12/2020 | 11:39 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Arsenic | 6010B | 270 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Barium | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Beryllium | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Cadmium | 6010B | 7.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Chromium | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Cobalt | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Lead | 6010B | 32 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Mercury | 7471A | 0.14 | mg/kg | 02/21/20 16:12 | 02/24/20 11:22 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Nickel | 6010B | 50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Silver | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |
| Zinc | 6010B | 260 | mg/kg | 02/21/20 16:00 | 02/24/20 17:18 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-05-10E-1 | | 25001-002 | 2/19/2020 | 10:20 | 2/12/2020 | 11:21 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <3.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Arsenic | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Barium | 6010B | 260 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Beryllium | 6010B | <0.85 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Cadmium | 6010B | 6.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Chromium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Cobalt | 6010B | 27 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Copper | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Lead | 6010B | 390 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Mercury | 7471A | 5.5 | mg/kg | 02/21/20 16:12 | 02/24/20 11:02 | D2, | 5 | | |
| Molybdenum | 6010B | <1.7 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Nickel | 6010B | 53 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Selenium | 6010B | <8.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Silver | 6010B | <0.85 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Thallium | 6010B | <3.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |
| Zinc | 6010B | 390 | mg/kg | 02/21/20 16:00 | 02/24/20 17:31 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-05-10E-2.5 | | 25001-003 | 2/19/2020 | 10:20 | 2/12/2020 | 11:26 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Arsenic | 6010B | 16 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Barium | 6010B | 97 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Beryllium | 6010B | 0.71 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Cadmium | 6010B | 1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Chromium | 6010B | 68 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Cobalt | 6010B | 42 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Lead | 6010B | 17 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Mercury | 7471A | 0.17 | mg/kg | 02/21/20 16:12 | 02/24/20 14:00 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Nickel | 6010B | 44 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Silver | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |
| Zinc | 6010B | 81 | mg/kg | 02/21/20 16:00 | 02/24/20 17:33 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-05-10S-1 | 25001-004 | 2/19/2020 10:20 | 2/12/2020 11:28 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Arsenic | 6010B | 82 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Barium | 6010B | 190 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Cadmium | 6010B | 3.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Chromium | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Lead | 6010B | 49 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Mercury | 7471A | 0.42 | mg/kg | 02/21/20 16:12 | 02/24/20 14:05 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Nickel | 6010B | 45 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |
| Zinc | 6010B | 480 | mg/kg | 02/21/20 16:00 | 02/24/20 17:36 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-05-10S-4 | 25001-005 | 2/19/2020 10:20 | 2/12/2020 11:29 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Arsenic | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Barium | 6010B | 70 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Beryllium | 6010B | 0.82 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Cadmium | 6010B | 0.64 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Chromium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Cobalt | 6010B | 36 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Lead | 6010B | 7.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 14:06 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Nickel | 6010B | 42 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Vanadium | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |
| Zinc | 6010B | 78 | mg/kg | 02/21/20 16:00 | 02/24/20 17:38 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-05-10W-0 | 25001-006 | 2/19/2020 10:20 | 2/13/2020 8:22 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 4.8 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Arsenic | 6010B | 220 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Barium | 6010B | 310 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Beryllium | 6010B | <0.56 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Cadmium | 6010B | 7.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Chromium | 6010B | 49 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Cobalt | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Lead | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Mercury | 7471A | 1.3 | mg/kg | 02/21/20 16:12 | 02/24/20 14:08 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Vanadium | 6010B | 85 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |
| Zinc | 6010B | 890 | mg/kg | 02/21/20 16:00 | 02/24/20 17:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-05-25SE-1 | 25001-007 | 2/19/2020 10:20 | 2/12/2020 11:15 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Arsenic | 6010B | 97 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Barium | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Beryllium | 6010B | <0.54 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Cadmium | 6010B | 2.9 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Chromium | 6010B | 51 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Copper | 6010B | 89 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Lead | 6010B | 1100 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Mercury | 7471A | 0.7 | mg/kg | 02/21/20 16:12 | 02/24/20 14:10 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Nickel | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Selenium | 6010B | <5.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Silver | 6010B | <0.54 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Vanadium | 6010B | 78 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:43 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-05-25SE-3 | 25001-008 | 2/19/2020 10:20 | 2/12/2020 11:19 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Arsenic | 6010B | 9.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Beryllium | 6010B | 0.74 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Cadmium | 6010B | 0.78 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Chromium | 6010B | 62 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Cobalt | 6010B | 39 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Lead | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 14:12 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Nickel | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |
| Zinc | 6010B | 73 | mg/kg | 02/21/20 16:00 | 02/24/20 17:46 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-05-25W-0 | 25001-009 | 2/19/2020 10:20 | 2/13/2020 8:53 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Arsenic | 6010B | 57 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Barium | 6010B | 84 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Beryllium | 6010B | 0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Cadmium | 6010B | 2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Chromium | 6010B | 55 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Cobalt | 6010B | 36 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Lead | 6010B | 83 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Mercury | 7471A | 0.25 | mg/kg | 02/21/20 16:12 | 02/24/20 14:13 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Nickel | 6010B | 44 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |
| Zinc | 6010B | 260 | mg/kg | 02/21/20 16:00 | 02/24/20 17:49 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-05-4 | | 25001-010 | 2/19/2020 10:20 | 2/12/2020 11:44 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Arsenic | 6010B | <2.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Barium | 6010B | 69 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Beryllium | 6010B | 0.66 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Cadmium | 6010B | <0.53 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Chromium | 6010B | 51 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Cobalt | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Lead | 6010B | 3.6 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Mercury | 7471A | <0.11 | mg/kg | 02/21/20 16:12 | 02/24/20 14:15 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Nickel | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Selenium | 6010B | <5.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Silver | 6010B | <0.53 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Thallium | 6010B | <2.1 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |
| Zinc | 6010B | 58 | mg/kg | 02/21/20 16:00 | 02/24/20 17:51 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|-----------------|----------------|----------------|------|--------|--|--|
| AMA20-06-0 | | 25001-011 | 2/19/2020 10:20 | | 2/14/2020 8:40 | | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Arsenic | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Barium | 6010B | 96 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Beryllium | 6010B | <0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Cadmium | 6010B | 7.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Chromium | 6010B | 61 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Copper | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Lead | 6010B | 41000 | mg/kg | 02/21/20 16:00 | 02/25/20 12:34 | D2, | 20 | | |
| Mercury | 7471A | 15 | mg/kg | 02/21/20 16:12 | 02/24/20 16:59 | D2, | 10 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Selenium | 6010B | <6.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Silver | 6010B | 21 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Vanadium | 6010B | 75 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| Zinc | 6010B | 820 | mg/kg | 02/21/20 16:00 | 02/24/20 17:54 | -- | 1 | | |
| TCLP Arsenic | 6010B | <0.080 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |
| TCLP Barium | 6010B | 0.56 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |
| TCLP Cadmium | 6010B | 0.030 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |
| TCLP Chromium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |
| TCLP Lead | 6010B | 190 | mg/l | 03/02/20 17:00 | 03/04/20 16:26 | D2, | 5 | | |
| TCLP Mercury | 7470A | <0.010 | mg/l | 02/28/20 09:34 | 03/02/20 17:16 | -- | 1 | | |
| TCLP Selenium | 6010B | <0.20 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |
| TCLP Silver | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 18:51 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|---------------|-------------------|-----------------|-------|----------------|----------------|--------|----|--|
| AMA20-06-10N-0 | | 25001-012 | 2/19/2020 10:20 | | 2/14/2020 8:38 | | Soil | | |
| | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | |
| | Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Arsenic | 6010B | 87 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Barium | 6010B | 240 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Beryllium | 6010B | 0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Cadmium | 6010B | 3.6 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Chromium | 6010B | 76 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Cobalt | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Copper | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Lead | 6010B | 1800 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Mercury | 7471A | 4.2 | mg/kg | 02/21/20 16:12 | 02/24/20 17:01 | D2, | 5 | |
| | Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Nickel | 6010B | 60 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Silver | 6010B | 7.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | Zinc | 6010B | 640 | mg/kg | 02/21/20 16:00 | 02/24/20 18:14 | -- | 1 | |
| | TCLP Arsenic | 6010B | <0.080 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |
| | TCLP Barium | 6010B | 0.71 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |
| | TCLP Lead | 6010B | 1.7 | mg/l | 03/02/20 17:00 | 03/04/20 16:33 | -- | 1 | |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 02/28/20 09:34 | 03/02/20 17:17 | -- | 1 | |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |
| | TCLP Silver | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:07 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-10N-2 | 25001-013 | 2/19/2020 10:20 | 2/14/2020 8:39 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 3.1 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Arsenic | 6010B | 15 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Barium | 6010B | 71 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Cadmium | 6010B | 1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Chromium | 6010B | 62 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Cobalt | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Lead | 6010B | 340 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Mercury | 7471A | 6.7 | mg/kg | 02/21/20 16:12 | 02/24/20 17:03 | D2, | 5 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Nickel | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Silver | 6010B | 0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 18:18 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|------------|-------------------|-----------------|----------------|----------------|--------|----|
| AMA20-06-10W-0 | | 25001-014 | 2/19/2020 10:20 | 2/14/2020 8:16 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Arsenic | 6010B | 330 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Beryllium | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Cadmium | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Chromium | 6010B | 55 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Cobalt | 6010B | 23 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Lead | 6010B | 55000 | mg/kg | 02/21/20 16:00 | 02/25/20 17:58 | D2, | 50 |
| Mercury | 7471A | 20 | mg/kg | 02/21/20 16:12 | 02/24/20 17:05 | D2, | 10 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Nickel | 6010B | 66 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Silver | 6010B | 71 | mg/kg | 02/21/20 16:00 | 02/25/20 12:39 | D2, | 20 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Vanadium | 6010B | 61 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |
| Zinc | 6010B | 960 | mg/kg | 02/21/20 16:00 | 02/24/20 18:21 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-10W-2 | 25001-015 | 2/19/2020 10:20 | 2/14/2020 8:18 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Arsenic | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Barium | 6010B | 91 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Beryllium | 6010B | 0.80 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Cadmium | 6010B | 2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Chromium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Cobalt | 6010B | 39 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Lead | 6010B | 4700 | mg/kg | 02/21/20 16:00 | 02/25/20 12:43 | D2, | 2 |
| Mercury | 7471A | 10 | mg/kg | 02/21/20 16:12 | 02/24/20 17:07 | D2, | 10 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Nickel | 6010B | 68 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Silver | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |
| Zinc | 6010B | 1200 | mg/kg | 02/21/20 16:00 | 02/24/20 18:28 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-06-15S-0 | | 25001-016 | 2/19/2020 | 10:20 | 2/14/2020 | 8:58 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | 6.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Arsenic | 6010B | 470 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Barium | 6010B | 310 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Cadmium | 6010B | 13 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Chromium | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Copper | 6010B | 220 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Lead | 6010B | 5100 | mg/kg | 02/21/20 16:00 | 02/25/20 12:47 | D2, | 2 | | |
| Mercury | 7471A | 1.3 | mg/kg | 02/21/20 16:12 | 02/24/20 11:42 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Nickel | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Silver | 6010B | 3.9 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Vanadium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |
| Zinc | 6010B | 620 | mg/kg | 02/21/20 16:00 | 02/24/20 18:35 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-06-15S-2 | | 25001-017 | 2/19/2020 | 10:20 | 2/14/2020 | 8:59 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Arsenic | 6010B | 360 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Barium | 6010B | 220 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Cadmium | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Chromium | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Cobalt | 6010B | 17 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Lead | 6010B | 4800 | mg/kg | 02/21/20 16:00 | 02/25/20 12:50 | D2, | 2 | | |
| Mercury | 7471A | 1.3 | mg/kg | 03/11/20 12:00 | 03/11/20 15:08 | -- | 1 | | |
| Molybdenum | 6010B | 1.6 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Nickel | 6010B | 81 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Silver | 6010B | 3.1 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Vanadium | 6010B | 38 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |
| Zinc | 6010B | 250 | mg/kg | 02/21/20 16:00 | 02/24/20 18:41 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-25E-0 | 25001-018 | 2/19/2020 10:20 | 2/14/2020 9:05 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Arsenic | 6010B | 56 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Barium | 6010B | 97 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Beryllium | 6010B | 0.64 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Chromium | 6010B | 64 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Cobalt | 6010B | 27 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Copper | 6010B | 95 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Lead | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Mercury | 7471A | 1.7 | mg/kg | 02/21/20 16:12 | 02/24/20 11:46 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Nickel | 6010B | 42 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 18:47 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-25E-1 | 25001-019 | 2/19/2020 10:20 | 2/14/2020 9:12 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Arsenic | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Beryllium | 6010B | 0.78 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Cadmium | 6010B | 3.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Chromium | 6010B | 66 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Copper | 6010B | 75 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Lead | 6010B | 25 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Mercury | 7471A | 1.5 | mg/kg | 02/21/20 16:12 | 02/24/20 11:47 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Nickel | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |
| Zinc | 6010B | 74 | mg/kg | 02/21/20 16:00 | 02/24/20 18:50 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-25NW-0 | 25001-020 | 2/19/2020 10:20 | 2/14/2020 8:25 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 3.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Arsenic | 6010B | 230 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Barium | 6010B | 380 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Beryllium | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Cadmium | 6010B | 9.0 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Chromium | 6010B | 66 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Copper | 6010B | 260 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Lead | 6010B | 1400 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Mercury | 7471A | 5.9 | mg/kg | 02/21/20 16:12 | 02/24/20 17:09 | D2, | 5 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Nickel | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Silver | 6010B | 2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Vanadium | 6010B | 84 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |
| Zinc | 6010B | 940 | mg/kg | 02/21/20 16:00 | 02/24/20 18:52 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-25NW-2 | 25001-021 | 2/19/2020 10:20 | 2/14/2020 8:27 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Arsenic | 6010B | 240 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Barium | 6010B | 350 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Beryllium | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Cadmium | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Chromium | 6010B | 62 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Cobalt | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Copper | 6010B | 280 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Lead | 6010B | 740 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Mercury | 7471A | 2.8 | mg/kg | 02/21/20 16:12 | 02/24/20 17:11 | D2, | 5 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Nickel | 6010B | 160 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Silver | 6010B | 1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Vanadium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |
| Zinc | 6010B | 810 | mg/kg | 02/21/20 16:00 | 02/24/20 19:11 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-30NE-0 | 25001-023 | 2/19/2020 10:20 | 2/14/2020 8:52 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Arsenic | 6010B | 40 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Barium | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Cadmium | 6010B | 1.9 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Chromium | 6010B | 72 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Lead | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Mercury | 7471A | 0.32 | mg/kg | 02/21/20 16:12 | 02/24/20 12:21 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Nickel | 6010B | 59 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |
| Zinc | 6010B | 330 | mg/kg | 02/21/20 16:00 | 02/24/20 19:30 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-30NE-2 | 25001-024 | 2/19/2020 10:20 | 2/14/2020 8:54 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Arsenic | 6010B | 50 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Beryllium | 6010B | 1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Cadmium | 6010B | 1.9 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Chromium | 6010B | 70 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Copper | 6010B | 94 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Lead | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Mercury | 7471A | 0.16 | mg/kg | 02/21/20 16:12 | 02/24/20 12:22 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Nickel | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Vanadium | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 19:34 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-06-30SE-0 | | 25001-025 | 2/19/2020 | 10:20 | 2/14/2020 | 9:22 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | 5.1 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Arsenic | 6010B | 440 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Barium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Cadmium | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Chromium | 6010B | 51 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Cobalt | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Lead | 6010B | 4100 | mg/kg | 02/21/20 16:00 | 02/25/20 18:02 | D2, | 5 | | |
| Mercury | 7471A | 0.82 | mg/kg | 02/21/20 16:12 | 02/24/20 12:24 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Nickel | 6010B | 75 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Silver | 6010B | 1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Vanadium | 6010B | 80 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |
| Zinc | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 19:38 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-06-30SE-2 | 25001-026 | 2/19/2020 10:20 | 2/14/2020 9:24 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Arsenic | 6010B | 59 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Beryllium | 6010B | 0.75 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Chromium | 6010B | 80 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Lead | 6010B | 420 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 12:26 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Nickel | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |
| Zinc | 6010B | 78 | mg/kg | 02/21/20 16:00 | 02/24/20 19:42 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|-------|----------------|----------------|--------|-----|--|
| AMA20-07-1 | | 25001-027 | 2/19/2020 | 10:20 | 2/12/2020 | 13:56 | Soil | | |
| ANALYTE | EPA Method | Result | Units | | Date Extracted | Date Analyzed | Qual | DF | |
| Antimony | 6010B | <2.3 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Arsenic | 6010B | 430 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Barium | 6010B | 150 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Beryllium | 6010B | <0.57 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Cadmium | 6010B | 20 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Chromium | 6010B | 61 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Cobalt | 6010B | 26 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Copper | 6010B | 320 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Lead | 6010B | 14000 | mg/kg | | 02/21/20 16:00 | 02/25/20 18:05 | D2, | 10 | |
| Mercury | 7471A | 260 | mg/kg | | 02/21/20 16:12 | 02/27/20 16:00 | D2, | 200 | |
| Molybdenum | 6010B | 1.6 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Nickel | 6010B | 57 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Selenium | 6010B | <5.5 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Silver | 6010B | 56 | mg/kg | | 02/21/20 16:00 | 02/25/20 13:00 | D2, | 5 | |
| Thallium | 6010B | <2.3 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Vanadium | 6010B | 69 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| Zinc | 6010B | 1300 | mg/kg | | 02/21/20 16:00 | 02/24/20 19:45 | -- | 1 | |
| TCLP Arsenic | 6010B | <0.080 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |
| TCLP Barium | 6010B | 0.69 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |
| TCLP Cadmium | 6010B | 0.13 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |
| TCLP Chromium | 6010B | <0.020 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |
| TCLP Lead | 6010B | 170 | mg/l | | 03/02/20 17:00 | 03/04/20 16:35 | D2, | 5 | |
| TCLP Mercury | 7470A | 0.12 | mg/l | | 02/28/20 09:34 | 03/02/20 17:19 | -- | 1 | |
| TCLP Selenium | 6010B | <0.20 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |
| TCLP Silver | 6010B | <0.020 | mg/l | | 03/02/20 17:00 | 03/03/20 19:10 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-07-10E-1 | 25001-028 | 2/19/2020 10:20 | 2/12/2020 14:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Arsenic | 6010B | 57 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Barium | 6010B | 87 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Beryllium | 6010B | 0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Cadmium | 6010B | 2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Chromium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Lead | 6010B | 1800 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Mercury | 7471A | 3.9 | mg/kg | 02/21/20 16:12 | 02/24/20 17:22 | D2, | 5 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Silver | 6010B | 8.6 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |
| Zinc | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 19:52 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-07-10E-2 | 25001-029 | 2/19/2020 10:20 | 2/12/2020 14:36 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Arsenic | 6010B | 53 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Barium | 6010B | 84 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Beryllium | 6010B | 0.66 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Cadmium | 6010B | 1.9 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Chromium | 6010B | 87 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Copper | 6010B | 99 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Lead | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Mercury | 7471A | 0.98 | mg/kg | 02/21/20 16:12 | 02/24/20 12:36 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Nickel | 6010B | 46 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |
| Zinc | 6010B | 83 | mg/kg | 02/21/20 16:00 | 02/24/20 20:03 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-07-10N-1 | | 25001-030 | 2/19/2020 | 10:20 | 2/12/2020 | 14:06 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Arsenic | 6010B | 240 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Beryllium | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Cadmium | 6010B | 11 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Chromium | 6010B | 64 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Cobalt | 6010B | 23 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Copper | 6010B | 240 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Lead | 6010B | 31000 | mg/kg | 02/21/20 16:00 | 02/25/20 13:05 | D2, | 20 | | |
| Mercury | 7471A | 78 | mg/kg | 02/21/20 16:12 | 02/27/20 16:08 | D2, | 50 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Nickel | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Silver | 6010B | 57 | mg/kg | 02/21/20 16:00 | 02/25/20 13:09 | D2, | 2 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Vanadium | 6010B | 93 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |
| Zinc | 6010B | 790 | mg/kg | 02/21/20 16:00 | 02/24/20 20:05 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-07-10N-2 | | 25001-031 | 2/19/2020 | 10:20 | 2/12/2020 | 14:10 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Arsenic | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Beryllium | 6010B | 0.68 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Cadmium | 6010B | 2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Chromium | 6010B | 76 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Cobalt | 6010B | 32 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Copper | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Lead | 6010B | 470 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Mercury | 7471A | 6.2 | mg/kg | 02/21/20 16:12 | 02/24/20 17:24 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Nickel | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Silver | 6010B | 7.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |
| Zinc | 6010B | 470 | mg/kg | 02/21/20 16:00 | 02/24/20 20:12 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|-------|----------------|----------------|--------|----|--|
| AMA20-07-10S-1 | | 25001-032 | 2/19/2020 | 10:20 | 2/12/2020 | 13:49 | Soil | | |
| ANALYTE | EPA Method | Result | Units | | Date Extracted | Date Analyzed | Qual | DF | |
| Antimony | 6010B | <2.4 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Arsenic | 6010B | 1200 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Barium | 6010B | 83 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Beryllium | 6010B | <0.6 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Cadmium | 6010B | 73 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Chromium | 6010B | 54 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Cobalt | 6010B | 36 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Copper | 6010B | 1700 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Lead | 6010B | 71000 | mg/kg | | 02/21/20 16:00 | 02/25/20 13:15 | D2, | 50 | |
| Mercury | 7471A | 16 | mg/kg | | 02/21/20 16:12 | 02/24/20 17:26 | D2, | 10 | |
| Molybdenum | 6010B | 2.6 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Nickel | 6010B | 49 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Selenium | 6010B | <5.8 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Silver | 6010B | 32 | mg/kg | | 02/21/20 16:00 | 02/25/20 13:25 | D2, | 2 | |
| Thallium | 6010B | <2.4 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Vanadium | 6010B | 66 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| Zinc | 6010B | 1300 | mg/kg | | 02/21/20 16:00 | 02/24/20 20:17 | -- | 1 | |
| TCLP Arsenic | 6010B | <0.080 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |
| TCLP Barium | 6010B | 0.26 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |
| TCLP Cadmium | 6010B | 0.41 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |
| TCLP Chromium | 6010B | <0.020 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |
| TCLP Lead | 6010B | 820 | mg/l | | 03/02/20 17:00 | 03/04/20 16:37 | D2, | 10 | |
| TCLP Mercury | 7470A | <0.010 | mg/l | | 02/28/20 09:34 | 03/02/20 17:24 | -- | 1 | |
| TCLP Selenium | 6010B | <0.20 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |
| TCLP Silver | 6010B | <0.020 | mg/l | | 03/02/20 17:00 | 03/03/20 19:16 | -- | 1 | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-07-10S-4 | 25001-033 | 2/19/2020 10:20 | 2/12/2020 13:51 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Arsenic | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Barium | 6010B | 91 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Beryllium | 6010B | 0.71 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Chromium | 6010B | 83 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Cobalt | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Lead | 6010B | 20 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 12:44 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Nickel | 6010B | 45 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |
| Zinc | 6010B | 69 | mg/kg | 02/21/20 16:00 | 02/24/20 20:24 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-07-25NE-1 | | 25001-034 | 2/19/2020 | 10:20 | 2/12/2020 | 14:15 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Arsenic | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Barium | 6010B | 370 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Beryllium | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Cadmium | 6010B | 5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Chromium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Cobalt | 6010B | 38 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Lead | 6010B | 2200 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Mercury | 7471A | 5.3 | mg/kg | 02/21/20 16:12 | 02/27/20 16:02 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Nickel | 6010B | 84 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Silver | 6010B | 3.8 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Vanadium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |
| Zinc | 6010B | 320 | mg/kg | 02/21/20 16:00 | 02/24/20 20:26 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-07-25NE-2 | 25001-035 | 2/19/2020 10:20 | 2/12/2020 14:24 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Arsenic | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Beryllium | 6010B | 0.69 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Cadmium | 6010B | 1.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Chromium | 6010B | 86 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Lead | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Mercury | 7471A | 0.60 | mg/kg | 02/21/20 16:12 | 02/24/20 12:47 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Nickel | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |
| Zinc | 6010B | 88 | mg/kg | 02/21/20 16:00 | 02/24/20 20:30 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-07-25SE-1 | | 25001-036 | 2/19/2020 | 10:20 | 2/12/2020 | 14:41 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Arsenic | 6010B | 1600 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Beryllium | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Cadmium | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Chromium | 6010B | 27 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Copper | 6010B | 530 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Lead | 6010B | 7200 | mg/kg | 02/21/20 16:00 | 02/25/20 13:31 | D2, | 5 | | |
| Mercury | 7471A | 12 | mg/kg | 02/21/20 16:12 | 02/24/20 17:28 | D2, | 10 | | |
| Molybdenum | 6010B | 1.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Nickel | 6010B | 56 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Selenium | 6010B | 7.0 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Silver | 6010B | 13 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Vanadium | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |
| Zinc | 6010B | 810 | mg/kg | 02/21/20 16:00 | 02/24/20 20:33 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-07-25SE-2 | 25001-037 | 2/19/2020 10:20 | 2/12/2020 14:46 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Arsenic | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Beryllium | 6010B | 0.66 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Cadmium | 6010B | 4.8 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Chromium | 6010B | 78 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Copper | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Lead | 6010B | 2000 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 12:55 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Nickel | 6010B | 58 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Vanadium | 6010B | 99 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |
| Zinc | 6010B | 240 | mg/kg | 02/21/20 16:00 | 02/24/20 20:39 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-07-4 | | 25001-038 | 2/19/2020 | 10:20 | 2/12/2020 | 13:58 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Arsenic | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Beryllium | 6010B | 0.79 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Cadmium | 6010B | 2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Chromium | 6010B | 86 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Cobalt | 6010B | 50 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Lead | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Mercury | 7471A | 2.9 | mg/kg | 02/21/20 16:12 | 02/24/20 17:32 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Nickel | 6010B | 61 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Silver | 6010B | 7.4 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |
| Zinc | 6010B | 180 | mg/kg | 02/21/20 16:00 | 02/24/20 20:43 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-1 | 25001-039 | 2/19/2020 10:20 | 2/12/2020 10:14 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Arsenic | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Barium | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Beryllium | 6010B | 0.70 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Cadmium | 6010B | 1.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Chromium | 6010B | 87 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Lead | 6010B | 50 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Mercury | 7471A | 1.8 | mg/kg | 02/21/20 16:12 | 02/24/20 13:03 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Nickel | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |
| Zinc | 6010B | 83 | mg/kg | 02/21/20 16:00 | 02/24/20 20:54 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10E-1.5 | 25001-040 | 2/19/2020 10:20 | 2/12/2020 9:57 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Arsenic | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Barium | 6010B | 73 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Cadmium | 6010B | 1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Chromium | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Cobalt | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Lead | 6010B | 7.5 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:12 | 02/24/20 13:05 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Nickel | 6010B | 62 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 20:57 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-10E-4 | 25001-041 | 2/19/2020 10:20 | 2/12/2020 10:00 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Arsenic | 6010B | 79 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Beryllium | 6010B | 0.76 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Cadmium | 6010B | 2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Chromium | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Copper | 6010B | 88 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Lead | 6010B | 8.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Mercury | 7471A | 0.19 | mg/kg | 02/21/20 16:00 | 02/24/20 13:14 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |
| Zinc | 6010B | 74 | mg/kg | 02/21/20 16:00 | 02/24/20 21:09 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10N-1 | 25001-042 | 2/19/2020 10:20 | 2/12/2020 9:39 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Arsenic | 6010B | 370 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Barium | 6010B | 72 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Beryllium | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Cadmium | 6010B | 10 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Chromium | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Lead | 6010B | 400 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Mercury | 7471A | 0.83 | mg/kg | 02/21/20 16:00 | 02/24/20 13:23 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Nickel | 6010B | 55 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Silver | 6010B | 1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Vanadium | 6010B | 66 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |
| Zinc | 6010B | 460 | mg/kg | 02/21/20 16:00 | 02/24/20 21:17 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10N-3 | 25001-043 | 2/19/2020 10:20 | 2/12/2020 9:52 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Arsenic | 6010B | 76 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Barium | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Beryllium | 6010B | 0.75 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Cadmium | 6010B | 2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Chromium | 6010B | 63 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Lead | 6010B | 9.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/24/20 13:24 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Nickel | 6010B | 29 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |
| Zinc | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 21:20 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10S-1 | 25001-044 | 2/19/2020 10:20 | 2/12/2020 9:55 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Arsenic | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Barium | 6010B | 92 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Beryllium | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Cadmium | 6010B | 6.0 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Chromium | 6010B | 43 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Cobalt | 6010B | 30 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Copper | 6010B | 160 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Lead | 6010B | 310 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Mercury | 7471A | 0.55 | mg/kg | 02/21/20 16:00 | 02/24/20 13:26 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Vanadium | 6010B | 83 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |
| Zinc | 6010B | 270 | mg/kg | 02/21/20 16:00 | 02/24/20 21:23 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10S-3 | 25001-045 | 2/19/2020 10:20 | 2/12/2020 9:56 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Arsenic | 6010B | 79 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Beryllium | 6010B | 0.84 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Cadmium | 6010B | 2.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Chromium | 6010B | 74 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Cobalt | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Copper | 6010B | 99 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Lead | 6010B | 8.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Mercury | 7471A | 0.13 | mg/kg | 02/21/20 16:00 | 02/24/20 13:28 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Nickel | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |
| Zinc | 6010B | 76 | mg/kg | 02/21/20 16:00 | 02/24/20 21:32 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10W-1 | 25001-046 | 2/19/2020 10:20 | 2/12/2020 9:42 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Arsenic | 6010B | 32 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Barium | 6010B | 89 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Beryllium | 6010B | 0.68 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Chromium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Cobalt | 6010B | 38 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Copper | 6010B | 94 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Lead | 6010B | 10 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Mercury | 7471A | 0.13 | mg/kg | 02/21/20 16:00 | 02/24/20 13:30 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Nickel | 6010B | 74 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |
| Zinc | 6010B | 70 | mg/kg | 02/21/20 16:00 | 02/24/20 21:35 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-08-10W-2 | 25001-047 | 2/19/2020 10:20 | 2/12/2020 9:44 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Arsenic | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Cadmium | 6010B | 3.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Chromium | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Cobalt | 6010B | 27 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Lead | 6010B | 18 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Mercury | 7471A | 0.27 | mg/kg | 02/21/20 16:00 | 02/24/20 13:31 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Nickel | 6010B | 19 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/21/20 16:00 | 02/24/20 21:37 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-08-25NE-1 | | 25001-048 | 2/19/2020 | 10:20 | 2/12/2020 | 10:32 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Arsenic | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Barium | 6010B | 290 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Beryllium | 6010B | 0.66 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Cadmium | 6010B | 5.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Chromium | 6010B | 65 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Cobalt | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Copper | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Lead | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Mercury | 7471A | 0.32 | mg/kg | 02/21/20 16:00 | 02/24/20 13:33 | -- | 1 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Nickel | 6010B | 78 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Selenium | 6010B | <6.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Silver | 6010B | <0.64 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Thallium | 6010B | <2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Vanadium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |
| Zinc | 6010B | 340 | mg/kg | 02/21/20 16:00 | 02/24/20 21:40 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-08-25NE-4 | | 25001-049 | 2/19/2020 | 10:20 | 2/12/2020 | 10:41 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Arsenic | 6010B | 50 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Beryllium | 6010B | 0.77 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Cadmium | 6010B | 1.9 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Chromium | 6010B | 87 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Cobalt | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Lead | 6010B | 13 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/24/20 13:35 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Nickel | 6010B | 46 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Silver | 6010B | <0.61 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Vanadium | 6010B | 150 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |
| Zinc | 6010B | 92 | mg/kg | 02/21/20 16:00 | 02/24/20 21:43 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-25NW-1 | 25001-050 | 2/19/2020 10:20 | 2/12/2020 10:26 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Beryllium | 6010B | 0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Cadmium | 6010B | 4.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Chromium | 6010B | 81 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Cobalt | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Lead | 6010B | 1000 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Mercury | 7471A | 0.31 | mg/kg | 02/21/20 16:00 | 02/24/20 13:36 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Vanadium | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |
| Zinc | 6010B | 300 | mg/kg | 02/21/20 16:00 | 02/24/20 21:45 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-25NW-4 | 25001-051 | 2/19/2020 10:20 | 2/12/2020 22:28 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Arsenic | 6010B | 7.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Cadmium | 6010B | 0.67 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Chromium | 6010B | 81 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Copper | 6010B | 68 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Lead | 6010B | 5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/24/20 13:38 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Nickel | 6010B | 36 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |
| Zinc | 6010B | 64 | mg/kg | 02/21/20 16:00 | 02/24/20 21:48 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-08-25-SE-1 | | 25001-052 | 2/19/2020 | 10:20 | 2/12/2020 | 10:43 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Arsenic | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Barium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Beryllium | 6010B | <0.55 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Cadmium | 6010B | 3.5 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Chromium | 6010B | 94 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Cobalt | 6010B | 41 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Lead | 6010B | 230 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Mercury | 7471A | 2.1 | mg/kg | 02/21/20 16:00 | 02/24/20 13:43 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Nickel | 6010B | 45 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Selenium | 6010B | <5.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Silver | 6010B | <0.55 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |
| Zinc | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:51 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-08-25SE-3 | | 25001-053 | 2/19/2020 | 10:20 | 2/12/2020 | 10:48 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Arsenic | 6010B | 28 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Barium | 6010B | 93 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Beryllium | 6010B | 0.71 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Cadmium | 6010B | 1.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Chromium | 6010B | 97 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Cobalt | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Copper | 6010B | 100 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Lead | 6010B | 12 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/24/20 13:45 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |
| Zinc | 6010B | 80 | mg/kg | 02/21/20 16:00 | 02/24/20 21:55 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-25SW-1 | 25001-054 | 2/19/2020 10:20 | 2/12/2020 10:20 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Arsenic | 6010B | 450 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Beryllium | 6010B | <0.56 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Cadmium | 6010B | 12 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Chromium | 6010B | 77 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Lead | 6010B | 320 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Mercury | 7471A | 0.12 | mg/kg | 02/21/20 16:00 | 02/24/20 13:47 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Nickel | 6010B | 56 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Silver | 6010B | 2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Vanadium | 6010B | 96 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |
| Zinc | 6010B | 230 | mg/kg | 02/21/20 16:00 | 02/24/20 21:57 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-08-25SW-3 | 25001-055 | 2/19/2020 10:20 | 2/12/2020 10:24 | Soil |

| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
|------------|------------|--------|-------|----------------|----------------|------|----|
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Arsenic | 6010B | 73 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Beryllium | 6010B | 0.79 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Cadmium | 6010B | 2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Chromium | 6010B | 82 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Copper | 6010B | 99 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Lead | 6010B | 8.5 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Mercury | 7471A | 0.34 | mg/kg | 02/21/20 16:00 | 02/24/20 13:48 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |
| Zinc | 6010B | 76 | mg/kg | 02/21/20 16:00 | 02/24/20 22:08 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-08-3 | | 25001-056 | 2/19/2020 | 10:20 | 2/12/2020 | 10:19 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Arsenic | 6010B | 51 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Barium | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Beryllium | 6010B | 0.77 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Cadmium | 6010B | 1.9 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Chromium | 6010B | 65 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Cobalt | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Copper | 6010B | 93 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Lead | 6010B | 8.2 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Mercury | 7471A | 0.35 | mg/kg | 02/21/20 16:00 | 02/24/20 13:50 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Nickel | 6010B | 29 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Silver | 6010B | <0.6 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |
| Zinc | 6010B | 70 | mg/kg | 02/21/20 16:00 | 02/24/20 22:11 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-101 | | 25001-058 | 2/19/2020 | 10:20 | 2/14/2020 | 10:00 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.1 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Arsenic | 6010B | 92 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Barium | 6010B | 16 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Beryllium | 6010B | <0.52 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Cadmium | 6010B | 3.5 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Chromium | 6010B | 6.1 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Cobalt | 6010B | 1.8 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Copper | 6010B | 10 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Lead | 6010B | 67000 | mg/kg | 02/21/20 16:00 | 02/25/20 13:35 | D2, | 50 | | |
| Mercury | 7471A | 0.69 | mg/kg | 02/21/20 16:00 | 02/24/20 13:52 | -- | 1 | | |
| Molybdenum | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Nickel | 6010B | 5.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Selenium | 6010B | <5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Silver | 6010B | 2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Thallium | 6010B | 2.8 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Vanadium | 6010B | 4.7 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |
| Zinc | 6010B | 44 | mg/kg | 02/21/20 16:00 | 02/24/20 22:16 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-14-0 | | 25001-059 | 2/19/2020 | 10:20 | 2/14/2020 | 11:58 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.7 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Arsenic | 6010B | 25 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Barium | 6010B | 130 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Beryllium | 6010B | 0.71 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Cadmium | 6010B | 1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Chromium | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Cobalt | 6010B | 21 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Copper | 6010B | 210 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Lead | 6010B | 31 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Mercury | 7471A | 12 | mg/kg | 02/21/20 16:00 | 02/27/20 16:06 | D2, | 5 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Nickel | 6010B | 45 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Selenium | 6010B | <6.4 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Silver | 6010B | <0.67 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Thallium | 6010B | <2.7 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Vanadium | 6010B | 70 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |
| Zinc | 6010B | 170 | mg/kg | 02/21/20 16:00 | 02/24/20 22:23 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-14-10E-1 | | 25001-060 | 2/19/2020 | 10:20 | 2/13/2020 | 15:45 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Arsenic | 6010B | 110 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Beryllium | 6010B | 0.79 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Cadmium | 6010B | 3.3 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Chromium | 6010B | 35 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Cobalt | 6010B | 21 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Copper | 6010B | 220 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Lead | 6010B | 64 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Mercury | 7471A | 17 | mg/kg | 02/21/20 16:00 | 02/24/20 12:22 | D2, | 10 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Nickel | 6010B | 37 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Selenium | 6010B | <6.3 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Silver | 6010B | 1.8 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Thallium | 6010B | <2.6 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Vanadium | 6010B | 84 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |
| Zinc | 6010B | 200 | mg/kg | 02/21/20 16:00 | 02/24/20 22:26 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-14-10E-3 | 25001-061 | 2/19/2020 10:20 | 2/13/2020 15:50 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Arsenic | 6010B | 63 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Chromium | 6010B | 40 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Copper | 6010B | 64 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Lead | 6010B | 15 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Mercury | 7471A | 0.90 | mg/kg | 02/21/20 16:00 | 02/27/20 12:55 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Nickel | 6010B | 39 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Vanadium | 6010B | 64 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |
| Zinc | 6010B | 73 | mg/kg | 02/22/20 07:30 | 02/25/20 13:49 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-14-10N-0 | | 25001-062 | 2/19/2020 10:20 | 2/14/2020 | 12:05 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.9 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Arsenic | 6010B | 17 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Beryllium | 6010B | 0.87 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Cadmium | 6010B | 0.88 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Chromium | 6010B | 26 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Cobalt | 6010B | 17 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Copper | 6010B | 230 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Mercury | 7471A | 5.5 | mg/kg | 02/21/20 | 16:00 | 02/27/20 | 15:31 | D2, | 5 |
| Molybdenum | 6010B | <1.4 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Nickel | 6010B | 26 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Selenium | 6010B | <6.9 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Silver | 6010B | <0.72 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Thallium | 6010B | <2.9 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Vanadium | 6010B | 87 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:02 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-14-10S-0 | 25001-063 | 2/19/2020 10:20 | 2/14/2020 12:11 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <3.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Arsenic | 6010B | 19 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Beryllium | 6010B | 0.94 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Cadmium | 6010B | 0.99 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Cobalt | 6010B | 18 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Copper | 6010B | 270 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Lead | 6010B | 25 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Mercury | 7471A | 2.5 | mg/kg | 02/21/20 16:00 | 02/27/20 12:59 | -- | 1 |
| Molybdenum | 6010B | <1.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Nickel | 6010B | 27 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Selenium | 6010B | <7.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Silver | 6010B | <0.8 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Thallium | 6010B | <3.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Vanadium | 6010B | 94 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |
| Zinc | 6010B | 140 | mg/kg | 02/22/20 07:30 | 02/25/20 14:05 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-14-10W-0 | | 25001-064 | 2/19/2020 10:20 | 2/14/2020 12:20 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Arsenic | 6010B | 54 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Barium | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Beryllium | 6010B | 0.77 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Cadmium | 6010B | 2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Chromium | 6010B | 34 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Copper | 6010B | 400 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Lead | 6010B | 43 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Mercury | 7471A | 75 | mg/kg | 02/21/20 16:00 | 02/27/20 16:04 | D2, | 50 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Nickel | 6010B | 28 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Selenium | 6010B | <6.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Silver | 6010B | 9.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Thallium | 6010B | <2.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Vanadium | 6010B | 88 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |
| Zinc | 6010B | 380 | mg/kg | 02/22/20 07:30 | 02/25/20 14:07 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-14-25NE-1 | | 25001-065 | 2/19/2020 10:20 | 2/13/2020 15:57 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Arsenic | 6010B | 360 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Barium | 6010B | 84 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Beryllium | 6010B | <0.60 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Cadmium | 6010B | 8.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Chromium | 6010B | 28 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Cobalt | 6010B | 14 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Lead | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Mercury | 7471A | 8.7 | mg/kg | 02/21/20 16:00 | 02/27/20 15:34 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Nickel | 6010B | 30 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Silver | 6010B | 1.0 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Vanadium | 6010B | 57 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |
| Zinc | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 14:10 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-14-25NE-3 | 25001-066 | 2/19/2020 10:20 | 2/13/2020 16:01 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Arsenic | 6010B | 50 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Beryllium | 6010B | <0.57 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Cadmium | 6010B | 1.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Chromium | 6010B | 35 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Cobalt | 6010B | 15 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Copper | 6010B | 57 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Lead | 6010B | 16 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Mercury | 7471A | 0.31 | mg/kg | 02/21/20 16:00 | 02/27/20 13:08 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Nickel | 6010B | 41 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Vanadium | 6010B | 49 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/22/20 07:30 | 02/25/20 14:13 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-14-25SE-1 | | 25001-067 | 2/19/2020 | 10:20 | 2/13/2020 | 16:15 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Arsenic | 6010B | 190 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Barium | 6010B | 73 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Beryllium | 6010B | <0.56 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Cadmium | 6010B | 5.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Chromium | 6010B | 39 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Cobalt | 6010B | 23 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Copper | 6010B | 89 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Lead | 6010B | 50 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Mercury | 7471A | 3.7 | mg/kg | 02/21/20 16:00 | 02/27/20 15:36 | D2, | 5 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Nickel | 6010B | 45 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Selenium | 6010B | <5.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Silver | 6010B | <0.56 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Vanadium | 6010B | 70 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |
| Zinc | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:15 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-14-25SE-3 | 25001-068 | 2/19/2020 10:20 | 2/13/2020 16:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Arsenic | 6010B | 60 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Barium | 6010B | 65 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Beryllium | 6010B | <0.55 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Chromium | 6010B | 38 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Copper | 6010B | 98 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Lead | 6010B | 23 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Mercury | 7471A | 0.85 | mg/kg | 02/21/20 16:00 | 02/27/20 13:11 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Nickel | 6010B | 52 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Selenium | 6010B | <5.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Silver | 6010B | <0.55 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Vanadium | 6010B | 43 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/22/20 07:30 | 02/25/20 14:25 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-14-25SW-1 | | 25001-069 | 2/19/2020 10:20 | 2/13/2020 16:47 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Arsenic | 6010B | 93 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Beryllium | 6010B | 0.69 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Cadmium | 6010B | 2.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Chromium | 6010B | 46 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Cobalt | 6010B | 24 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Copper | 6010B | 64 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Lead | 6010B | 51 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Mercury | 7471A | 4.2 | mg/kg | 02/21/20 16:00 | 02/27/20 15:38 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Nickel | 6010B | 40 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Vanadium | 6010B | 82 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |
| Zinc | 6010B | 93 | mg/kg | 02/22/20 07:30 | 02/25/20 14:27 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-14-25SW-3 | 25001-070 | 2/19/2020 10:20 | 2/13/2020 16:50 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Arsenic | 6010B | 25 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Beryllium | 6010B | <0.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Cadmium | 6010B | 1.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Chromium | 6010B | 55 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Cobalt | 6010B | 14 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Copper | 6010B | 60 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Lead | 6010B | 12 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Mercury | 7471A | 0.25 | mg/kg | 02/21/20 16:00 | 02/27/20 13:15 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Vanadium | 6010B | 44 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |
| Zinc | 6010B | 77 | mg/kg | 02/22/20 07:30 | 02/25/20 14:30 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|---------------|-------------------|-----------------|-------|-----------------|----------------|--------|----|--|
| AMA20-15-0 | | 25001-071 | 2/19/2020 10:20 | | 2/14/2020 11:17 | | Soil | | |
| | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | |
| | Antimony | 6010B | <2.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Arsenic | 6010B | 76 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Barium | 6010B | 400 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Beryllium | 6010B | <0.71 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Cadmium | 6010B | 3.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Chromium | 6010B | 54 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Cobalt | 6010B | 19 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Copper | 6010B | 200 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Lead | 6010B | 910 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Mercury | 7471A | 8.8 | mg/kg | 02/21/20 16:00 | 02/27/20 15:40 | D2, | 5 | |
| | Molybdenum | 6010B | <1.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Nickel | 6010B | 48 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Selenium | 6010B | <6.8 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Silver | 6010B | <0.71 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Thallium | 6010B | <2.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Vanadium | 6010B | 77 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | Zinc | 6010B | 470 | mg/kg | 02/22/20 07:30 | 02/25/20 14:32 | -- | 1 | |
| | TCLP Arsenic | 6010B | <0.080 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |
| | TCLP Barium | 6010B | 1.7 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |
| | TCLP Lead | 6010B | 0.30 | mg/l | 03/02/20 17:00 | 03/04/20 16:39 | -- | 1 | |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 02/28/20 09:34 | 03/02/20 17:25 | -- | 1 | |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |
| | TCLP Silver | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 19:24 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-15-10E-1 | | 25001-072 | 2/19/2020 10:20 | 2/13/2020 | 12:25 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.6 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Arsenic | 6010B | 58 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Barium | 6010B | 180 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Beryllium | 6010B | <0.64 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Cadmium | 6010B | 3.3 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Chromium | 6010B | 56 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Cobalt | 6010B | 17 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Copper | 6010B | 190 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Lead | 6010B | 270 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Mercury | 7471A | 6.8 | mg/kg | 02/21/20 | 16:00 | 02/27/20 | 15:42 | D2, | 5 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Nickel | 6010B | 36 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Selenium | 6010B | <6.1 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Silver | 6010B | <0.64 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Thallium | 6010B | <2.6 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Vanadium | 6010B | 82 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |
| Zinc | 6010B | 560 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-10E-4 | 25001-073 | 2/19/2020 10:20 | 2/13/2020 12:31 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Arsenic | 6010B | 11 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Barium | 6010B | 650 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Cadmium | 6010B | 0.64 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Chromium | 6010B | 25 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Cobalt | 6010B | 14 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Copper | 6010B | 52 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Lead | 6010B | 10 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 13:21 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Nickel | 6010B | 39 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Vanadium | 6010B | 24 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |
| Zinc | 6010B | 91 | mg/kg | 02/22/20 07:30 | 02/25/20 14:46 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-10N-1 | 25001-074 | 2/19/2020 10:20 | 2/13/2020 12:01 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Arsenic | 6010B | 71 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Cadmium | 6010B | 2.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Chromium | 6010B | 47 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Copper | 6010B | 76 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Lead | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Mercury | 7471A | 0.99 | mg/kg | 02/21/20 16:00 | 02/27/20 13:23 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Vanadium | 6010B | 86 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |
| Zinc | 6010B | 180 | mg/kg | 02/22/20 07:30 | 02/25/20 14:48 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-10N-4 | 25001-075 | 2/19/2020 10:20 | 2/13/2020 12:11 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Arsenic | 6010B | 6.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Barium | 6010B | 92 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Cadmium | 6010B | 0.68 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Chromium | 6010B | 24 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Cobalt | 6010B | 7.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Copper | 6010B | 95 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Lead | 6010B | 7.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 13:24 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Nickel | 6010B | 26 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Vanadium | 6010B | 38 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/22/20 07:30 | 02/25/20 14:51 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-15-10S-1 | | 25001-076 | 2/19/2020 10:20 | 2/13/2020 | 13:26 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Arsenic | 6010B | 29 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Beryllium | 6010B | 0.71 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Cadmium | 6010B | 1.5 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Chromium | 6010B | 57 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Copper | 6010B | 85 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Lead | 6010B | 39 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Mercury | 7471A | 4.0 | mg/kg | 02/21/20 | 16:00 | 02/27/20 | 15:44 | D2, | 5 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Nickel | 6010B | 39 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Vanadium | 6010B | 100 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/22/20 | 07:30 | 02/25/20 | 14:53 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-10S-2.5 | 25001-077 | 2/19/2020 10:20 | 2/13/2020 13:29 | Soil |

| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
|------------|------------|--------|-------|----------------|----------------|------|----|
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Arsenic | 6010B | 19 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Barium | 6010B | 67 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Cadmium | 6010B | 1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Chromium | 6010B | 42 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Cobalt | 6010B | 8.5 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Copper | 6010B | 55 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Lead | 6010B | 8.9 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Mercury | 7471A | 0.27 | mg/kg | 02/21/20 16:00 | 02/27/20 13:32 | -- | 1 |
| Molybdenum | 6010B | 2.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Nickel | 6010B | 38 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Vanadium | 6010B | 49 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |
| Zinc | 6010B | 74 | mg/kg | 02/22/20 07:30 | 02/25/20 14:56 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-15-10W-1 | | 25001-078 | 2/19/2020 | 10:20 | 2/13/2020 | 12:15 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Arsenic | 6010B | 17 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Barium | 6010B | 130 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Cadmium | 6010B | 1.1 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Chromium | 6010B | 47 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Cobalt | 6010B | 18 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Lead | 6010B | 33 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Mercury | 7471A | 4.9 | mg/kg | 02/21/20 16:00 | 02/24/20 15:46 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Nickel | 6010B | 47 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Silver | 6010B | <0.61 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Vanadium | 6010B | 63 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |
| Zinc | 6010B | 230 | mg/kg | 02/22/20 07:30 | 02/25/20 14:58 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-10W-4 | 25001-079 | 2/19/2020 10:20 | 2/13/2020 12:21 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Arsenic | 6010B | 15 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Barium | 6010B | 300 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Beryllium | 6010B | 0.82 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Cadmium | 6010B | 2.2 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Lead | 6010B | 11 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Mercury | 7471A | 0.23 | mg/kg | 02/21/20 16:00 | 02/24/20 13:35 | -- | 1 |
| Molybdenum | 6010B | 2.5 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Nickel | 6010B | 110 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Vanadium | 6010B | 55 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |
| Zinc | 6010B | 270 | mg/kg | 02/22/20 07:30 | 02/25/20 15:01 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-25NE-1 | 25001-080 | 2/19/2020 10:20 | 2/13/2020 12:55 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Arsenic | 6010B | 100 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Beryllium | 6010B | 0.65 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Cadmium | 6010B | 3.1 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Chromium | 6010B | 50 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Cobalt | 6010B | 21 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Copper | 6010B | 80 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Lead | 6010B | 110 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Mercury | 7471A | 2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 13:37 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Nickel | 6010B | 36 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Silver | 6010B | <0.63 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Vanadium | 6010B | 90 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/22/20 07:30 | 02/25/20 15:04 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-15-25NE-3 | | 25001-081 | 2/19/2020 | 10:20 | 2/13/2020 | 13:00 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Arsenic | 6010B | 22 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Barium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Beryllium | 6010B | <0.60 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Cadmium | 6010B | 1.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Chromium | 6010B | 43 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Cobalt | 6010B | 18 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Copper | 6010B | 64 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Lead | 6010B | 14 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 13:42 | -- | 1 | | |
| Molybdenum | 6010B | 2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Nickel | 6010B | 36 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Silver | 6010B | <0.60 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Vanadium | 6010B | 52 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |
| Zinc | 6010B | 76 | mg/kg | 02/22/20 08:30 | 02/25/20 15:25 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-15-25NW-1 | | 25001-082 | 2/19/2020 | 10:20 | 2/13/2020 | 12:39 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Arsenic | 6010B | 66 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Barium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Beryllium | 6010B | 0.89 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Cadmium | 6010B | 2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Chromium | 6010B | 47 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Cobalt | 6010B | 17 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Copper | 6010B | 92 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Lead | 6010B | 110 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Mercury | 7471A | 3.5 | mg/kg | 02/21/20 16:00 | 02/27/20 15:56 | D2, | 2 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Nickel | 6010B | 53 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Silver | 6010B | <0.62 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Vanadium | 6010B | 74 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |
| Zinc | 6010B | 190 | mg/kg | 02/22/20 08:30 | 02/25/20 15:32 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-15-25NW-2 | 25001-083 | 2/19/2020 10:20 | 2/13/2020 13:05 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Arsenic | 6010B | 12 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Barium | 6010B | 93 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Beryllium | 6010B | <0.57 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Cadmium | 6010B | 0.84 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Chromium | 6010B | 31 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Cobalt | 6010B | 6.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Copper | 6010B | 61 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Lead | 6010B | 9.8 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Mercury | 7471A | 0.3 | mg/kg | 02/21/20 16:00 | 02/27/20 13:46 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Nickel | 6010B | 35 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Vanadium | 6010B | 33 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |
| Zinc | 6010B | 62 | mg/kg | 02/22/20 08:30 | 02/25/20 15:34 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-15-25SE-1 | | 25001-084 | 2/19/2020 10:20 | 2/13/2020 13:20 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Arsenic | 6010B | 50 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Beryllium | 6010B | 0.64 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Chromium | 6010B | 52 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Cobalt | 6010B | 21 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Copper | 6010B | 74 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Lead | 6010B | 98 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Mercury | 7471A | 14 | mg/kg | 02/21/20 16:00 | 02/27/20 15:54 | D2, | 10 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Nickel | 6010B | 33 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Vanadium | 6010B | 94 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |
| Zinc | 6010B | 110 | mg/kg | 02/22/20 08:30 | 02/25/20 15:37 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-15-25SE-2 | | 25001-085 | 2/19/2020 | 10:20 | 2/13/2020 | 13:23 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Arsenic | 6010B | 8.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Barium | 6010B | 94 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Beryllium | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Cadmium | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Chromium | 6010B | 31 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Cobalt | 6010B | 16 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Copper | 6010B | 30 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Lead | 6010B | 9.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Mercury | 7471A | 0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 13:53 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Nickel | 6010B | 32 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Selenium | 6010B | <5.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Silver | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Vanadium | 6010B | 43 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |
| Zinc | 6010B | 64 | mg/kg | 02/22/20 08:30 | 02/25/20 15:45 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|--|
| AMA20-15-25SW-1 | | 25001-086 | 2/19/2020 | 10:20 | 2/13/2020 | 13:09 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Arsenic | 6010B | 55 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Barium | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Beryllium | 6010B | 0.64 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Cadmium | 6010B | 2.1 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Chromium | 6010B | 53 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Cobalt | 6010B | 27 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Copper | 6010B | 97 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Lead | 6010B | 100 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Mercury | 7471A | 3.7 | mg/kg | 02/21/20 16:00 | 02/27/20 15:48 | D2, | 5 | | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Nickel | 6010B | 43 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Silver | 6010B | <0.62 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Vanadium | 6010B | 89 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |
| Zinc | 6010B | 160 | mg/kg | 02/22/20 08:30 | 02/25/20 15:48 | -- | 1 | | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|------------|-------------------|-----------------|----------------|----------------|--------|----|
| AMA20-15-25SW-3 | | 25001-087 | 2/19/2020 10:20 | 2/13/2020 | 13:16 | Soil | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| Antimony | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Arsenic | 6010B | 5.8 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Barium | 6010B | 240 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Beryllium | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Cadmium | 6010B | 1.9 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Chromium | 6010B | 26 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Cobalt | 6010B | 56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Lead | 6010B | 11 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/21/20 16:00 | 02/27/20 13:57 | -- | 1 |
| Molybdenum | 6010B | 3.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Nickel | 6010B | 170 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Vanadium | 6010B | 48 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 15:51 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-20-0 | 25001-088 | 2/19/2020 10:20 | 2/12/2020 15:37 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Arsenic | 6010B | 280 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Beryllium | 6010B | <0.63 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Cadmium | 6010B | 6.9 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Chromium | 6010B | 28 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Cobalt | 6010B | 25 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Lead | 6010B | 21 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Mercury | 7471A | 0.49 | mg/kg | 02/21/20 16:00 | 02/27/20 13:59 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Nickel | 6010B | 19 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Silver | 6010B | <0.63 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Vanadium | 6010B | 100 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |
| Zinc | 6010B | 95 | mg/kg | 02/22/20 08:30 | 02/25/20 15:53 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-20-2 | 25001-089 | 2/19/2020 10:20 | 2/12/2020 15:41 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Arsenic | 6010B | 22 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Beryllium | 6010B | 0.88 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Chromium | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Cobalt | 6010B | 34 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Copper | 6010B | 73 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Lead | 6010B | 5.0 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 14:01 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Nickel | 6010B | 47 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |
| Zinc | 6010B | 62 | mg/kg | 02/22/20 08:30 | 02/25/20 15:55 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-21-0 | | 25001-090 | 2/19/2020 | 10:20 | 2/11/2020 | 16:25 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Arsenic | 6010B | 170 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Barium | 6010B | 93 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Beryllium | 6010B | 0.69 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Cadmium | 6010B | 4.9 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Chromium | 6010B | 50 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Cobalt | 6010B | 24 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Copper | 6010B | 84 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Lead | 6010B | 70 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Mercury | 7471A | 0.76 | mg/kg | 02/21/20 16:00 | 02/27/20 14:02 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Nickel | 6010B | 56 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Silver | 6010B | 0.65 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Vanadium | 6010B | 72 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |
| Zinc | 6010B | 330 | mg/kg | 02/22/20 08:30 | 02/25/20 15:58 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-21-1.5 | 25001-091 | 2/19/2020 10:20 | 2/11/2020 16:34 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Arsenic | 6010B | 64 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Barium | 6010B | 92 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Beryllium | 6010B | 0.76 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Cadmium | 6010B | 2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Chromium | 6010B | 54 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Copper | 6010B | 99 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Lead | 6010B | 42 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Mercury | 7471A | 0.33 | mg/kg | 02/21/20 16:00 | 02/27/20 14:04 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Nickel | 6010B | 33 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |
| Zinc | 6010B | 180 | mg/kg | 02/22/20 08:30 | 02/25/20 16:00 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-22-0 | 25001-092 | 2/19/2020 10:20 | 2/13/2020 9:54 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Arsenic | 6010B | 91 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Barium | 6010B | 220 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Beryllium | 6010B | 0.89 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Cadmium | 6010B | 2.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Chromium | 6010B | 14 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Cobalt | 6010B | 19 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Copper | 6010B | 25 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Lead | 6010B | 17 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Mercury | 7471A | 0.45 | mg/kg | 02/21/20 16:00 | 02/27/20 14:06 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Nickel | 6010B | 9.1 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Vanadium | 6010B | 97 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |
| Zinc | 6010B | 96 | mg/kg | 02/22/20 08:30 | 02/25/20 16:03 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-22-1.5 | 25001-093 | 2/19/2020 10:20 | 2/13/2020 10:02 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Arsenic | 6010B | 61 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Barium | 6010B | 210 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Beryllium | 6010B | 0.83 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Chromium | 6010B | 10 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Cobalt | 6010B | 17 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Copper | 6010B | 28 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Lead | 6010B | 10 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Mercury | 7471A | 0.17 | mg/kg | 02/21/20 16:00 | 02/27/20 14:07 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Nickel | 6010B | 7.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Vanadium | 6010B | 93 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |
| Zinc | 6010B | 66 | mg/kg | 02/22/20 08:30 | 02/25/20 16:05 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-23-0 | 25001-094 | 2/19/2020 10:20 | 2/12/2020 15:57 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Arsenic | 6010B | 97 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Barium | 6010B | 210 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Beryllium | 6010B | 0.88 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Cadmium | 6010B | 3.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Chromium | 6010B | 9.9 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Cobalt | 6010B | 24 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Copper | 6010B | 82 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Lead | 6010B | 11 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Mercury | 7471A | 0.15 | mg/kg | 02/21/20 16:00 | 02/27/20 14:13 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Nickel | 6010B | 9.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |
| Zinc | 6010B | 99 | mg/kg | 02/22/20 08:30 | 02/25/20 16:08 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-23-2 | | 25001-095 | 2/19/2020 | 10:20 | 2/12/2020 | 16:03 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Arsenic | 6010B | 60 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Barium | 6010B | 180 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Beryllium | 6010B | 0.98 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Chromium | 6010B | 12 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Cobalt | 6010B | 25 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Copper | 6010B | 89 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Lead | 6010B | 9.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 14:14 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Nickel | 6010B | 10 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Silver | 6010B | <0.6 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |
| Zinc | 6010B | 94 | mg/kg | 02/22/20 08:30 | 02/25/20 16:16 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-24-0 | | 25001-096 | 2/19/2020 | 10:20 | 2/12/2020 | 15:48 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Arsenic | 6010B | 44 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Beryllium | 6010B | 0.80 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Cadmium | 6010B | 1.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Chromium | 6010B | 53 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Cobalt | 6010B | 31 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Copper | 6010B | 88 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Lead | 6010B | 9.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 14:16 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Nickel | 6010B | 24 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |
| Zinc | 6010B | 77 | mg/kg | 02/22/20 08:30 | 02/25/20 16:19 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-24-2 | | 25001-097 | 2/19/2020 | 10:20 | 2/12/2020 | 15:54 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Arsenic | 6010B | 63 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Barium | 6010B | 170 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Beryllium | 6010B | 0.82 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Cadmium | 6010B | 2.1 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Chromium | 6010B | 39 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Cobalt | 6010B | 30 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Copper | 6010B | 88 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Lead | 6010B | 9.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/21/20 16:00 | 02/27/20 14:18 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Nickel | 6010B | 19 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Silver | 6010B | <0.6 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |
| Zinc | 6010B | 82 | mg/kg | 02/22/20 08:30 | 02/25/20 16:21 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-25-1 | 25001-098 | 2/19/2020 10:20 | 2/12/2020 9:06 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Arsenic | 6010B | 72 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Barium | 6010B | 34 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Beryllium | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Chromium | 6010B | 11 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Cobalt | 6010B | 7.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Copper | 6010B | 22 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Lead | 6010B | 7.9 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Mercury | 7471A | 2.0 | mg/kg | 02/21/20 16:00 | 02/27/20 14:19 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Nickel | 6010B | 8.9 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Selenium | 6010B | <5.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Vanadium | 6010B | 24 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |
| Zinc | 6010B | 27 | mg/kg | 02/22/20 08:30 | 02/25/20 16:23 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-25-4 | 25001-099 | 2/19/2020 10:20 | 2/12/2020 9:11 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Arsenic | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Beryllium | 6010B | 0.64 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Cadmium | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Chromium | 6010B | 45 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Cobalt | 6010B | 36 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Lead | 6010B | 1.9 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/21/20 16:00 | 02/27/20 14:21 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Nickel | 6010B | 28 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Vanadium | 6010B | 97 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |
| Zinc | 6010B | 50 | mg/kg | 02/22/20 08:30 | 02/25/20 16:26 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-25-6 | | 25001-100 | 2/19/2020 | 10:20 | 2/12/2020 | 9:13 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Arsenic | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Barium | 6010B | 79 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Beryllium | 6010B | 0.61 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Cadmium | 6010B | 0.61 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Chromium | 6010B | 51 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Cobalt | 6010B | 29 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Lead | 6010B | 2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Mercury | 7471A | <0.11 | mg/kg | 02/21/20 16:00 | 02/27/20 14:23 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Nickel | 6010B | 40 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Selenium | 6010B | <5.3 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Silver | 6010B | <0.55 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Vanadium | 6010B | 110 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |
| Zinc | 6010B | 44 | mg/kg | 02/22/20 08:30 | 02/25/20 16:28 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-26-2 | 25001-101 | 2/19/2020 10:20 | 2/11/2020 15:39 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Arsenic | 6010B | 6.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Beryllium | 6010B | 0.98 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Cadmium | 6010B | 0.97 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Chromium | 6010B | 70 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Cobalt | 6010B | 34 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Lead | 6010B | 6.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:06 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Nickel | 6010B | 33 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Vanadium | 6010B | 190 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |
| Zinc | 6010B | 69 | mg/kg | 02/25/20 10:00 | 02/25/20 16:48 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-26-0 | 25001-102 | 2/19/2020 10:20 | 2/11/2020 15:30 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Arsenic | 6010B | 66 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Beryllium | 6010B | 0.80 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Cadmium | 6010B | 2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Chromium | 6010B | 70 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Copper | 6010B | 76 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Lead | 6010B | 60 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Mercury | 7471A | 0.52 | mg/kg | 02/25/20 16:00 | 03/02/20 10:12 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Selenium | 6010B | <6.1 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Silver | 6010B | <0.64 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |
| Zinc | 6010B | 190 | mg/kg | 02/25/20 10:00 | 02/25/20 16:55 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-27-0 | 25001-103 | 2/19/2020 10:20 | 2/13/2020 9:34 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Arsenic | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Barium | 6010B | 1300 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Beryllium | 6010B | 1.1 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Cadmium | 6010B | 3.8 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Chromium | 6010B | 15 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Cobalt | 6010B | 76 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Copper | 6010B | 56 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Lead | 6010B | 25 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Mercury | 7471A | 0.27 | mg/kg | 02/25/20 16:00 | 03/02/20 10:13 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Nickel | 6010B | 17 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Selenium | 6010B | <6.1 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Silver | 6010B | <0.64 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Vanadium | 6010B | 150 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/25/20 10:00 | 02/25/20 16:58 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-27-2 | 25001-104 | 2/19/2020 10:20 | 2/13/2020 9:41 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Barium | 6010B | 250 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Beryllium | 6010B | 0.85 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Cadmium | 6010B | 3.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Chromium | 6010B | 9.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Copper | 6010B | 54 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Lead | 6010B | 10 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Mercury | 7471A | 0.17 | mg/kg | 02/25/20 16:00 | 03/02/20 10:19 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Nickel | 6010B | 7.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Vanadium | 6010B | 95 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |
| Zinc | 6010B | 72 | mg/kg | 02/25/20 10:00 | 02/25/20 17:00 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-28-0 | | 25001-105 | 2/19/2020 | 10:20 | 2/12/2020 | 16:10 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Arsenic | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Beryllium | 6010B | 0.79 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Cadmium | 6010B | 3.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Chromium | 6010B | 12 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Cobalt | 6010B | 23 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Copper | 6010B | 85 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Lead | 6010B | 16 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Mercury | 7471A | 0.31 | mg/kg | 02/25/20 16:00 | 03/02/20 10:23 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Nickel | 6010B | 10 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |
| Zinc | 6010B | 99 | mg/kg | 02/25/20 10:00 | 02/25/20 17:02 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-28-2 | 25001-106 | 2/19/2020 10:20 | 2/12/2020 16:15 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Arsenic | 6010B | 66 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Beryllium | 6010B | 0.64 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Cadmium | 6010B | 2.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Chromium | 6010B | 43 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Cobalt | 6010B | 38 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Copper | 6010B | 85 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Lead | 6010B | 8.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Mercury | 7471A | <0.13 | mg/kg | 02/25/20 16:00 | 03/02/20 10:22 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Nickel | 6010B | 18 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Selenium | 6010B | <6.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Silver | 6010B | <0.64 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Vanadium | 6010B | 99 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |
| Zinc | 6010B | 79 | mg/kg | 02/25/20 10:00 | 02/25/20 17:05 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-29-0 | 25001-107 | 2/19/2020 10:20 | 2/12/2020 15:16 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Arsenic | 6010B | 31 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Beryllium | 6010B | 0.75 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Cadmium | 6010B | 1.7 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Chromium | 6010B | 54 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Copper | 6010B | 94 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Lead | 6010B | 11 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:24 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Nickel | 6010B | 23 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |
| Zinc | 6010B | 200 | mg/kg | 02/25/20 10:00 | 02/25/20 17:07 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-10 | 25001-108 | 2/19/2020 10:20 | 2/12/2020 8:38 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Arsenic | 6010B | 170 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Beryllium | 6010B | 0.76 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Cadmium | 6010B | 4.6 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Chromium | 6010B | 62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Cobalt | 6010B | 27 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Copper | 6010B | 79 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Lead | 6010B | 16 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Mercury | 7471A | 1.5 | mg/kg | 02/25/20 16:00 | 03/02/20 10:26 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Nickel | 6010B | 25 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/25/20 10:00 | 02/25/20 17:16 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-12 | 25001-109 | 2/19/2020 10:20 | 2/12/2020 8:40 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Arsenic | 6010B | 11 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Beryllium | 6010B | 0.68 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Cadmium | 6010B | 0.75 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Chromium | 6010B | 79 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Cobalt | 6010B | 30 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Copper | 6010B | 77 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Lead | 6010B | 4.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:27 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Nickel | 6010B | 26 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |
| Zinc | 6010B | 46 | mg/kg | 02/25/20 10:00 | 02/25/20 17:18 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-14.5 | 25001-110 | 2/19/2020 10:20 | 2/12/2020 8:41 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Arsenic | 6010B | 3.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Barium | 6010B | 90 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Beryllium | 6010B | 0.86 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Cadmium | 6010B | 0.87 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Chromium | 6010B | 66 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Cobalt | 6010B | 16 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Lead | 6010B | 4.6 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Mercury | 7471A | 0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:29 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Nickel | 6010B | 17 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Vanadium | 6010B | 170 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |
| Zinc | 6010B | 62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:21 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-4 | 25001-111 | 2/19/2020 10:20 | 2/12/2020 8:08 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Arsenic | 6010B | 64 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Beryllium | 6010B | 0.80 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Cadmium | 6010B | 2.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Chromium | 6010B | 78 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Cobalt | 6010B | 36 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Copper | 6010B | 91 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Lead | 6010B | 8.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Mercury | 7471A | 0.22 | mg/kg | 02/25/20 16:00 | 03/02/20 10:31 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Nickel | 6010B | 31 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |
| Zinc | 6010B | 70 | mg/kg | 02/25/20 10:00 | 02/25/20 17:23 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-6 | 25001-112 | 2/19/2020 10:20 | 2/12/2020 8:34 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Arsenic | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Beryllium | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Cadmium | 6010B | 3.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Chromium | 6010B | 35 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Cobalt | 6010B | 27 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Copper | 6010B | 88 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Lead | 6010B | 7.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Mercury | 7471A | 0.32 | mg/kg | 02/25/20 16:00 | 03/02/20 10:33 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Nickel | 6010B | 17 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Vanadium | 6010B | 98 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |
| Zinc | 6010B | 64 | mg/kg | 02/25/20 10:00 | 02/25/20 17:25 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-30-8 | 25001-113 | 2/19/2020 10:20 | 2/12/2020 8:36 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Arsenic | 6010B | 100 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Beryllium | 6010B | 0.80 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Cadmium | 6010B | 3.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Chromium | 6010B | 63 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Copper | 6010B | 91 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Lead | 6010B | 17 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Mercury | 7471A | 0.58 | mg/kg | 02/25/20 16:00 | 03/02/20 10:34 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Nickel | 6010B | 28 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |
| Zinc | 6010B | 91 | mg/kg | 02/25/20 10:00 | 02/25/20 17:28 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-31-0 | 25001-114 | 2/19/2020 10:20 | 2/11/2020 16:03 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Arsenic | 6010B | 9.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Barium | 6010B | 71 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Cadmium | 6010B | 0.92 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Chromium | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Lead | 6010B | 140 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Mercury | 7471A | 0.13 | mg/kg | 02/25/20 16:00 | 03/02/20 10:40 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Nickel | 6010B | 73 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/25/20 10:00 | 02/25/20 17:30 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-31-2 | | 25001-115 | 2/19/2020 | 10:20 | 2/11/2020 | 16:09 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Arsenic | 6010B | 45 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Beryllium | 6010B | 0.82 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Cadmium | 6010B | 1.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Chromium | 6010B | 64 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Cobalt | 6010B | 33 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Copper | 6010B | 76 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Lead | 6010B | 8.6 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:41 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Nickel | 6010B | 32 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Vanadium | 6010B | 150 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |
| Zinc | 6010B | 66 | mg/kg | 02/25/20 10:00 | 02/25/20 17:33 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-32-0 | | 25001-116 | 2/19/2020 | 10:20 | 2/13/2020 | 9:23 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Arsenic | 6010B | 40 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Beryllium | 6010B | <0.63 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Cadmium | 6010B | 1.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Chromium | 6010B | 13 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Copper | 6010B | 86 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Lead | 6010B | 34 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Mercury | 7471A | <0.13 | mg/kg | 02/25/20 16:00 | 03/02/20 10:43 | -- | 1 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Nickel | 6010B | 10 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Selenium | 6010B | <6.0 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Silver | 6010B | <0.63 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Vanadium | 6010B | 100 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |
| Zinc | 6010B | 310 | mg/kg | 02/25/20 10:00 | 02/25/20 17:35 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-32-2 | 25001-117 | 2/19/2020 10:20 | 2/13/2020 9:27 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <3.0 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Arsenic | 6010B | 28 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Beryllium | 6010B | <0.75 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Cadmium | 6010B | 1.1 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Chromium | 6010B | 5.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Cobalt | 6010B | 11 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Copper | 6010B | 82 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Lead | 6010B | 4.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Mercury | 7471A | <0.15 | mg/kg | 02/25/20 16:00 | 03/02/20 10:45 | -- | 1 |
| Molybdenum | 6010B | <1.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Nickel | 6010B | 6.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Selenium | 6010B | <7.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Silver | 6010B | <0.75 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Thallium | 6010B | <3.0 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Vanadium | 6010B | 67 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |
| Zinc | 6010B | 75 | mg/kg | 02/25/20 10:00 | 02/25/20 17:38 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-33-0 | 25001-118 | 2/19/2020 10:20 | 2/12/2020 16:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Arsenic | 6010B | 150 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Beryllium | 6010B | 0.74 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Cadmium | 6010B | 4.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Chromium | 6010B | 9.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Lead | 6010B | 14 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Mercury | 7471A | 0.15 | mg/kg | 02/25/20 16:00 | 03/02/20 10:47 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Nickel | 6010B | 10 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |
| Zinc | 6010B | 89 | mg/kg | 02/25/20 10:00 | 02/25/20 17:46 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-33-2 | 25001-119 | 2/19/2020 10:20 | 2/12/2020 16:38 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Arsenic | 6010B | 130 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Barium | 6010B | 170 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Beryllium | 6010B | 0.67 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Cadmium | 6010B | 3.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Chromium | 6010B | 9.0 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Cobalt | 6010B | 25 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Lead | 6010B | 9.8 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Mercury | 7471A | 0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 10:48 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Nickel | 6010B | 8.3 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |
| Zinc | 6010B | 82 | mg/kg | 02/25/20 10:00 | 02/25/20 17:49 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-34-1 | 25001-120 | 2/19/2020 10:20 | 2/12/2020 12:00 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Arsenic | 6010B | 44 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Barium | 6010B | 93 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Beryllium | 6010B | 0.74 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Cadmium | 6010B | 2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Chromium | 6010B | 61 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Lead | 6010B | 84 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Mercury | 7471A | 0.13 | mg/kg | 02/25/20 16:00 | 03/02/20 10:50 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Nickel | 6010B | 27 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |
| Zinc | 6010B | 200 | mg/kg | 02/25/20 10:00 | 02/25/20 17:51 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-34-4 | | 25001-121 | 2/19/2020 | 10:20 | 2/12/2020 | 12:07 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Arsenic | 6010B | 5.5 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Barium | 6010B | 31 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Beryllium | 6010B | 1.0 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Cadmium | 6010B | 0.92 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Chromium | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Cobalt | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Lead | 6010B | 4.1 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Mercury | 7471A | <0.11 | mg/kg | 02/25/20 16:00 | 03/02/20 11:01 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Nickel | 6010B | 55 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Selenium | 6010B | <5.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Silver | 6010B | <0.56 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Vanadium | 6010B | 200 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |
| Zinc | 6010B | 67 | mg/kg | 02/25/20 10:15 | 03/03/20 11:29 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-35-11 | 25001-122 | 2/19/2020 10:20 | 2/12/2020 9:30 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Arsenic | 6010B | <2.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Beryllium | 6010B | 0.83 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Cadmium | 6010B | 0.79 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Chromium | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Cobalt | 6010B | 40 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Lead | 6010B | 5.3 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/25/20 16:00 | 03/02/20 11:06 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Nickel | 6010B | 61 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |
| Zinc | 6010B | 61 | mg/kg | 02/25/20 10:15 | 03/03/20 11:36 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-35-13 | 25001-123 | 2/19/2020 10:20 | 2/12/2020 9:34 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Arsenic | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Barium | 6010B | 85 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Beryllium | 6010B | 0.85 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Cadmium | 6010B | 1.5 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Chromium | 6010B | 96 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Cobalt | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Lead | 6010B | 5.0 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 11:08 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Nickel | 6010B | 55 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Vanadium | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |
| Zinc | 6010B | 78 | mg/kg | 02/25/20 10:15 | 03/03/20 11:39 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-35-2 | 25001-124 | 2/19/2020 10:20 | 2/12/2020 9:17 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Arsenic | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Beryllium | 6010B | 0.69 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Cadmium | 6010B | 2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Chromium | 6010B | 77 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Lead | 6010B | 90 | mg/kg | 02/28/20 10:00 | 03/04/20 17:28 | -- | 1 |
| Mercury | 7471A | 0.24 | mg/kg | 02/25/20 16:00 | 03/02/20 11:09 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Nickel | 6010B | 51 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |
| Zinc | 6010B | 96 | mg/kg | 02/28/20 10:00 | 03/03/20 20:27 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-35-4 | 25001-125 | 2/19/2020 10:20 | 2/12/2020 9:21 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Arsenic | 6010B | 42 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Cadmium | 6010B | 1.6 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Chromium | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Cobalt | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Copper | 6010B | 99 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Mercury | 7471A | 0.15 | mg/kg | 02/25/20 16:00 | 03/02/20 11:11 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Nickel | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |
| Zinc | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 11:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-35-7 | | 25001-126 | 2/19/2020 | 10:20 | 2/12/2020 | 9:25 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Arsenic | 6010B | 59 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Barium | 6010B | 90 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Beryllium | 6010B | 0.68 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Cadmium | 6010B | 2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Chromium | 6010B | 76 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Cobalt | 6010B | 30 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Lead | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/04/20 17:30 | -- | 1 | | |
| Mercury | 7471A | 0.17 | mg/kg | 02/25/20 16:00 | 03/02/20 11:13 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Nickel | 6010B | 31 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |
| Zinc | 6010B | 84 | mg/kg | 02/28/20 10:00 | 03/03/20 20:29 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-36-0 | 25001-127 | 2/19/2020 10:20 | 2/11/2020 16:13 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Arsenic | 6010B | 68 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Beryllium | 6010B | 0.85 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Chromium | 6010B | 64 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Copper | 6010B | 85 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Lead | 6010B | 26 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Mercury | 7471A | 0.72 | mg/kg | 02/25/20 16:00 | 03/02/20 11:14 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Nickel | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Vanadium | 6010B | 160 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |
| Zinc | 6010B | 90 | mg/kg | 02/25/20 10:15 | 03/03/20 11:43 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-36-1.5 | 25001-128 | 2/19/2020 10:20 | 2/11/2020 16:19 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Arsenic | 6010B | 56 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Beryllium | 6010B | 0.91 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Cadmium | 6010B | 1.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Chromium | 6010B | 64 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Cobalt | 6010B | 34 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Copper | 6010B | 92 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Lead | 6010B | 11 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Mercury | 7471A | 0.36 | mg/kg | 02/25/20 16:00 | 03/02/20 11:16 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Nickel | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Vanadium | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |
| Zinc | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 11:46 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-37-0 | 25001-129 | 2/19/2020 10:20 | 2/12/2020 16:22 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Arsenic | 6010B | 98 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Barium | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Beryllium | 6010B | 0.70 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Cadmium | 6010B | 2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Chromium | 6010B | 10 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Cobalt | 6010B | 21 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Lead | 6010B | 9.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 11:21 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Nickel | 6010B | 9.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |
| Zinc | 6010B | 81 | mg/kg | 02/25/20 10:15 | 03/03/20 11:48 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-37-2 | 25001-130 | 2/19/2020 10:20 | 2/12/2020 16:26 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Arsenic | 6010B | 48 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Barium | 6010B | 190 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Beryllium | 6010B | 0.73 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Cadmium | 6010B | 1.5 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Chromium | 6010B | 20 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Cobalt | 6010B | 25 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Lead | 6010B | 6.3 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 11:23 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Nickel | 6010B | 13 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |
| Zinc | 6010B | 74 | mg/kg | 02/25/20 10:15 | 03/03/20 11:51 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-38-0 | 25001-131 | 2/19/2020 10:20 | 2/13/2020 10:16 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Arsenic | 6010B | 62 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Barium | 6010B | 180 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Beryllium | 6010B | 0.95 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Cadmium | 6010B | 2.0 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Chromium | 6010B | 21 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Lead | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Mercury | 7471A | 0.19 | mg/kg | 02/25/20 16:00 | 03/02/20 11:25 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Nickel | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Vanadium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |
| Zinc | 6010B | 99 | mg/kg | 02/25/20 10:15 | 03/03/20 11:58 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-38-2 | | 25001-132 | 2/19/2020 | 10:20 | 2/13/2020 | 10:20 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Arsenic | 6010B | 38 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Beryllium | 6010B | 0.99 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Cadmium | 6010B | 1.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Chromium | 6010B | 26 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Cobalt | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Lead | 6010B | 9.0 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 11:27 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Nickel | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Vanadium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |
| Zinc | 6010B | 90 | mg/kg | 02/25/20 10:15 | 03/03/20 12:00 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-39-0 | 25001-133 | 2/19/2020 10:20 | 2/13/2020 9:08 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Arsenic | 6010B | 97 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Barium | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Beryllium | 6010B | 0.68 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Cadmium | 6010B | 2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Chromium | 6010B | 14 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Cobalt | 6010B | 23 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Lead | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Mercury | 7471A | 0.14 | mg/kg | 02/25/20 16:00 | 03/02/20 11:28 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Nickel | 6010B | 14 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |
| Zinc | 6010B | 80 | mg/kg | 02/25/20 10:15 | 03/03/20 12:03 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-39-2 | 25001-134 | 2/19/2020 10:20 | 2/13/2020 9:17 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Arsenic | 6010B | 43 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Beryllium | 6010B | <0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Chromium | 6010B | 12 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Cobalt | 6010B | 11 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Lead | 6010B | 9.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 11:30 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Nickel | 6010B | 11 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Vanadium | 6010B | 93 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |
| Zinc | 6010B | 94 | mg/kg | 02/25/20 10:15 | 03/03/20 12:05 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-41-0 | | 25001-135 | 2/19/2020 10:20 | 2/13/2020 12:40 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <3.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Arsenic | 6010B | 1200 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Beryllium | 6010B | <0.83 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Cadmium | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Chromium | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Cobalt | 6010B | 38 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Copper | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Lead | 6010B | 200 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Mercury | 7471A | 3.3 | mg/kg | 02/25/20 16:00 | 03/02/20 11:32 | -- | 1 | | |
| Molybdenum | 6010B | <1.7 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Nickel | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Selenium | 6010B | <7.9 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Silver | 6010B | 3.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Thallium | 6010B | <3.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Vanadium | 6010B | 58 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |
| Zinc | 6010B | 250 | mg/kg | 02/25/20 10:15 | 03/03/20 12:08 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-41-1.5 | 25001-136 | 2/19/2020 10:20 | 2/13/2020 12:45 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.7 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Arsenic | 6010B | 200 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Barium | 6010B | 60 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Beryllium | 6010B | <0.68 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Cadmium | 6010B | 5.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Chromium | 6010B | 38 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Cobalt | 6010B | 31 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Copper | 6010B | 69 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Lead | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Mercury | 7471A | 0.99 | mg/kg | 02/25/20 16:00 | 03/02/20 11:34 | -- | 1 |
| Molybdenum | 6010B | <1.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Nickel | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Selenium | 6010B | <6.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Silver | 6010B | 0.83 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Thallium | 6010B | <2.7 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Vanadium | 6010B | 51 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 12:10 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-42-0 | | 25001-137 | 2/19/2020 10:20 | 2/13/2020 12:58 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <3.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Arsenic | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Barium | 6010B | 47 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Beryllium | 6010B | <0.78 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Cadmium | 6010B | 5.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Chromium | 6010B | 31 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Cobalt | 6010B | 25 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Copper | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Lead | 6010B | 88 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Mercury | 7471A | 4.8 | mg/kg | 02/25/20 16:00 | 03/02/20 13:29 | D2, | 5 | | |
| Molybdenum | 6010B | <1.6 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Nickel | 6010B | 75 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Selenium | 6010B | <7.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Silver | 6010B | 0.91 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Thallium | 6010B | <3.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Vanadium | 6010B | 55 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |
| Zinc | 6010B | 450 | mg/kg | 02/25/20 10:15 | 03/03/20 12:13 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-42-2 | 25001-138 | 2/19/2020 10:20 | 2/13/2020 13:04 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Arsenic | 6010B | 300 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Barium | 6010B | 54 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Beryllium | 6010B | <0.71 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Cadmium | 6010B | 8.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Chromium | 6010B | 46 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Cobalt | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Lead | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Mercury | 7471A | 5.1 | mg/kg | 02/25/20 16:00 | 03/02/20 13:31 | D2, | 5 |
| Molybdenum | 6010B | <1.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Nickel | 6010B | 80 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Selenium | 6010B | <6.8 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Silver | 6010B | 0.81 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Thallium | 6010B | <2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Vanadium | 6010B | 84 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |
| Zinc | 6010B | 500 | mg/kg | 02/25/20 10:15 | 03/03/20 12:16 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-43-0 | | 25001-139 | 2/19/2020 10:20 | 2/13/2020 15:35 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.6 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Arsenic | 6010B | 68 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Barium | 6010B | 66 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Beryllium | 6010B | <0.66 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Cadmium | 6010B | 2.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Chromium | 6010B | 36 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Cobalt | 6010B | 23 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Copper | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Lead | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Mercury | 7471A | 3.3 | mg/kg | 02/25/20 16:00 | 03/02/20 13:33 | D2, | 5 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Nickel | 6010B | 60 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Selenium | 6010B | <6.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Silver | 6010B | <0.66 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Thallium | 6010B | <2.6 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Vanadium | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |
| Zinc | 6010B | 230 | mg/kg | 02/25/20 10:15 | 03/03/20 12:18 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-43-2 | 25001-140 | 2/19/2020 10:20 | 2/13/2020 15:48 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Arsenic | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Barium | 6010B | 47 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Cadmium | 6010B | 1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Chromium | 6010B | 34 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Copper | 6010B | 61 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Mercury | 7471A | 0.42 | mg/kg | 02/25/20 16:00 | 03/02/20 11:45 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Nickel | 6010B | 70 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Vanadium | 6010B | 34 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |
| Zinc | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 12:21 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-44-1.5 | | 25001-141 | 2/19/2020 | 10:20 | 2/13/2020 | 14:19 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Arsenic | 6010B | 92 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Barium | 6010B | 81 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Beryllium | 6010B | <0.57 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Cadmium | 6010B | 2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Chromium | 6010B | 36 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Cobalt | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Copper | 6010B | 88 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Lead | 6010B | 90 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Mercury | 7471A | 0.82 | mg/kg | 02/25/20 16:00 | 03/02/20 11:52 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Silver | 6010B | <0.57 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Vanadium | 6010B | 52 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |
| Zinc | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 12:41 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-44-3 | | 25001-142 | 2/19/2020 10:20 | 2/13/2020 | 14:25 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Arsenic | 6010B | 25 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Beryllium | 6010B | 0.99 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Chromium | 6010B | 150 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Cobalt | 6010B | 38 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Lead | 6010B | 44 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Mercury | 7471A | 0.80 | mg/kg | 02/25/20 | 16:00 | 03/02/20 | 11:53 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Nickel | 6010B | 52 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Vanadium | 6010B | 190 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:49 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-45-0 | | 25001-143 | 2/19/2020 | 10:20 | 2/14/2020 | 11:32 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.6 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Arsenic | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Barium | 6010B | 180 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Beryllium | 6010B | 0.90 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Cadmium | 6010B | 3.5 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Chromium | 6010B | 74 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Cobalt | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Lead | 6010B | 180 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Mercury | 7471A | 3.0 | mg/kg | 03/11/20 12:00 | 03/11/20 16:47 | D2, | 5 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Selenium | 6010B | <6.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Silver | 6010B | <0.65 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Thallium | 6010B | <2.6 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |
| Zinc | 6010B | 250 | mg/kg | 02/25/20 10:15 | 03/03/20 12:51 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-45-1.5 | 25001-144 | 2/19/2020 10:20 | 2/14/2020 11:36 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Arsenic | 6010B | 93 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Barium | 6010B | 180 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Beryllium | 6010B | 0.96 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Cadmium | 6010B | 2.9 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Chromium | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Lead | 6010B | 90 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Mercury | 7471A | 1.8 | mg/kg | 02/25/20 16:00 | 03/02/20 11:57 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |
| Zinc | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 12:59 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-46-0 | 25001-145 | 2/19/2020 10:20 | 2/13/2020 14:12 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Arsenic | 6010B | 220 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Barium | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Beryllium | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Cadmium | 6010B | 6.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Chromium | 6010B | 27 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Cobalt | 6010B | 23 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Copper | 6010B | 82 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Lead | 6010B | 72 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Mercury | 7471A | 0.49 | mg/kg | 02/25/20 16:00 | 03/02/20 11:59 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Nickel | 6010B | 63 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Vanadium | 6010B | 41 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 13:01 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-46-2 | | 25001-146 | 2/19/2020 | 10:20 | 2/13/2020 | 14:16 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Arsenic | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Beryllium | 6010B | 0.71 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Cadmium | 6010B | 3.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Chromium | 6010B | 53 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Cobalt | 6010B | 21 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Copper | 6010B | 82 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Lead | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Mercury | 7471A | 0.44 | mg/kg | 02/25/20 16:00 | 03/02/20 12:04 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Vanadium | 6010B | 86 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |
| Zinc | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 13:04 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-47-0 | 25001-147 | 2/19/2020 10:20 | 2/13/2020 14:45 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Arsenic | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Beryllium | 6010B | 0.95 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Cadmium | 6010B | 1.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Chromium | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Cobalt | 6010B | 21 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Copper | 6010B | 510 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Lead | 6010B | 41 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Mercury | 7471A | 0.63 | mg/kg | 02/25/20 16:00 | 03/02/20 12:06 | -- | 1 |
| Molybdenum | 6010B | <1.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Nickel | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Selenium | 6010B | <6.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Silver | 6010B | <0.69 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Thallium | 6010B | <2.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |
| Zinc | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 13:06 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-47-1.5 | 25001-148 | 2/19/2020 10:20 | 2/13/2020 14:53 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Arsenic | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Barium | 6010B | 74 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Beryllium | 6010B | <0.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Cadmium | 6010B | 1.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Chromium | 6010B | 25 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Cobalt | 6010B | 14 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Copper | 6010B | 90 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Lead | 6010B | 44 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Mercury | 7471A | 0.57 | mg/kg | 02/25/20 16:00 | 03/02/20 12:08 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Nickel | 6010B | 48 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Vanadium | 6010B | 36 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:09 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-48-0 | 25001-149 | 2/19/2020 10:20 | 2/13/2020 14:28 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Barium | 6010B | 89 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Cadmium | 6010B | 3.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Chromium | 6010B | 36 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Cobalt | 6010B | 24 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Copper | 6010B | 89 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Lead | 6010B | 44 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Mercury | 7471A | 0.82 | mg/kg | 02/25/20 16:00 | 03/02/20 12:10 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Nickel | 6010B | 56 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Vanadium | 6010B | 56 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 13:11 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-49-1.5 | | 25001-150 | 2/19/2020 | 10:20 | 2/13/2020 | 14:10 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Arsenic | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Barium | 6010B | 180 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Beryllium | 6010B | 0.76 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Cadmium | 6010B | 3.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Chromium | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Cobalt | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Copper | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Lead | 6010B | 42 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Mercury | 7471A | 4.8 | mg/kg | 02/25/20 16:00 | 03/02/20 13:18 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Vanadium | 6010B | 94 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |
| Zinc | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 13:14 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-49-3 | | 25001-151 | 2/19/2020 10:20 | 2/13/2020 14:15 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Arsenic | 6010B | 160 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Beryllium | 6010B | 0.63 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Cadmium | 6010B | 5.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Chromium | 6010B | 62 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Cobalt | 6010B | 27 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Lead | 6010B | 97 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Mercury | 7471A | 8.1 | mg/kg | 02/25/20 16:00 | 03/02/20 13:40 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Nickel | 6010B | 50 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Selenium | 6010B | <6.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Silver | 6010B | 0.64 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Vanadium | 6010B | 98 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |
| Zinc | 6010B | 330 | mg/kg | 02/25/20 10:15 | 03/03/20 13:16 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-50-1.5 | 25001-152 | 2/19/2020 10:20 | 2/13/2020 13:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Arsenic | 6010B | 97 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Cadmium | 6010B | 2.9 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Chromium | 6010B | 46 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Copper | 6010B | 73 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Lead | 6010B | 40 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Mercury | 7471A | 0.37 | mg/kg | 02/25/20 16:00 | 03/02/20 12:15 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Nickel | 6010B | 37 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Vanadium | 6010B | 78 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:19 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-50-3 | 25001-153 | 2/19/2020 10:20 | 2/13/2020 13:36 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 3.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Arsenic | 6010B | 18 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Barium | 6010B | 72 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Beryllium | 6010B | 0.89 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Cadmium | 6010B | 1.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Chromium | 6010B | 280 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Lead | 6010B | 4.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 12:17 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Nickel | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Vanadium | 6010B | 170 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |
| Zinc | 6010B | 50 | mg/kg | 02/25/20 10:15 | 03/03/20 13:21 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-51-1 | 25001-154 | 2/19/2020 10:20 | 2/13/2020 16:35 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Arsenic | 6010B | 98 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Barium | 6010B | 79 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Beryllium | 6010B | 0.57 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Cadmium | 6010B | 2.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Chromium | 6010B | 26 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Cobalt | 6010B | 14 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Copper | 6010B | 68 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Lead | 6010B | 25 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Mercury | 7471A | 0.33 | mg/kg | 02/25/20 16:00 | 03/02/20 12:18 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Nickel | 6010B | 46 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Vanadium | 6010B | 38 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |
| Zinc | 6010B | 92 | mg/kg | 02/25/20 10:15 | 03/03/20 13:29 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-52-0 | 25001-155 | 2/19/2020 10:20 | 2/14/2020 12:42 | Soil |

| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
|------------|------------|--------|-------|----------------|----------------|------|----|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Arsenic | 6010B | 40 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Barium | 6010B | 230 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Cadmium | 6010B | 1.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Chromium | 6010B | 22 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Cobalt | 6010B | 18 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Copper | 6010B | 69 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Lead | 6010B | 77 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Mercury | 7471A | 23 | mg/kg | 02/25/20 16:00 | 03/05/20 09:30 | D2, | 40 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Nickel | 6010B | 39 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Silver | 6010B | 1.1 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Vanadium | 6010B | 27 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |
| Zinc | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 13:32 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-53-0 | | 25001-156 | 2/19/2020 | 10:20 | 2/14/2020 | 13:14 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Arsenic | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Barium | 6010B | 120 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Cadmium | 6010B | 3.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Chromium | 6010B | 29 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Cobalt | 6010B | 17 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Copper | 6010B | 67 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Lead | 6010B | 49 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Mercury | 7471A | 1.7 | mg/kg | 02/25/20 16:00 | 03/02/20 12:26 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Vanadium | 6010B | 36 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |
| Zinc | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 13:35 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-54-1 | | 25001-157 | 2/19/2020 10:20 | 2/13/2020 14:29 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Arsenic | 6010B | 250 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Barium | 6010B | 70 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Beryllium | 6010B | <0.62 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Cadmium | 6010B | 6.3 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Chromium | 6010B | 12 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Cobalt | 6010B | 14 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Copper | 6010B | 61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Lead | 6010B | 50 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Mercury | 7471A | 9.3 | mg/kg | 02/25/20 16:00 | 03/02/20 13:44 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Selenium | 6010B | <6.0 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Silver | 6010B | 0.99 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Vanadium | 6010B | 20 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |
| Zinc | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:38 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-54-2.5 | 25001-158 | 2/19/2020 10:20 | 2/13/2020 14:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Arsenic | 6010B | 56 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Barium | 6010B | 190 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Beryllium | 6010B | 0.82 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Cadmium | 6010B | 1.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Chromium | 6010B | 81 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Copper | 6010B | 85 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Lead | 6010B | 16 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Mercury | 7471A | 0.74 | mg/kg | 02/25/20 16:00 | 03/02/20 12:29 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Nickel | 6010B | 42 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Vanadium | 6010B | 100 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |
| Zinc | 6010B | 63 | mg/kg | 02/25/20 10:15 | 03/03/20 13:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-55-1 | | 25001-159 | 2/19/2020 | 10:20 | 2/13/2020 | 13:53 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Arsenic | 6010B | 610 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Cadmium | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Chromium | 6010B | 33 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Cobalt | 6010B | 16 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Lead | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Mercury | 7471A | 6.8 | mg/kg | 02/25/20 16:00 | 03/02/20 13:47 | D2, | 5 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Nickel | 6010B | 28 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Vanadium | 6010B | 65 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |
| Zinc | 6010B | 220 | mg/kg | 02/25/20 10:15 | 03/03/20 13:43 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-55-3 | 25001-160 | 2/19/2020 10:20 | 2/13/2020 14:00 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Arsenic | 6010B | 330 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Beryllium | 6010B | 0.91 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Cadmium | 6010B | 8.1 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Chromium | 6010B | 55 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Cobalt | 6010B | 27 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Copper | 6010B | 92 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Lead | 6010B | 21 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 16:00 | 03/02/20 12:33 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Vanadium | 6010B | 93 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |
| Zinc | 6010B | 62 | mg/kg | 02/25/20 10:15 | 03/03/20 13:46 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-56-1 | | 25001-161 | 2/19/2020 | 10:20 | 2/13/2020 | 13:40 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Arsenic | 6010B | 52 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Beryllium | 6010B | 0.78 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Cadmium | 6010B | 1.6 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Chromium | 6010B | 73 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Cobalt | 6010B | 30 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Copper | 6010B | 88 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Lead | 6010B | 15 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Mercury | 7471A | 0.93 | mg/kg | 02/25/20 10:00 | 03/05/20 09:42 | -- | 1 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Nickel | 6010B | 34 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Selenium | 6010B | <6.0 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Silver | 6010B | <0.63 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |
| Zinc | 6010B | 71 | mg/kg | 02/25/20 10:15 | 03/03/20 14:06 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-56-2.5 | 25001-162 | 2/19/2020 10:20 | 2/13/2020 13:42 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Arsenic | 6010B | 8.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Barium | 6010B | 91 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Beryllium | 6010B | 0.82 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Cadmium | 6010B | 0.77 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Chromium | 6010B | 47 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Lead | 6010B | 4.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/25/20 10:00 | 03/05/20 09:51 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Vanadium | 6010B | 180 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |
| Zinc | 6010B | 62 | mg/kg | 02/25/20 10:30 | 03/03/20 14:13 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-57-1 | 25001-163 | 2/19/2020 10:20 | 2/13/2020 15:07 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Arsenic | 6010B | 140 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Cadmium | 6010B | 3.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Chromium | 6010B | 38 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Cobalt | 6010B | 15 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Copper | 6010B | 61 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Lead | 6010B | 34 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Mercury | 7471A | 0.9 | mg/kg | 02/25/20 10:00 | 03/05/20 09:53 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Nickel | 6010B | 42 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Vanadium | 6010B | 50 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:16 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-57-3 | 25001-164 | 2/19/2020 10:20 | 2/13/2020 15:15 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Arsenic | 6010B | 79 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Cadmium | 6010B | 2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Chromium | 6010B | 41 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Cobalt | 6010B | 44 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Copper | 6010B | 58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Lead | 6010B | 14 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Mercury | 7471A | 0.24 | mg/kg | 02/25/20 10:00 | 03/05/20 09:55 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Nickel | 6010B | 53 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Vanadium | 6010B | 50 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/25/20 10:30 | 03/03/20 14:18 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-57E-1 | | 25001-165 | 2/19/2020 | 10:20 | 2/13/2020 | 15:30 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Arsenic | 6010B | 43 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Cadmium | 6010B | 1.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Chromium | 6010B | 30 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Cobalt | 6010B | 15 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Copper | 6010B | 71 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Lead | 6010B | 23 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Mercury | 7471A | 0.51 | mg/kg | 02/25/20 10:00 | 03/05/20 09:56 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Nickel | 6010B | 51 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Vanadium | 6010B | 32 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |
| Zinc | 6010B | 180 | mg/kg | 02/25/20 10:30 | 03/03/20 14:21 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-57E-2 | 25001-166 | 2/19/2020 10:20 | 2/13/2020 15:40 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Arsenic | 6010B | 30 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Cadmium | 6010B | 1.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Chromium | 6010B | 35 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Copper | 6010B | 55 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Lead | 6010B | 12 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Mercury | 7471A | 0.21 | mg/kg | 02/25/20 10:00 | 03/05/20 09:58 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Nickel | 6010B | 38 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Vanadium | 6010B | 47 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |
| Zinc | 6010B | 170 | mg/kg | 02/25/20 10:30 | 03/03/20 14:23 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-57N-1 | | 25001-167 | 2/19/2020 10:20 | 2/13/2020 | 14:45 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Arsenic | 6010B | 53 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Barium | 6010B | 89 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Cadmium | 6010B | 1.6 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Chromium | 6010B | 27 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Copper | 6010B | 69 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Mercury | 7471A | 0.41 | mg/kg | 02/25/20 | 10:00 | 03/05/20 | 10:00 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Nickel | 6010B | 51 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Vanadium | 6010B | 29 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:31 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-57N-3 | 25001-168 | 2/19/2020 10:20 | 2/13/2020 15:03 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Arsenic | 6010B | 28 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Cadmium | 6010B | 1.0 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Cobalt | 6010B | 12 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Copper | 6010B | 66 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Lead | 6010B | 16 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Mercury | 7471A | 0.19 | mg/kg | 02/25/20 10:00 | 03/05/20 10:02 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Nickel | 6010B | 45 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Vanadium | 6010B | 35 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |
| Zinc | 6010B | 90 | mg/kg | 02/25/20 10:30 | 03/03/20 14:33 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-57W-0 | 25001-169 | 2/19/2020 10:20 | 2/14/2020 12:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.8 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Arsenic | 6010B | 57 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Barium | 6010B | 160 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Beryllium | 6010B | 0.87 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Cadmium | 6010B | 1.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Chromium | 6010B | 28 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Copper | 6010B | 350 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Lead | 6010B | 37 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Mercury | 7471A | 0.65 | mg/kg | 02/25/20 10:00 | 03/05/20 10:03 | -- | 1 |
| Molybdenum | 6010B | <1.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Nickel | 6010B | 30 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Selenium | 6010B | <6.8 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Silver | 6010B | <0.71 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Thallium | 6010B | <2.8 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Vanadium | 6010B | 95 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/25/20 10:30 | 03/03/20 14:36 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|-------|---------------|-------|------|----|
| AMA20-59-1 | | 25001-170 | 2/19/2020 10:20 | 2/13/2020 | 13:45 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Arsenic | 6010B | 190 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Barium | 6010B | 58 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Beryllium | 6010B | <0.60 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Cadmium | 6010B | 5.3 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Chromium | 6010B | 19 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Cobalt | 6010B | 13 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Copper | 6010B | 68 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Lead | 6010B | 70 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Mercury | 7471A | 27 | mg/kg | 02/25/20 | 10:00 | 03/05/20 | 14:56 | D2, | 20 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Silver | 6010B | 1.4 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Vanadium | 6010B | 31 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |
| Zinc | 6010B | 220 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 14:39 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-59-3 | 25001-171 | 2/19/2020 10:20 | 2/13/2020 13:49 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Arsenic | 6010B | <2.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Barium | 6010B | 97 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Beryllium | 6010B | 1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Cadmium | 6010B | 0.76 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Chromium | 6010B | 98 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Cobalt | 6010B | 32 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Copper | 6010B | 130 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Lead | 6010B | 3.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/25/20 10:00 | 03/05/20 10:07 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Silver | 6010B | <0.53 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Vanadium | 6010B | 200 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |
| Zinc | 6010B | 52 | mg/kg | 02/25/20 10:30 | 03/03/20 14:42 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|--|
| AMA20-60-1 | | 25001-172 | 2/19/2020 | 10:20 | 2/13/2020 | 16:45 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Arsenic | 6010B | 230 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Barium | 6010B | 98 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Beryllium | 6010B | <0.61 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Cadmium | 6010B | 5.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Chromium | 6010B | 20 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Cobalt | 6010B | 20 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Copper | 6010B | 48 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Lead | 6010B | 43 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Mercury | 7471A | 0.72 | mg/kg | 02/25/20 10:00 | 03/05/20 10:12 | -- | 1 | | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Nickel | 6010B | 53 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Silver | 6010B | <0.61 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Vanadium | 6010B | 37 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |
| Zinc | 6010B | 84 | mg/kg | 02/25/20 10:30 | 03/03/20 14:44 | -- | 1 | | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-60-3 | 25001-173 | 2/19/2020 10:20 | 2/13/2020 16:46 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Arsenic | 6010B | 140 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Beryllium | 6010B | 0.62 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Cadmium | 6010B | 3.9 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Chromium | 6010B | 16 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Copper | 6010B | 61 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Mercury | 7471A | 0.14 | mg/kg | 02/25/20 10:00 | 03/05/20 10:14 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Nickel | 6010B | 54 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Vanadium | 6010B | 39 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |
| Zinc | 6010B | 81 | mg/kg | 02/25/20 10:30 | 03/03/20 14:46 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-61-0 | 25001-174 | 2/19/2020 10:20 | 2/14/2020 11:46 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Arsenic | 6010B | 50 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Cadmium | 6010B | 1.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Chromium | 6010B | 28 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Cobalt | 6010B | 18 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Copper | 6010B | 350 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Lead | 6010B | 30 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Mercury | 7471A | 1.4 | mg/kg | 02/25/20 10:00 | 03/05/20 10:16 | -- | 1 |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Nickel | 6010B | 31 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Selenium | 6010B | <6.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Silver | 6010B | <0.64 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Thallium | 6010B | <2.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Vanadium | 6010B | 78 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/25/20 10:30 | 03/03/20 14:49 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-61-2 | | 25001-175 | 2/19/2020 | 10:20 | 2/14/2020 | 11:50 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | 3.0 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Arsenic | 6010B | 200 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Beryllium | 6010B | 0.72 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Cadmium | 6010B | 5.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Chromium | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Cobalt | 6010B | 28 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Copper | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Lead | 6010B | 67 | mg/kg | 02/28/20 10:00 | 03/04/20 17:32 | -- | 1 | | |
| Mercury | 7471A | 2.4 | mg/kg | 02/25/20 10:00 | 03/05/20 11:33 | D2, | 2 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Nickel | 6010B | 50 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Vanadium | 6010B | 59 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |
| Zinc | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 20:32 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-62-0 | 25001-176 | 2/19/2020 10:20 | 2/12/2020 15:37 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Arsenic | 6010B | 250 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Beryllium | 6010B | <0.62 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Cadmium | 6010B | 6.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Chromium | 6010B | 34 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Cobalt | 6010B | 23 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Lead | 6010B | 22 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Mercury | 7471A | 0.42 | mg/kg | 02/25/20 10:00 | 03/05/20 10:20 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Nickel | 6010B | 20 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Selenium | 6010B | <5.9 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |
| Zinc | 6010B | 97 | mg/kg | 02/25/20 10:30 | 03/03/20 14:52 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-62-2 | 25001-177 | 2/19/2020 10:20 | 2/12/2020 15:41 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Arsenic | 6010B | 7.7 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Barium | 6010B | 99 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Beryllium | 6010B | 0.97 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Cadmium | 6010B | 0.87 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Chromium | 6010B | 140 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Cobalt | 6010B | 34 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Copper | 6010B | 73 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Lead | 6010B | 4.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 10:00 | 03/05/20 10:21 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Nickel | 6010B | 49 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Vanadium | 6010B | 150 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |
| Zinc | 6010B | 63 | mg/kg | 02/25/20 10:30 | 03/03/20 14:54 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-63-0 | | 25001-178 | 2/19/2020 | 10:20 | 2/12/2020 | 15:48 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Arsenic | 6010B | 45 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Beryllium | 6010B | 0.79 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Cadmium | 6010B | 1.6 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Chromium | 6010B | 51 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Cobalt | 6010B | 29 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Copper | 6010B | 86 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Lead | 6010B | 8.0 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 10:00 | 03/05/20 10:23 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Nickel | 6010B | 22 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Vanadium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |
| Zinc | 6010B | 75 | mg/kg | 02/25/20 10:30 | 03/03/20 15:02 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-63-2 | 25001-179 | 2/19/2020 10:20 | 2/12/2020 15:54 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Arsenic | 6010B | 56 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Beryllium | 6010B | 0.82 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Cadmium | 6010B | 1.8 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Chromium | 6010B | 47 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Cobalt | 6010B | 28 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Copper | 6010B | 90 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Lead | 6010B | 7.9 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Mercury | 7471A | 0.19 | mg/kg | 02/25/20 10:00 | 03/05/20 10:25 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Nickel | 6010B | 23 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |
| Zinc | 6010B | 79 | mg/kg | 02/25/20 10:30 | 03/03/20 15:04 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-64-4 | | 25001-180 | 2/19/2020 | 10:20 | 2/12/2020 | 16:22 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Arsenic | 6010B | 7.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Beryllium | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Cadmium | 6010B | 0.67 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Chromium | 6010B | 79 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Cobalt | 6010B | 21 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Copper | 6010B | 71 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Lead | 6010B | 4.4 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/25/20 10:00 | 03/05/20 10:27 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Nickel | 6010B | 35 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Vanadium | 6010B | 150 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |
| Zinc | 6010B | 58 | mg/kg | 02/25/20 10:30 | 03/03/20 15:06 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-65-1 | 25001-181 | 2/19/2020 10:20 | 2/12/2020 16:24 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Barium | 6010B | 190 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Cadmium | 6010B | 3.7 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Chromium | 6010B | 98 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Cobalt | 6010B | 38 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Copper | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Lead | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Mercury | 7471A | 0.85 | mg/kg | 02/28/20 10:00 | 03/05/20 10:37 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Nickel | 6010B | 51 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |
| Zinc | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 15:21 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-66-4 | 25001-182 | 2/19/2020 10:20 | 2/12/2020 16:44 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Arsenic | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Barium | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Beryllium | 6010B | 0.85 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Cadmium | 6010B | 0.70 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Chromium | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Cobalt | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Copper | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Lead | 6010B | 4.1 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 10:00 | 03/05/20 10:42 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Nickel | 6010B | 54 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Vanadium | 6010B | 180 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |
| Zinc | 6010B | 80 | mg/kg | 02/28/20 10:00 | 03/03/20 15:34 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-67-1 | 25001-183 | 2/19/2020 10:20 | 2/13/2020 16:40 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Arsenic | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Cadmium | 6010B | 4.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Chromium | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Cobalt | 6010B | 35 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Copper | 6010B | 85 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Lead | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Mercury | 7471A | 0.68 | mg/kg | 02/28/20 10:00 | 03/05/20 10:44 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Nickel | 6010B | 50 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Silver | 6010B | <0.61 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Vanadium | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 15:36 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-67-3 | 25001-184 | 2/19/2020 10:20 | 2/13/2020 16:42 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Barium | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Beryllium | 6010B | 0.88 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Cadmium | 6010B | 2.8 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Chromium | 6010B | 5.7 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Cobalt | 6010B | 8.8 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Copper | 6010B | 63 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Lead | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Mercury | 7471A | 0.22 | mg/kg | 02/28/20 10:00 | 03/05/20 10:46 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Nickel | 6010B | 34 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Vanadium | 6010B | 9.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |
| Zinc | 6010B | 89 | mg/kg | 02/28/20 10:00 | 03/03/20 15:39 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-68-1 | 25001-185 | 2/19/2020 10:20 | 2/13/2020 15:30 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Arsenic | 6010B | 39 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Barium | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Beryllium | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Cadmium | 6010B | 1.5 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Cobalt | 6010B | 15 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Copper | 6010B | 69 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Lead | 6010B | 21 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Mercury | 7471A | 0.56 | mg/kg | 02/28/20 10:00 | 03/05/20 10:47 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Nickel | 6010B | 49 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Selenium | 6010B | <5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Silver | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Vanadium | 6010B | 31 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |
| Zinc | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 15:41 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-69-2 | 25001-186 | 2/19/2020 10:20 | 2/13/2020 15:40 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Arsenic | 6010B | 38 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Beryllium | 6010B | <0.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Chromium | 6010B | 55 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Cobalt | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Copper | 6010B | 61 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Lead | 6010B | 12 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 10:00 | 03/05/20 10:49 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Vanadium | 6010B | 78 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |
| Zinc | 6010B | 230 | mg/kg | 02/28/20 10:00 | 03/03/20 15:44 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-70-1 | 25001-187 | 2/19/2020 10:20 | 2/13/2020 15:56 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.5 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Arsenic | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Barium | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Cadmium | 6010B | 1.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Chromium | 6010B | 53 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Copper | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Lead | 6010B | 76 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Mercury | 7471A | 2.1 | mg/kg | 02/28/20 10:00 | 03/05/20 10:54 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Nickel | 6010B | 38 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Selenium | 6010B | <6.0 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Silver | 6010B | <0.62 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Thallium | 6010B | <2.5 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Vanadium | 6010B | 97 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |
| Zinc | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:47 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-71-2 | 25001-188 | 2/19/2020 10:20 | 2/13/2020 15:48 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Arsenic | 6010B | 37 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Barium | 6010B | 51 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Beryllium | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Cadmium | 6010B | 1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Chromium | 6010B | 40 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Cobalt | 6010B | 25 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Copper | 6010B | 69 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Lead | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Mercury | 7471A | 0.29 | mg/kg | 02/28/20 10:00 | 03/05/20 10:56 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Nickel | 6010B | 76 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Selenium | 6010B | <5.7 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Vanadium | 6010B | 44 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |
| Zinc | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 15:49 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-72-3 | 25001-189 | 2/19/2020 10:20 | 2/13/2020 16:42 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Barium | 6010B | 37 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Beryllium | 6010B | 0.90 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Cadmium | 6010B | 3.0 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Chromium | 6010B | 5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Cobalt | 6010B | 7.0 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Copper | 6010B | 64 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Lead | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Mercury | 7471A | 0.22 | mg/kg | 02/28/20 10:00 | 03/05/20 10:58 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Nickel | 6010B | 33 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Vanadium | 6010B | 9.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |
| Zinc | 6010B | 96 | mg/kg | 02/28/20 10:00 | 03/03/20 15:52 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-73-3 | 25001-190 | 2/19/2020 10:20 | 2/13/2020 16:46 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Arsenic | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Barium | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Beryllium | 6010B | 0.67 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Cadmium | 6010B | 4.0 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Chromium | 6010B | 20 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Cobalt | 6010B | 26 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Copper | 6010B | 70 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Lead | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 10:00 | 03/05/20 11:00 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Nickel | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Silver | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Vanadium | 6010B | 53 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |
| Zinc | 6010B | 88 | mg/kg | 02/28/20 10:00 | 03/03/20 15:54 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-74-3 | 25001-191 | 2/19/2020 10:20 | 2/13/2020 16:50 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Arsenic | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Beryllium | 6010B | <0.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Cadmium | 6010B | 0.79 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Chromium | 6010B | 47 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Cobalt | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Copper | 6010B | 53 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Lead | 6010B | 17 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Mercury | 7471A | 0.17 | mg/kg | 02/28/20 10:00 | 03/05/20 11:01 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Nickel | 6010B | 46 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Silver | 6010B | <0.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Vanadium | 6010B | 43 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |
| Zinc | 6010B | 78 | mg/kg | 02/28/20 10:00 | 03/03/20 16:02 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|
| AMA20-75-0 | | 25001-192 | 2/19/2020 10:20 | 2/14/2020 10:24 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Arsenic | 6010B | 350 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Barium | 6010B | 200 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Beryllium | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Cadmium | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Chromium | 6010B | 27 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Copper | 6010B | 710 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Lead | 6010B | 250 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Mercury | 7471A | 2.3 | mg/kg | 02/28/20 10:00 | 03/05/20 11:39 | D2, | 2 |
| Molybdenum | 6010B | 1.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Nickel | 6010B | 42 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Silver | 6010B | 1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Vanadium | 6010B | 63 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |
| Zinc | 6010B | 620 | mg/kg | 02/28/20 10:00 | 03/03/20 16:05 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-75-3 | 25001-193 | 2/19/2020 10:20 | 2/14/2020 10:26 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Arsenic | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Barium | 6010B | 46 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Cadmium | 6010B | 0.75 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Chromium | 6010B | 42 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Cobalt | 6010B | 36 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Copper | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Lead | 6010B | 7.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/28/20 10:00 | 03/05/20 11:05 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Nickel | 6010B | 30 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Silver | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Vanadium | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |
| Zinc | 6010B | 74 | mg/kg | 02/28/20 10:00 | 03/03/20 16:07 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | |
|------------------|------------|-------------------|-----------------|----------------|----------------|--------|----|
| AMA20-76-0 | | 25001-194 | 2/19/2020 10:20 | 2/14/2020 8:08 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Arsenic | 6010B | 300 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Barium | 6010B | 220 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Beryllium | 6010B | 0.63 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Cadmium | 6010B | 9.9 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Chromium | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Cobalt | 6010B | 30 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Copper | 6010B | 210 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Lead | 6010B | 3900 | mg/kg | 02/28/20 10:00 | 03/04/20 17:41 | D2, | 2 |
| Mercury | 7471A | 2.5 | mg/kg | 02/28/20 10:00 | 03/06/20 09:53 | D2, | 2 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Nickel | 6010B | 77 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Silver | 6010B | 1.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |
| Zinc | 6010B | 660 | mg/kg | 02/28/20 10:00 | 03/03/20 16:10 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|----------------|--------|----|--|--|
| AMA20-76-2 | | 25001-195 | 2/19/2020 10:20 | 2/14/2020 8:10 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Arsenic | 6010B | 540 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Barium | 6010B | 180 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Beryllium | 6010B | <0.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Cadmium | 6010B | 17 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Chromium | 6010B | 42 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Cobalt | 6010B | 27 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Copper | 6010B | 250 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Lead | 6010B | 9200 | mg/kg | 02/28/20 10:00 | 03/04/20 17:43 | D2, | 5 | | |
| Mercury | 7471A | 2.7 | mg/kg | 02/28/20 10:00 | 03/05/20 11:41 | D2, | 2 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Nickel | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Silver | 6010B | 5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Vanadium | 6010B | 80 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |
| Zinc | 6010B | 510 | mg/kg | 02/28/20 10:00 | 03/03/20 16:13 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-77-0 | 25001-196 | 2/19/2020 10:20 | 2/14/2020 8:48 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Arsenic | 6010B | 1000 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Barium | 6010B | 79 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Beryllium | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Cadmium | 6010B | 25 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Chromium | 6010B | 22 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Copper | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Lead | 6010B | 66 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Mercury | 7471A | 3.8 | mg/kg | 02/28/20 10:00 | 03/05/20 11:43 | D2, | 5 |
| Molybdenum | 6010B | 2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Nickel | 6010B | 79 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Silver | 6010B | 1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Vanadium | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |
| Zinc | 6010B | 250 | mg/kg | 02/28/20 10:00 | 03/03/20 16:17 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|----------------|----------------|--------|----|--|--|
| AMA20-78-0 | | 25001-197 | 2/19/2020 10:20 | 2/14/2020 9:25 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Arsenic | 6010B | 80 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Beryllium | 6010B | 0.78 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Cadmium | 6010B | 4.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Chromium | 6010B | 78 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Cobalt | 6010B | 33 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Copper | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Lead | 6010B | 85 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Mercury | 7471A | 8.6 | mg/kg | 02/28/20 10:00 | 03/05/20 11:45 | D2, | 5 | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Selenium | 6010B | <6.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Silver | 6010B | <0.66 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Thallium | 6010B | <2.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |
| Zinc | 6010B | 720 | mg/kg | 02/28/20 10:00 | 03/03/20 16:20 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|--|
| AMA20-78-2 | | 25001-198 | 2/19/2020 | 10:20 | 2/14/2020 | 9:30 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Arsenic | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Barium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Beryllium | 6010B | 0.82 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Cadmium | 6010B | 4.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Chromium | 6010B | 72 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Cobalt | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Copper | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Lead | 6010B | 40 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Mercury | 7471A | 2.5 | mg/kg | 02/28/20 10:00 | 03/05/20 11:47 | D2, | 2 | | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Nickel | 6010B | 36 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Selenium | 6010B | <5.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Silver | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Vanadium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |
| Zinc | 6010B | 330 | mg/kg | 02/28/20 10:00 | 03/03/20 16:23 | -- | 1 | | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|--|
| AMA20-79-0 | | 25001-199 | 2/19/2020 | 10:20 | 2/14/2020 | 9:40 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | | |
| Antimony | 6010B | <2.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Arsenic | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Beryllium | 6010B | <0.67 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Cadmium | 6010B | 5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Chromium | 6010B | 61 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Cobalt | 6010B | 27 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Copper | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Lead | 6010B | 220 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Mercury | 7471A | 5.1 | mg/kg | 02/28/20 10:00 | 03/05/20 11:49 | D2, | 2 | | | |
| Molybdenum | 6010B | <1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Nickel | 6010B | 47 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Selenium | 6010B | <6.5 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Silver | 6010B | 0.79 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Thallium | 6010B | <2.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Vanadium | 6010B | 93 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |
| Zinc | 6010B | 550 | mg/kg | 02/28/20 10:00 | 03/03/20 16:25 | -- | 1 | | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-80-0 | 25001-200 | 2/19/2020 10:20 | 2/14/2020 8:55 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Arsenic | 6010B | 720 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Barium | 6010B | 67 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Beryllium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Cadmium | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Chromium | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Cobalt | 6010B | 20 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Copper | 6010B | 86 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Lead | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Mercury | 7471A | 0.37 | mg/kg | 02/28/20 10:00 | 03/05/20 11:22 | -- | 1 |
| Molybdenum | 6010B | 2.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Nickel | 6010B | 99 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Selenium | 6010B | <4.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Silver | 6010B | 0.69 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Vanadium | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |
| Zinc | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 16:28 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-81-0 | 25001-201 | 2/19/2020 10:20 | 2/14/2020 10:00 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Arsenic | 6010B | 460 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Barium | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Beryllium | 6010B | <0.52 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Cadmium | 6010B | 12 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Chromium | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Copper | 6010B | 68 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Lead | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Mercury | 7471A | 0.55 | mg/kg | 02/28/20 12:00 | 03/05/20 15:04 | -- | 1 |
| Molybdenum | 6010B | 1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Nickel | 6010B | 57 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Selenium | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Silver | 6010B | 1.7 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Vanadium | 6010B | 26 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |
| Zinc | 6010B | 220 | mg/kg | 02/28/20 10:00 | 03/03/20 16:48 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-81-1.5 | 25001-202 | 2/19/2020 10:20 | 2/14/2020 10:10 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Arsenic | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Barium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Beryllium | 6010B | 0.72 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Cadmium | 6010B | 3.6 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Chromium | 6010B | 74 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Cobalt | 6010B | 37 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Copper | 6010B | 89 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Lead | 6010B | 50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Mercury | 7471A | 0.23 | mg/kg | 02/28/20 12:00 | 03/05/20 15:09 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Nickel | 6010B | 38 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Selenium | 6010B | <5.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Silver | 6010B | <0.56 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 16:56 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-82-0 | | 25001-203 | 2/19/2020 | 10:20 | 2/14/2020 | 10:17 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Arsenic | 6010B | 67 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Barium | 6010B | 95 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Beryllium | 6010B | 0.75 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Cadmium | 6010B | 4.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Chromium | 6010B | 78 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Cobalt | 6010B | 34 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Copper | 6010B | 99 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Lead | 6010B | 31 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Mercury | 7471A | <0.11 | mg/kg | 02/28/20 12:00 | 03/05/20 15:11 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Selenium | 6010B | <5.4 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Silver | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |
| Zinc | 6010B | 610 | mg/kg | 02/28/20 10:00 | 03/03/20 16:58 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-83-0 | 25001-204 | 2/19/2020 10:20 | 2/14/2020 9:03 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Arsenic | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Beryllium | 6010B | 0.79 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Cadmium | 6010B | 2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Chromium | 6010B | 65 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Cobalt | 6010B | 33 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Copper | 6010B | 98 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Lead | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Mercury | 7471A | 0.15 | mg/kg | 02/28/20 12:00 | 03/05/20 15:13 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Nickel | 6010B | 28 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |
| Zinc | 6010B | 340 | mg/kg | 02/28/20 10:00 | 03/03/20 17:06 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-84-0 | 25001-205 | 2/19/2020 10:20 | 2/14/2020 9:52 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Arsenic | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Beryllium | 6010B | 0.55 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Cadmium | 6010B | 5.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Chromium | 6010B | 51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Cobalt | 6010B | 29 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Copper | 6010B | 220 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Lead | 6010B | 98 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Mercury | 7471A | 0.56 | mg/kg | 02/28/20 12:00 | 03/05/20 15:18 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Nickel | 6010B | 39 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Silver | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Vanadium | 6010B | 97 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |
| Zinc | 6010B | 320 | mg/kg | 02/28/20 10:00 | 03/03/20 17:09 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|------|--------|--|--|
| AMA20-84-2 | | 25001-206 | 2/19/2020 | 10:20 | 2/14/2020 | 9:55 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Arsenic | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Barium | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Beryllium | 6010B | 0.67 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Cadmium | 6010B | 4.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Chromium | 6010B | 62 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Cobalt | 6010B | 36 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Lead | 6010B | 21 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Mercury | 7471A | 0.19 | mg/kg | 02/28/20 12:00 | 03/05/20 15:20 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Selenium | 6010B | <5.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Silver | 6010B | <0.55 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |
| Zinc | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 17:11 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-85-0 | | 25001-207 | 2/19/2020 | 10:20 | 2/14/2020 | 21:20 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | 36 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Arsenic | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Barium | 6010B | 300 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Beryllium | 6010B | <0.55 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Cadmium | 6010B | 46 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Chromium | 6010B | 58 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Copper | 6010B | 1900 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Lead | 6010B | 2900 | mg/kg | 02/28/20 10:00 | 03/04/20 17:45 | D2, | 2 | | |
| Mercury | 7471A | 3.9 | mg/kg | 02/28/20 12:00 | 03/05/20 17:06 | D2, | 5 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Nickel | 6010B | 57 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Selenium | 6010B | <5.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Silver | 6010B | 1.8 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Vanadium | 6010B | 58 | mg/kg | 02/28/20 10:00 | 03/03/20 17:14 | -- | 1 | | |
| Zinc | 6010B | 3100 | mg/kg | 02/28/20 10:00 | 03/03/20 20:51 | D2, | 2 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-86-BRICK | 25001-208 | 2/19/2020 10:20 | 2/14/2020 9:16 | Solid |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Arsenic | 6010B | 5.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Barium | 6010B | 7.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Beryllium | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Cadmium | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Chromium | 6010B | 180 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Cobalt | 6010B | 1.4 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Copper | 6010B | 17 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Lead | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Mercury | 7471A | <0.10 | mg/kg | 02/28/20 12:00 | 03/05/20 15:24 | -- | 1 |
| Molybdenum | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Nickel | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Selenium | 6010B | <4.9 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Silver | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Vanadium | 6010B | 2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |
| Zinc | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 17:20 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|----------------|--------|
| AMA20-86-METAL | 25001-209 | 2/19/2020 10:20 | 2/14/2020 9:16 | Solid |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Arsenic | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Barium | 6010B | 3.4 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Beryllium | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Cadmium | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Chromium | 6010B | 960 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Cobalt | 6010B | 4.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Copper | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Lead | 6010B | 21 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Mercury | 7471A | <0.10 | mg/kg | 02/28/20 12:00 | 03/05/20 15:25 | -- | 1 |
| Molybdenum | 6010B | 2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Selenium | 6010B | <4.9 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Silver | 6010B | <0.51 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Vanadium | 6010B | 3.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |
| Zinc | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:23 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-87-0 | | 25001-210 | 2/19/2020 | 10:20 | 2/14/2020 | 10:20 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Arsenic | 6010B | 1200 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Barium | 6010B | 81 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Beryllium | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Cadmium | 6010B | 27 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Chromium | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Cobalt | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Copper | 6010B | 220 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Lead | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Mercury | 7471A | 0.89 | mg/kg | 02/28/20 12:00 | 03/05/20 15:27 | -- | 1 | | |
| Molybdenum | 6010B | 1.8 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Nickel | 6010B | 52 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Selenium | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Silver | 6010B | 1.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Vanadium | 6010B | 38 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |
| Zinc | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 17:26 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-87-1 | | 25001-211 | 2/19/2020 | 10:20 | 2/14/2020 | 10:21 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Arsenic | 6010B | 310 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Barium | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Beryllium | 6010B | <0.54 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Cadmium | 6010B | 8.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Chromium | 6010B | 14 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Copper | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Lead | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Mercury | 7471A | 1.1 | mg/kg | 02/28/20 12:00 | 03/05/20 15:29 | -- | 1 | | |
| Molybdenum | 6010B | 2.5 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Nickel | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Selenium | 6010B | <5.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Silver | 6010B | 0.71 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Vanadium | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |
| Zinc | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 17:29 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-88-0 | | 25001-212 | 2/19/2020 | 10:20 | 2/14/2020 | 14:18 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Arsenic | 6010B | 66 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Beryllium | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Cadmium | 6010B | 2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Chromium | 6010B | 35 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Copper | 6010B | 65 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Lead | 6010B | 67 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Mercury | 7471A | 1.5 | mg/kg | 02/28/20 12:00 | 03/05/20 15:30 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Nickel | 6010B | 41 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Silver | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Vanadium | 6010B | 60 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |
| Zinc | 6010B | 270 | mg/kg | 02/28/20 10:00 | 03/03/20 17:32 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-89-0 | 25001-213 | 2/19/2020 10:20 | 2/14/2020 14:20 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Arsenic | 6010B | 14 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Beryllium | 6010B | 1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Cadmium | 6010B | <0.79 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Chromium | 6010B | 30 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Copper | 6010B | 360 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Lead | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Mercury | 7471A | 0.49 | mg/kg | 02/28/20 12:00 | 03/05/20 15:32 | -- | 1 |
| Molybdenum | 6010B | <1.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Nickel | 6010B | 27 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Selenium | 6010B | <7.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Silver | 6010B | <0.79 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Thallium | 6010B | <3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 17:35 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-90-1.5 | | 25001-214 | 2/19/2020 | 10:20 | 2/14/2020 | 14:29 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <4.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Arsenic | 6010B | 45 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Barium | 6010B | 360 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Beryllium | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Cadmium | 6010B | 1.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Chromium | 6010B | 9.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Cobalt | 6010B | 4.7 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Copper | 6010B | 83 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Lead | 6010B | 450 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Mercury | 7471A | 5.8 | mg/kg | 02/28/20 12:00 | 03/05/20 17:08 | D2, | 5 | | |
| Molybdenum | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Nickel | 6010B | 12 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Selenium | 6010B | <10 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Silver | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Thallium | 6010B | <4.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Vanadium | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |
| Zinc | 6010B | 340 | mg/kg | 02/28/20 10:00 | 03/03/20 17:43 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|-----------------|-----------------|----------------|--------|----|--|--|
| AMA20-91-3 | | 25001-215 | 2/19/2020 10:20 | 2/14/2020 14:37 | Soil | | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | 4.9 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Arsenic | 6010B | 76 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Barium | 6010B | 160 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Beryllium | 6010B | <0.81 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Cadmium | 6010B | 2.9 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Chromium | 6010B | 28 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Copper | 6010B | 240 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Lead | 6010B | 290 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Mercury | 7471A | 21 | mg/kg | 02/28/20 12:00 | 03/05/20 17:10 | D2, | 10 | | |
| Molybdenum | 6010B | <1.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Nickel | 6010B | 34 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Selenium | 6010B | <7.8 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Silver | 6010B | <0.81 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Thallium | 6010B | <3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Vanadium | 6010B | 63 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |
| Zinc | 6010B | 450 | mg/kg | 02/28/20 10:00 | 03/03/20 17:46 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-92-0 | 25001-216 | 2/19/2020 10:20 | 2/14/2020 14:30 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <3.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Arsenic | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Beryllium | 6010B | 0.94 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Cadmium | 6010B | 1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Cobalt | 6010B | 22 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Copper | 6010B | 320 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Lead | 6010B | 37 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Mercury | 7471A | 0.92 | mg/kg | 02/28/20 12:00 | 03/05/20 15:41 | -- | 1 |
| Molybdenum | 6010B | <1.5 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Nickel | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Selenium | 6010B | <7.4 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Silver | 6010B | <0.77 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Thallium | 6010B | <3.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Vanadium | 6010B | 97 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:49 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-93-0 | 25001-217 | 2/19/2020 10:20 | 2/14/2020 14:31 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Arsenic | 6010B | 400 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Barium | 6010B | 75 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Beryllium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Cadmium | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Chromium | 6010B | 20 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Cobalt | 6010B | 21 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Copper | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Lead | 6010B | 32 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Mercury | 7471A | 0.30 | mg/kg | 02/28/20 12:00 | 03/05/20 15:43 | -- | 1 |
| Molybdenum | 6010B | 3.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Nickel | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Selenium | 6010B | <4.8 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Silver | 6010B | 4.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Vanadium | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |
| Zinc | 6010B | 590 | mg/kg | 02/28/20 10:00 | 03/03/20 17:52 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-94-0 | | 25001-218 | 2/19/2020 | 10:20 | 2/14/2020 | 14:31 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Arsenic | 6010B | 35 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Barium | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Beryllium | 6010B | 0.80 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Cadmium | 6010B | 2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Chromium | 6010B | 72 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Cobalt | 6010B | 34 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Copper | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Lead | 6010B | 14 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 12:00 | 03/05/20 15:45 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Nickel | 6010B | 30 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Silver | 6010B | <0.58 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |
| Zinc | 6010B | 310 | mg/kg | 02/28/20 10:00 | 03/03/20 17:55 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-95-1 | 25001-219 | 2/19/2020 10:20 | 2/14/2020 14:32 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Arsenic | 6010B | 310 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Barium | 6010B | 88 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Beryllium | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Cadmium | 6010B | 8.3 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Chromium | 6010B | 12 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Copper | 6010B | 95 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Lead | 6010B | 84 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Mercury | 7471A | 0.92 | mg/kg | 02/28/20 12:00 | 03/05/20 15:47 | -- | 1 |
| Molybdenum | 6010B | 1.9 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Nickel | 6010B | 54 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Silver | 6010B | 0.67 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Vanadium | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |
| Zinc | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 17:58 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-96-0 | | 25001-220 | 2/19/2020 | 10:20 | 2/14/2020 | 14:34 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Arsenic | 6010B | 280 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Barium | 6010B | 89 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Beryllium | 6010B | <0.52 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Cadmium | 6010B | 8.3 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Chromium | 6010B | 26 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Cobalt | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Copper | 6010B | 66 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Lead | 6010B | 1600 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Mercury | 7471A | 0.43 | mg/kg | 02/28/20 12:00 | 03/05/20 15:48 | -- | 1 | | |
| Molybdenum | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Nickel | 6010B | 47 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Selenium | 6010B | 10 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Silver | 6010B | 3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Vanadium | 6010B | 42 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |
| Zinc | 6010B | 190 | mg/kg | 02/28/20 10:00 | 03/03/20 18:01 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|--|
| AMA20-97-0 | | 25001-221 | 2/19/2020 | 10:20 | 2/14/2020 | 14:35 | Soil | | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | | |
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Arsenic | 6010B | 1200 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Barium | 6010B | 71 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Beryllium | 6010B | <0.53 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Cadmium | 6010B | 31 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Chromium | 6010B | 17 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Cobalt | 6010B | 20 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Copper | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Lead | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/04/20 17:02 | -- | 1 | | | |
| Mercury | 7471A | 6.8 | mg/kg | 02/28/20 12:00 | 03/05/20 17:12 | D2, | 10 | | | |
| Molybdenum | 6010B | 2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Nickel | 6010B | 80 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Silver | 6010B | 5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Vanadium | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |
| Zinc | 6010B | 230 | mg/kg | 02/28/20 10:00 | 03/03/20 19:54 | -- | 1 | | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AMA20-98-0 | | 25001-222 | 2/19/2020 | 10:20 | 2/14/2020 | 14:18 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Arsenic | 6010B | 56 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Barium | 6010B | 87 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Beryllium | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Cadmium | 6010B | 1.9 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Chromium | 6010B | 34 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Cobalt | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Copper | 6010B | 57 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Lead | 6010B | 62 | mg/kg | 02/28/20 10:00 | 03/04/20 17:09 | -- | 1 | | |
| Mercury | 7471A | 1.0 | mg/kg | 02/28/20 12:00 | 03/05/20 16:05 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Nickel | 6010B | 40 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Selenium | 6010B | <5.5 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Silver | 6010B | <0.57 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Thallium | 6010B | <2.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Vanadium | 6010B | 57 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |
| Zinc | 6010B | 260 | mg/kg | 02/28/20 10:00 | 03/03/20 20:02 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AMA20-99-0 | 25001-223 | 2/19/2020 10:20 | 2/14/2020 14:20 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Arsenic | 6010B | 16 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Barium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Beryllium | 6010B | 1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Cadmium | 6010B | 0.85 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Chromium | 6010B | 29 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Cobalt | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Copper | 6010B | 350 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Lead | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/04/20 17:11 | -- | 1 |
| Mercury | 7471A | 0.56 | mg/kg | 02/28/20 12:00 | 03/05/20 16:07 | -- | 1 |
| Molybdenum | 6010B | <1.6 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Nickel | 6010B | 26 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Selenium | 6010B | <7.7 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Silver | 6010B | <0.8 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Thallium | 6010B | <3.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Vanadium | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |
| Zinc | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:04 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AWEST-01-0.5 | 25001-224 | 2/19/2020 10:20 | 2/14/2020 12:00 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Arsenic | 6010B | 8.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Barium | 6010B | 180 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Beryllium | 6010B | 1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Cadmium | 6010B | 0.89 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Chromium | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Cobalt | 6010B | 28 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Copper | 6010B | 82 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Lead | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/04/20 17:16 | -- | 1 |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 12:00 | 03/05/20 16:08 | -- | 1 |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Nickel | 6010B | 14 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Selenium | 6010B | <5.8 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Silver | 6010B | <0.60 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Vanadium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |
| Zinc | 6010B | 98 | mg/kg | 02/28/20 10:00 | 03/03/20 20:07 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AWEST-02-0.5 | | 25001-225 | 2/19/2020 | 10:20 | 2/14/2020 | 12:06 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Arsenic | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Barium | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Beryllium | 6010B | 0.88 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Cadmium | 6010B | 1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Chromium | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Cobalt | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Copper | 6010B | 82 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Lead | 6010B | 14 | mg/kg | 02/28/20 10:00 | 03/04/20 17:18 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 12:00 | 03/05/20 16:10 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Nickel | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Selenium | 6010B | <5.6 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Silver | 6010B | <0.59 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Vanadium | 6010B | 130 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |
| Zinc | 6010B | 150 | mg/kg | 02/28/20 10:00 | 03/03/20 20:14 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AWEST-03-0.5 | | 25001-226 | 2/19/2020 | 10:20 | 2/14/2020 | 12:07 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Arsenic | 6010B | 22 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Barium | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Beryllium | 6010B | 1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Cadmium | 6010B | 1.3 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Chromium | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Cobalt | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Copper | 6010B | 77 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Lead | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/04/20 17:20 | -- | 1 | | |
| Mercury | 7471A | <0.12 | mg/kg | 02/28/20 12:00 | 03/05/20 16:12 | -- | 1 | | |
| Molybdenum | 6010B | <1.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Nickel | 6010B | 15 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Selenium | 6010B | <5.9 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Silver | 6010B | <0.61 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Thallium | 6010B | <2.4 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |
| Zinc | 6010B | 210 | mg/kg | 02/28/20 10:00 | 03/03/20 20:17 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AWEST-04-0.5 | 25001-227 | 2/19/2020 10:20 | 2/14/2020 12:10 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Arsenic | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Barium | 6010B | 170 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Beryllium | 6010B | 0.91 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Cadmium | 6010B | 0.82 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Chromium | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Cobalt | 6010B | 25 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Copper | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Lead | 6010B | 12 | mg/kg | 02/28/20 10:00 | 03/04/20 17:22 | -- | 1 |
| Mercury | 7471A | <0.11 | mg/kg | 02/28/20 12:00 | 03/05/20 16:14 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Nickel | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Selenium | 6010B | <5.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Silver | 6010B | <0.54 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Vanadium | 6010B | 120 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |
| Zinc | 6010B | 580 | mg/kg | 02/28/20 10:00 | 03/03/20 20:19 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| AWEST-05-0.5 | | 25001-228 | 2/19/2020 | 10:20 | 2/14/2020 | 12:15 | Soil | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Arsenic | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Barium | 6010B | 110 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Beryllium | 6010B | 0.70 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Cadmium | 6010B | 1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Chromium | 6010B | 23 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Cobalt | 6010B | 19 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Copper | 6010B | 64 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Lead | 6010B | 11 | mg/kg | 02/28/20 10:00 | 03/04/20 17:24 | -- | 1 | | |
| Mercury | 7471A | <0.11 | mg/kg | 02/28/20 12:00 | 03/05/20 16:15 | -- | 1 | | |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Nickel | 6010B | 21 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Selenium | 6010B | <5.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Silver | 6010B | <0.54 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Thallium | 6010B | <2.2 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Vanadium | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |
| Zinc | 6010B | 140 | mg/kg | 02/28/20 10:00 | 03/03/20 20:22 | -- | 1 | | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|-----------------|-----------------|--------|
| AWEST-06-0.5 | 25001-229 | 2/19/2020 10:20 | 2/14/2020 12:18 | Soil |

| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| Antimony | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Arsenic | 6010B | 24 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Barium | 6010B | 68 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Beryllium | 6010B | <0.54 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Cadmium | 6010B | 0.90 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Chromium | 6010B | 18 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Cobalt | 6010B | 13 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Copper | 6010B | 39 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Lead | 6010B | 8.6 | mg/kg | 02/28/20 10:00 | 03/04/20 17:26 | -- | 1 |
| Mercury | 7471A | <1.1 | mg/kg | 02/28/20 12:00 | 03/05/20 16:17 | -- | 1 |
| Molybdenum | 6010B | <1.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Nickel | 6010B | 15 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Selenium | 6010B | <5.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Silver | 6010B | <0.54 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Thallium | 6010B | <2.1 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Vanadium | 6010B | 59 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |
| Zinc | 6010B | 100 | mg/kg | 02/28/20 10:00 | 03/03/20 20:24 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|--|
| Method Blank | | | | | | Soil | | | |
| <u>MB ID</u> | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| MBBV0302202 | TCLP Arsenic | 6010B | <0.080 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBBV0302202 | TCLP Barium | 6010B | <0.040 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBBV0302202 | TCLP Cadmium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBBV0302202 | TCLP Chromium | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBBV0302202 | TCLP Lead | 6010B | <0.080 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBSR0228201 | TCLP Mercury | 7470A | <0.010 | mg/l | 02/28/20 09:34 | 03/02/20 17:05 | -- | 1 | |
| MBBV0302202 | TCLP Selenium | 6010B | <0.20 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |
| MBBV0302202 | TCLP Silver | 6010B | <0.020 | mg/l | 03/02/20 17:00 | 03/03/20 18:39 | -- | 1 | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|--------------|----------------|----------------|------|----|
| Method Blank | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| MBIR0221201 | Antimony | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Arsenic | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Barium | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Beryllium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Cadmium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Chromium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Cobalt | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Copper | 6010B | <5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Lead | 6010B | <0.80 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBSR0221201 | Mercury | 7471A | <0.10 | mg/kg | 02/21/20 16:12 | 02/24/20 10:52 | -- | 1 |
| MBIR0221201 | Molybdenum | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Nickel | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Selenium | 6010B | <4.8 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Silver | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Thallium | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Vanadium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |
| MBIR0221201 | Zinc | 6010B | <5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 16:42 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|-------------------|---------------|--------------|----------------|----------------|------|----|--|
| Method Blank | | | | | | Soil | | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | |
| MBIR0221202 | Antimony | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Arsenic | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Barium | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Beryllium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Cadmium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Chromium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Cobalt | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Copper | 6010B | <5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Lead | 6010B | <0.80 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBSR0221202 | Mercury | 7471A | <0.10 | mg/kg | 02/21/20 16:12 | 02/24/20 12:06 | -- | 1 | |
| MBIR0221202 | Molybdenum | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Nickel | 6010B | <1.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Selenium | 6010B | <4.8 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Silver | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Thallium | 6010B | <2.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Vanadium | 6010B | <0.50 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |
| MBIR0221202 | Zinc | 6010B | <5.0 | mg/kg | 02/21/20 16:00 | 02/24/20 17:00 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|-------|------|----|
| Method Blank | | | | | | | Soil | | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0221203 | Antimony | 6010B | <2.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Arsenic | 6010B | <2.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Barium | 6010B | <1.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Beryllium | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Cadmium | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Chromium | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Cobalt | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Copper | 6010B | <5.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Lead | 6010B | <0.80 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBSR0221203 | Mercury | 7471A | <0.10 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 13:09 | -- | 1 |
| MBIR0221203 | Molybdenum | 6010B | <1.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Nickel | 6010B | <1.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Selenium | 6010B | <4.8 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Silver | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Thallium | 6010B | <2.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Vanadium | 6010B | <0.50 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |
| MBIR0221203 | Zinc | 6010B | <5.0 | mg/kg | 02/21/20 | 16:00 | 02/24/20 | 17:11 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|--------------|----------------|----------------|------|----|
| Method Blank | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| MBIR0222201 | Antimony | 6010B | <2.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Arsenic | 6010B | <2.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Barium | 6010B | <1.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Beryllium | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Cadmium | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Chromium | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Cobalt | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Copper | 6010B | <5.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Lead | 6010B | <0.80 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBSR0221204 | Mercury | 7471A | <0.10 | mg/kg | 02/21/20 16:00 | 02/27/20 12:37 | -- | 1 |
| MBIR0222201 | Molybdenum | 6010B | <1.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Nickel | 6010B | <1.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Selenium | 6010B | <4.8 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Silver | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Thallium | 6010B | <2.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Vanadium | 6010B | <0.50 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |
| MBIR0222201 | Zinc | 6010B | <5.0 | mg/kg | 02/22/20 07:30 | 02/25/20 13:42 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|-------|------|----|
| Method Blank | | | Soil | | | | | | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0222202 | Antimony | 6010B | <2.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Arsenic | 6010B | <2.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Barium | 6010B | <1.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Beryllium | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Cadmium | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Chromium | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Cobalt | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Copper | 6010B | <5.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Lead | 6010B | <0.80 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBSR0221205 | Mercury | 7471A | <0.10 | mg/kg | 02/21/20 | 16:00 | 02/27/20 | 12:46 | -- | 1 |
| MBIR0222202 | Molybdenum | 6010B | <1.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Nickel | 6010B | <1.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Selenium | 6010B | <4.8 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Silver | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Thallium | 6010B | <2.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Vanadium | 6010B | <0.50 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |
| MBIR0222202 | Zinc | 6010B | <5.0 | mg/kg | 02/22/20 | 08:30 | 02/25/20 | 15:17 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|-------|------|----|
| Method Blank | | | Soil | | | | | | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0225201 | Antimony | 6010B | <2.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Arsenic | 6010B | <2.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Barium | 6010B | <1.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Beryllium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Cadmium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Chromium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Cobalt | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Copper | 6010B | <5.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Lead | 6010B | <0.80 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBSR0225206 | Mercury | 7471A | <0.10 | mg/kg | 02/25/20 | 16:00 | 03/02/20 | 09:59 | -- | 1 |
| MBIR0225201 | Molybdenum | 6010B | <1.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Nickel | 6010B | <1.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Selenium | 6010B | <4.8 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Silver | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Thallium | 6010B | <2.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Vanadium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |
| MBIR0225201 | Zinc | 6010B | <5.0 | mg/kg | 02/25/20 | 10:00 | 02/25/20 | 16:35 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | | Matrix | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|--------|------|----|
| Method Blank | | | Soil | | | | | | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0225206 | Antimony | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Arsenic | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Barium | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Beryllium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Cadmium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Chromium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Cobalt | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Copper | 6010B | <5.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Lead | 6010B | <0.80 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225203 | Mercury | 7471A | <0.10 | mg/kg | 02/25/20 | 16:00 | 03/02/20 | 10:52 | -- | 1 |
| MBIR0225206 | Molybdenum | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Nickel | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Selenium | 6010B | <4.8 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Silver | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Thallium | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Vanadium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |
| MBIR0225206 | Zinc | 6010B | <5.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 11:17 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | | Matrix | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|--------|------|----|
| Method Blank | | | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0225207 | Antimony | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Arsenic | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Barium | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Beryllium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Cadmium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Chromium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Cobalt | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Copper | 6010B | <5.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Lead | 6010B | <0.80 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225204 | Mercury | 7471A | <0.10 | mg/kg | 02/25/20 | 16:00 | 03/02/20 | 11:47 | -- | 1 |
| MBIR0225207 | Molybdenum | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Nickel | 6010B | <1.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Selenium | 6010B | <4.8 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Silver | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Thallium | 6010B | <2.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Vanadium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |
| MBIR0225207 | Zinc | 6010B | <5.0 | mg/kg | 02/25/20 | 10:15 | 03/03/20 | 12:34 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | | Matrix | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|--------|------|----|
| Method Blank | | | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0225208 | Antimony | 6010B | <2.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Arsenic | 6010B | <2.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Barium | 6010B | <1.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Beryllium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Cadmium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Chromium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Cobalt | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Copper | 6010B | <5.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Lead | 6010B | <0.80 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225205 | Mercury | 7471A | <0.10 | mg/kg | 02/25/20 | 10:00 | 03/05/20 | 09:37 | -- | 1 |
| MBIR0225208 | Molybdenum | 6010B | <1.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Nickel | 6010B | <1.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Selenium | 6010B | <4.8 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Silver | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Thallium | 6010B | <2.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Vanadium | 6010B | <0.50 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |
| MBIR0225208 | Zinc | 6010B | <5.0 | mg/kg | 02/25/20 | 10:30 | 03/03/20 | 13:53 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | | Matrix | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|--------|------|----|
| Method Blank | | | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBIR0228201 | Antimony | 6010B | <2.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Arsenic | 6010B | <2.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Barium | 6010B | <1.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Beryllium | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Cadmium | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Chromium | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Cobalt | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Copper | 6010B | <5.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Lead | 6010B | <0.80 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBJV0228201 | Mercury | 7471A | <0.10 | mg/kg | 02/28/20 | 10:00 | 03/05/20 | 10:28 | -- | 1 |
| MBIR0228201 | Molybdenum | 6010B | <1.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Nickel | 6010B | <1.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Selenium | 6010B | <4.8 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Silver | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Thallium | 6010B | <2.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Vanadium | 6010B | <0.50 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |
| MBIR0228201 | Zinc | 6010B | <5.0 | mg/kg | 02/28/20 | 10:00 | 03/03/20 | 15:13 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|--------------|----------------|----------------|------|----|
| Method Blank | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF |
| MBIR0228202 | Antimony | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Arsenic | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Barium | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Beryllium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Cadmium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Chromium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Cobalt | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Copper | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Lead | 6010B | <0.80 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBJV0228202 | Mercury | 7471A | <0.10 | mg/kg | 02/28/20 12:00 | 03/05/20 17:21 | -- | 1 |
| MBIR0228202 | Molybdenum | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Nickel | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Selenium | 6010B | <4.8 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Silver | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Vanadium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |
| MBIR0228202 | Zinc | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 16:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | | |
|------------------|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|--|
| Method Blank | | | | | | Soil | | | |
| <u>MB ID</u> | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| MBIR0228203 | Antimony | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Arsenic | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Barium | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Beryllium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Cadmium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Chromium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Cobalt | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Copper | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Lead | 6010B | <0.80 | mg/kg | 02/28/20 10:00 | 03/04/20 16:56 | -- | 1 | |
| MBJV0228203 | Mercury | 7471A | <0.10 | mg/kg | 02/28/20 12:00 | 03/05/20 15:50 | -- | 1 | |
| MBIR0228203 | Molybdenum | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Nickel | 6010B | <1.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Selenium | 6010B | <4.8 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Silver | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Thallium | 6010B | <2.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Vanadium | 6010B | <0.50 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| MBIR0228203 | Zinc | 6010B | <5.0 | mg/kg | 02/28/20 10:00 | 03/03/20 19:46 | -- | 1 | |
| Method Blank | | | | | | Soil | | | |
| <u>MB ID</u> | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| MBIR0311201 | Mercury | 7471A | <0.10 | mg/kg | 03/11/20 12:00 | 03/11/20 14:58 | -- | 1 | |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference # WST 25001
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | | Date Received | | Date Sampled | | Matrix | | |
|------------------|-------------------|---------------|-----------------|-----------------------|----------------------|-------------|-----------|--|--|
| EB-1 | 25001-230 | | 2/19/2020 10:20 | | 2/12/2020 17:31 | | Water | | |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | | |
| Antimony | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Arsenic | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Barium | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Beryllium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Cadmium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Chromium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Cobalt | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Copper | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Lead | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Mercury | 7470A | <0.0010 | mg/L | 03/02/20 12:30 | 03/02/20 17:32 | -- | 1 | | |
| Molybdenum | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Nickel | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Selenium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Silver | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Thallium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Vanadium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |
| Zinc | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:22 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | Lab Sample Number | | Date Received | | Date Sampled | | Matrix | | |
|------------------|-------------------|---------------|-----------------|-----------------------|----------------------|-------------|-----------|--|--|
| EB-2 | 25001-231 | | 2/19/2020 10:20 | | 2/13/2020 17:00 | | Water | | |
| <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | | |
| Antimony | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Arsenic | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Barium | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Beryllium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Cadmium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Chromium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Cobalt | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Copper | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Lead | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Mercury | 7470A | <0.0010 | mg/L | 03/02/20 12:30 | 03/02/20 17:36 | -- | 1 | | |
| Molybdenum | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Nickel | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Selenium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Silver | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Thallium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Vanadium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |
| Zinc | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:29 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | | |
|------------------|------------|-------------------|---------------|----------------|----------------|-------|--------|--|--|
| EB-3 | | 25001-232 | 2/19/2020 | 10:20 | 2/14/2020 | 15:22 | Water | | |
| ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | | |
| Antimony | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Arsenic | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Barium | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Beryllium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Cadmium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Chromium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Cobalt | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Copper | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Lead | 6010B | <0.040 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Mercury | 7470A | <0.0010 | mg/L | 03/02/20 12:30 | 03/02/20 17:38 | -- | 1 | | |
| Molybdenum | 6010B | <0.050 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Nickel | 6010B | <0.020 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Selenium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Silver | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Thallium | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Vanadium | 6010B | <0.010 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |
| Zinc | 6010B | <0.10 | mg/L | 03/02/20 17:00 | 03/03/20 18:32 | -- | 1 | | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference # WST 25001
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | | Matrix | | |
|------------------|------------|------------|-------------------|---------------|----------------|-------|---------------|--------|------|----|
| Method Blank | | | | | | | | Water | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | | Date Analyzed | | Qual | DF |
| MBBV0302203 | Antimony | 6010B | <0.10 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Arsenic | 6010B | <0.040 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Barium | 6010B | <0.020 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Beryllium | 6010B | <0.010 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Cadmium | 6010B | <0.010 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Chromium | 6010B | <0.010 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Cobalt | 6010B | <0.050 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Copper | 6010B | <0.10 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Lead | 6010B | <0.040 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBSR0302201 | Mercury | 7470A | <0.0010 | mg/L | 03/02/20 | 12:30 | 03/02/20 | 17:05 | -- | 1 |
| MBBV0302203 | Molybdenum | 6010B | <0.050 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Nickel | 6010B | <0.020 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Selenium | 6010B | <0.10 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Silver | 6010B | <0.010 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Thallium | 6010B | <0.10 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Vanadium | 6010B | <0.010 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |
| MBBV0302203 | Zinc | 6010B | <0.10 | mg/L | 03/02/20 | 17:00 | 03/03/20 | 18:09 | -- | 1 |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-001

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|-------|-------|------|-------|-----|---------|---------|------------|
| Antimony | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 0.304 | 0.901 | 2 | 5 | 99 | 75-125 | 20 | M2, R2, |
| Arsenic | 02/24/20 17:21 | 02/24/20 17:23 | 230 | 20.0 | 259 | 279 | 145 | 245 | 7 | 75-125 | 20 | M3, |
| Barium | 02/24/20 17:21 | 02/24/20 17:23 | 170 | 20.0 | 253 | 325 | 415 | 775 | 25 | 75-125 | 20 | M3, |
| Beryllium | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 18.7 | 18.7 | 94 | 94 | 0 | 75-125 | 20 | -- |
| Cadmium | 02/24/20 17:21 | 02/24/20 17:23 | 6.30 | 20.0 | 24.8 | 25.0 | 92 | 93 | 1 | 75-125 | 20 | -- |
| Chromium | 02/24/20 17:21 | 02/24/20 17:23 | 31.0 | 20.0 | 44.4 | 43.8 | 67 | 64 | 1 | 75-125 | 20 | M3, |
| Cobalt | 02/24/20 17:21 | 02/24/20 17:23 | 39.0 | 20.0 | 51.9 | 65.2 | 65 | 131 | 23 | 75-125 | 20 | M3, |
| Copper | 02/24/20 17:21 | 02/24/20 17:23 | 120 | 20.0 | 102 | 110 | 0 | 0 | 8 | 75-125 | 20 | M3, |
| Lead | 02/24/20 17:21 | 02/24/20 17:23 | 27.0 | 20.0 | 39.0 | 44.1 | 60 | 85 | 12 | 75-125 | 20 | M3, |
| Molybdenum | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 13.8 | 13.5 | 69 | 68 | 2 | 75-125 | 20 | M2, |
| Nickel | 02/24/20 17:21 | 02/24/20 17:23 | 42.0 | 20.0 | 65.7 | 68.5 | 118 | 133 | 4 | 75-125 | 20 | M3, |
| Selenium | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 15.5 | 17.9 | 78 | 89 | 14 | 75-125 | 20 | -- |
| Silver | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 17.5 | 17.2 | 88 | 86 | 2 | 75-125 | 20 | -- |
| Thallium | 02/24/20 17:21 | 02/24/20 17:23 | 0.00 | 20.0 | 13.3 | 11.3 | 67 | 57 | 16 | 75-125 | 20 | M2, |
| Vanadium | 02/24/20 17:21 | 02/24/20 17:23 | 120 | 20.0 | 163 | 156 | 215 | 180 | 4 | 75-125 | 20 | M3, |
| Zinc | 02/24/20 17:21 | 02/24/20 17:23 | 220 | 20.0 | 189 | 206 | 0 | 0 | 9 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0221201

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 20.4 | 19.7 | 102 | 99 | 3 | 80-120 | 20 | -- |
| Arsenic | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.5 | 19.1 | 98 | 96 | 2 | 80-120 | 20 | -- |
| Barium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.6 | 19.2 | 98 | 96 | 2 | 80-120 | 20 | -- |
| Beryllium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.1 | 18.9 | 96 | 94 | 1 | 80-120 | 20 | -- |
| Cadmium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 20.1 | 19.8 | 101 | 99 | 2 | 80-120 | 20 | -- |
| Chromium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 20.6 | 20.4 | 103 | 102 | 1 | 80-120 | 20 | -- |
| Cobalt | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 21.9 | 21.7 | 109 | 109 | 1 | 80-120 | 20 | -- |
| Copper | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 21.8 | 21.5 | 109 | 108 | 1 | 80-120 | 20 | -- |
| Lead | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 20.5 | 20.6 | 102 | 103 | 0 | 80-120 | 20 | -- |
| Molybdenum | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.2 | 19.1 | 96 | 96 | 1 | 80-120 | 20 | -- |
| Nickel | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 21.8 | 21.7 | 109 | 109 | 0 | 80-120 | 20 | -- |
| Selenium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.2 | 19.2 | 96 | 96 | 0 | 80-120 | 20 | -- |
| Silver | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.3 | 19.3 | 96 | 96 | 0 | 80-120 | 20 | -- |
| Thallium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 20.8 | 20.4 | 104 | 102 | 2 | 80-120 | 20 | -- |
| Vanadium | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 19.3 | 19.0 | 96 | 95 | 2 | 80-120 | 20 | -- |
| Zinc | 02/24/20 16:46 | 02/24/20 16:56 | -- | 20.0 | 22.0 | 21.7 | 110 | 109 | 1 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-021

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 02/24/20 19:16 | 02/24/20 19:23 | 0.00 | 20.0 | 16.3 | 3.51 | 81 | 18 | 129 | 75-125 | 20 | M2, R2, |
| Arsenic | 02/24/20 19:16 | 02/24/20 19:23 | 200 | 20.0 | 229 | 191 | 145 | 0 | 18 | 75-125 | 20 | M3, |
| Barium | 02/24/20 19:16 | 02/24/20 19:23 | 290 | 20.0 | 373 | 361 | 415 | 355 | 3 | 75-125 | 20 | M3, |
| Beryllium | 02/24/20 19:16 | 02/24/20 19:23 | 0.00 | 20.0 | 18.5 | 18.2 | 93 | 91 | 2 | 75-125 | 20 | -- |
| Cadmium | 02/24/20 19:16 | 02/24/20 19:23 | 8.90 | 20.0 | 27.5 | 25.8 | 93 | 84 | 6 | 75-125 | 20 | -- |
| Chromium | 02/24/20 19:16 | 02/24/20 19:23 | 51.0 | 20.0 | 75.6 | 74.9 | 123 | 120 | 1 | 75-125 | 20 | -- |
| Cobalt | 02/24/20 19:16 | 02/24/20 19:23 | 31.0 | 20.0 | 44.8 | 40.6 | 69 | 48 | 10 | 75-125 | 20 | M3, |
| Copper | 02/24/20 19:16 | 02/24/20 19:23 | 230 | 20.0 | 226 | 187 | 0 | 0 | 19 | 75-125 | 20 | M3, |
| Lead | 02/24/20 19:16 | 02/24/20 19:23 | 610 | 20.0 | 827 | 639 | 1085 | 145 | 26 | 75-125 | 20 | M3, |
| Molybdenum | 02/24/20 19:16 | 02/24/20 19:23 | 0.00 | 20.0 | 15.7 | 15.4 | 78 | 77 | 2 | 75-125 | 20 | -- |
| Nickel | 02/24/20 19:16 | 02/24/20 19:23 | 130 | 20.0 | 163 | 139 | 165 | 45 | 16 | 75-125 | 20 | M3, |
| Selenium | 02/24/20 19:16 | 02/24/20 19:23 | 0.00 | 20.0 | 19.9 | 16.3 | 99 | 81 | 20 | 75-125 | 20 | -- |
| Silver | 02/24/20 19:16 | 02/24/20 19:23 | 0.930 | 20.0 | 19.1 | 19.4 | 91 | 92 | 2 | 75-125 | 20 | -- |
| Thallium | 02/24/20 19:16 | 02/24/20 19:23 | 0.00 | 20.0 | 11.1 | 10.7 | 56 | 53 | 4 | 75-125 | 20 | M2, |
| Vanadium | 02/24/20 19:16 | 02/24/20 19:23 | 83.0 | 20.0 | 120 | 109 | 185 | 130 | 10 | 75-125 | 20 | M3, |
| Zinc | 02/24/20 19:16 | 02/24/20 19:23 | 670 | 20.0 | 827 | 661 | 785 | 0 | 22 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0221202

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.5 | 19.7 | 98 | 99 | 1 | 80-120 | 20 | -- |
| Arsenic | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.7 | 19.0 | 94 | 95 | 2 | 80-120 | 20 | -- |
| Barium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.7 | 18.7 | 94 | 94 | 0 | 80-120 | 20 | -- |
| Beryllium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.6 | 18.4 | 93 | 92 | 1 | 80-120 | 20 | -- |
| Cadmium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.3 | 19.2 | 96 | 96 | 1 | 80-120 | 20 | -- |
| Chromium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.7 | 19.8 | 99 | 99 | 1 | 80-120 | 20 | -- |
| Cobalt | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 21.3 | 21.2 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Copper | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 20.9 | 20.8 | 104 | 104 | 0 | 80-120 | 20 | -- |
| Lead | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.9 | 20.0 | 99 | 100 | 1 | 80-120 | 20 | -- |
| Molybdenum | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.9 | 18.6 | 94 | 93 | 2 | 80-120 | 20 | -- |
| Nickel | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 21.1 | 21.1 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Selenium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.6 | 19.0 | 98 | 95 | 3 | 80-120 | 20 | -- |
| Silver | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.5 | 18.6 | 93 | 93 | 1 | 80-120 | 20 | -- |
| Thallium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 19.7 | 19.6 | 99 | 98 | 1 | 80-120 | 20 | -- |
| Vanadium | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 18.4 | 18.5 | 92 | 93 | 1 | 80-120 | 20 | -- |
| Zinc | 02/24/20 17:04 | 02/24/20 17:07 | -- | 20.0 | 21.0 | 20.9 | 105 | 104 | 0 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-041

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|-------|------|-------|-----|---------|---------|------------|
| Antimony | 02/24/20 21:11 | 02/24/20 21:14 | 0.00 | 20.0 | 1.16 | 0.704 | 6 | 4 | 49 | 75-125 | 20 | M2, R2, |
| Arsenic | 02/24/20 21:11 | 02/24/20 21:14 | 66.0 | 20.0 | 74.6 | 71.5 | 43 | 28 | 4 | 75-125 | 20 | M3, |
| Barium | 02/24/20 21:11 | 02/24/20 21:14 | 120 | 20.0 | 136 | 147 | 80 | 135 | 8 | 75-125 | 20 | M3, |
| Beryllium | 02/24/20 21:11 | 02/24/20 21:14 | 0.63 | 20.0 | 18.2 | 18.1 | 88 | 87 | 1 | 75-125 | 20 | -- |
| Cadmium | 02/24/20 21:11 | 02/24/20 21:14 | 2.20 | 20.0 | 19.8 | 20.1 | 88 | 90 | 2 | 75-125 | 20 | -- |
| Chromium | 02/24/20 21:11 | 02/24/20 21:14 | 64.0 | 20.0 | 85.7 | 86.8 | 108 | 114 | 1 | 75-125 | 20 | -- |
| Cobalt | 02/24/20 21:11 | 02/24/20 21:14 | 26.0 | 20.0 | 44.7 | 49.5 | 94 | 118 | 10 | 75-125 | 20 | -- |
| Copper | 02/24/20 21:11 | 02/24/20 21:14 | 73.0 | 20.0 | 95.8 | 99.9 | 114 | 135 | 4 | 75-125 | 20 | M3, |
| Lead | 02/24/20 21:11 | 02/24/20 21:14 | 7.10 | 20.0 | 23.8 | 24.4 | 83 | 86 | 2 | 75-125 | 20 | -- |
| Molybdenum | 02/24/20 21:11 | 02/24/20 21:14 | 0.00 | 20.0 | 8.62 | 9.66 | 43 | 48 | 11 | 75-125 | 20 | M2, |
| Nickel | 02/24/20 21:11 | 02/24/20 21:14 | 28.0 | 20.0 | 46.0 | 51.5 | 90 | 118 | 11 | 75-125 | 20 | -- |
| Selenium | 02/24/20 21:11 | 02/24/20 21:14 | 0.00 | 20.0 | 13.4 | 15.1 | 67 | 76 | 12 | 75-125 | 20 | M2, |
| Silver | 02/24/20 21:11 | 02/24/20 21:14 | 0.00 | 20.0 | 16.0 | 15.8 | 80 | 79 | 1 | 75-125 | 20 | -- |
| Thallium | 02/24/20 21:11 | 02/24/20 21:14 | 0.00 | 20.0 | 8.63 | 8.42 | 43 | 42 | 2 | 75-125 | 20 | M2, |
| Vanadium | 02/24/20 21:11 | 02/24/20 21:14 | 110 | 20.0 | 134 | 134 | 120 | 120 | 0 | 75-125 | 20 | -- |
| Zinc | 02/24/20 21:11 | 02/24/20 21:14 | 62.0 | 20.0 | 85.2 | 85.3 | 116 | 117 | 0 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0221203

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 19.7 | 19.2 | 99 | 96 | 3 | 80-120 | 20 | -- |
| Arsenic | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.7 | 18.8 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Barium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.6 | 19.1 | 93 | 96 | 3 | 80-120 | 20 | -- |
| Beryllium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.7 | 19.0 | 94 | 95 | 2 | 80-120 | 20 | -- |
| Cadmium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 19.2 | 19.4 | 96 | 97 | 1 | 80-120 | 20 | -- |
| Chromium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 19.5 | 20.2 | 98 | 101 | 4 | 80-120 | 20 | -- |
| Cobalt | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 21.1 | 21.2 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Copper | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 20.6 | 21.4 | 103 | 107 | 4 | 80-120 | 20 | -- |
| Lead | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 19.8 | 19.9 | 99 | 99 | 1 | 80-120 | 20 | -- |
| Molybdenum | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.5 | 18.8 | 93 | 94 | 2 | 80-120 | 20 | -- |
| Nickel | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 20.9 | 21.1 | 104 | 106 | 1 | 80-120 | 20 | -- |
| Selenium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.6 | 18.1 | 93 | 91 | 3 | 80-120 | 20 | -- |
| Silver | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.5 | 19.1 | 93 | 96 | 3 | 80-120 | 20 | -- |
| Thallium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 19.5 | 19.6 | 98 | 98 | 1 | 80-120 | 20 | -- |
| Vanadium | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 18.3 | 18.9 | 91 | 94 | 3 | 80-120 | 20 | -- |
| Zinc | 02/24/20 17:13 | 02/24/20 17:16 | -- | 20.0 | 20.7 | 20.5 | 104 | 102 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-001

Date of Extraction: 02/21/20 16:12

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 02/24/20 10:58 | 02/24/20 11:00 | 0.12 | 1.00 | 1.31 | 1.22 | 119 | 110 | 7 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0221201

Date of Extraction: 02/21/20 16:12

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 02/24/20 10:53 | 02/24/20 10:55 | -- | 1.00 | 1.02 | 1.03 | 102 | 103 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-021

Date of Extraction: 02/21/20 16:12

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 02/24/20 17:12 | 02/24/20 17:15 | 2.30 | 1.00 | 4.09 | 3.57 | 179 | 127 | 14 | 80-120 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0221202

Date of Extraction: 02/21/20 16:12

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 02/24/20 12:08 | 02/24/20 12:13 | -- | 1.00 | 1.15 | 1.16 | 115 | 116 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-041

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 02/24/20 13:16 | 02/24/20 13:17 | 0.16 | 1.00 | 1.34 | 1.27 | 118 | 111 | 5 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0221203

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 02/24/20 13:10 | 02/24/20 13:12 | -- | 1.00 | 1.09 | 1.11 | 109 | 111 | 2 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-061

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 02/27/20 12:53 | 02/27/20 12:51 | 0.76 | 1.00 | 1.74 | 1.70 | 98 | 94 | 2 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0221204

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 02/27/20 12:48 | 02/27/20 12:50 | -- | 1.00 | 1.09 | 1.09 | 109 | 109 | 0 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-081

Date of Extraction: 02/21/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 02/27/20 13:39 | 02/27/20 13:41 | 0.00 | 1.00 | 1.15 | 1.17 | 115 | 117 | 2 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0221205

Date of Extraction: 02/21/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 02/27/20 12:48 | 02/27/20 12:50 | -- | 1.00 | 1.08 | 1.09 | 108 | 109 | 1 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-061

Date of Extraction: 02/22/20 07:30

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 02/25/20 13:52 | 02/25/20 13:54 | 0.00 | 20.0 | 3.11 | 3.14 | 16 | 16 | 1 | 75-125 | 20 | M2, |
| Arsenic | 02/25/20 13:52 | 02/25/20 13:54 | 53.0 | 20.0 | 63.7 | 66.2 | 54 | 66 | 4 | 75-125 | 20 | M3, |
| Barium | 02/25/20 13:52 | 02/25/20 13:54 | 110 | 20.0 | 130 | 124 | 100 | 70 | 5 | 75-125 | 20 | M3, |
| Beryllium | 02/25/20 13:52 | 02/25/20 13:54 | 0.53 | 20.0 | 19.2 | 19.1 | 93 | 93 | 1 | 75-125 | 20 | -- |
| Cadmium | 02/25/20 13:52 | 02/25/20 13:54 | 1.70 | 20.0 | 19.4 | 19.4 | 88 | 88 | 0 | 75-125 | 20 | -- |
| Chromium | 02/25/20 13:52 | 02/25/20 13:54 | 34.0 | 20.0 | 48.4 | 49.3 | 72 | 76 | 2 | 75-125 | 20 | M3, |
| Cobalt | 02/25/20 13:52 | 02/25/20 13:54 | 17.0 | 20.0 | 34.6 | 35.9 | 88 | 95 | 4 | 75-125 | 20 | -- |
| Copper | 02/25/20 13:52 | 02/25/20 13:54 | 54.0 | 20.0 | 69.4 | 70.9 | 77 | 85 | 2 | 75-125 | 20 | -- |
| Lead | 02/25/20 13:52 | 02/25/20 13:54 | 13.0 | 20.0 | 30.9 | 30.4 | 89 | 87 | 2 | 75-125 | 20 | -- |
| Molybdenum | 02/25/20 13:52 | 02/25/20 13:54 | 0.00 | 20.0 | 15.4 | 15.1 | 77 | 76 | 2 | 75-125 | 20 | -- |
| Nickel | 02/25/20 13:52 | 02/25/20 13:54 | 33.0 | 20.0 | 53.1 | 52.6 | 100 | 98 | 1 | 75-125 | 20 | -- |
| Selenium | 02/25/20 13:52 | 02/25/20 13:54 | 0.00 | 20.0 | 14.9 | 17.3 | 74 | 86 | 15 | 75-125 | 20 | -- |
| Silver | 02/25/20 13:52 | 02/25/20 13:54 | 0.00 | 20.0 | 17.2 | 17.1 | 86 | 86 | 1 | 75-125 | 20 | -- |
| Thallium | 02/25/20 13:52 | 02/25/20 13:54 | 0.00 | 20.0 | 15.2 | 15.4 | 76 | 77 | 1 | 75-125 | 20 | -- |
| Vanadium | 02/25/20 13:52 | 02/25/20 13:54 | 54.0 | 20.0 | 65.5 | 67.2 | 57 | 66 | 3 | 75-125 | 20 | M3, |
| Zinc | 02/25/20 13:52 | 02/25/20 13:54 | 61.0 | 20.0 | 89.2 | 84.6 | 141 | 118 | 5 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0222201

Date of Extraction: 02/22/20 07:30

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.9 | 19.3 | 99 | 96 | 3 | 80-120 | 20 | -- |
| Arsenic | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.2 | 18.9 | 96 | 94 | 2 | 80-120 | 20 | -- |
| Barium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 18.6 | 18.5 | 93 | 93 | 1 | 80-120 | 20 | -- |
| Beryllium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 18.9 | 19.1 | 94 | 96 | 1 | 80-120 | 20 | -- |
| Cadmium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.5 | 19.3 | 98 | 96 | 1 | 80-120 | 20 | -- |
| Chromium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.8 | 19.8 | 99 | 99 | 0 | 80-120 | 20 | -- |
| Cobalt | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 21.3 | 21.2 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Copper | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 21.2 | 21.2 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Lead | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.8 | 19.5 | 99 | 98 | 2 | 80-120 | 20 | -- |
| Molybdenum | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 18.7 | 18.7 | 94 | 94 | 0 | 80-120 | 20 | -- |
| Nickel | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 20.7 | 20.6 | 104 | 103 | 0 | 80-120 | 20 | -- |
| Selenium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 17.7 | 18.2 | 89 | 91 | 3 | 80-120 | 20 | -- |
| Silver | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 18.9 | 18.9 | 94 | 94 | 0 | 80-120 | 20 | -- |
| Thallium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 19.4 | 19.3 | 97 | 96 | 1 | 80-120 | 20 | -- |
| Vanadium | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 18.3 | 18.4 | 91 | 92 | 1 | 80-120 | 20 | -- |
| Zinc | 02/25/20 13:44 | 02/25/20 13:47 | -- | 20.0 | 21.9 | 21.0 | 109 | 105 | 4 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-081

Date of Extraction: 02/22/20 08:30

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 02/25/20 15:27 | 02/25/20 15:29 | 0.00 | 20.0 | 2.70 | 2.39 | 14 | 12 | 12 | 75-125 | 20 | M2, |
| Arsenic | 02/25/20 15:27 | 02/25/20 15:29 | 18.0 | 20.0 | 37.0 | 31.8 | 95 | 69 | 15 | 75-125 | 20 | M3, |
| Barium | 02/25/20 15:27 | 02/25/20 15:29 | 98.0 | 20.0 | 103 | 111 | 25 | 65 | 7 | 75-125 | 20 | M3, |
| Beryllium | 02/25/20 15:27 | 02/25/20 15:29 | 0.00 | 20.0 | 17.5 | 17.7 | 88 | 89 | 1 | 75-125 | 20 | -- |
| Cadmium | 02/25/20 15:27 | 02/25/20 15:29 | 0.83 | 20.0 | 17.1 | 17.6 | 81 | 84 | 3 | 75-125 | 20 | -- |
| Chromium | 02/25/20 15:27 | 02/25/20 15:29 | 36.0 | 20.0 | 48.8 | 45.7 | 64 | 49 | 7 | 75-125 | 20 | M3, |
| Cobalt | 02/25/20 15:27 | 02/25/20 15:29 | 15.0 | 20.0 | 28.1 | 34.7 | 66 | 99 | 21 | 75-125 | 20 | M3, |
| Copper | 02/25/20 15:27 | 02/25/20 15:29 | 53.0 | 20.0 | 74.5 | 62.7 | 108 | 49 | 17 | 75-125 | 20 | M3, |
| Lead | 02/25/20 15:27 | 02/25/20 15:29 | 12.0 | 20.0 | 29.3 | 29.3 | 86 | 86 | 0 | 75-125 | 20 | -- |
| Molybdenum | 02/25/20 15:27 | 02/25/20 15:29 | 2.00 | 20.0 | 15.9 | 15.9 | 69 | 69 | 0 | 75-125 | 20 | M2, |
| Nickel | 02/25/20 15:27 | 02/25/20 15:29 | 30.0 | 20.0 | 47.5 | 47.0 | 88 | 85 | 1 | 75-125 | 20 | -- |
| Selenium | 02/25/20 15:27 | 02/25/20 15:29 | 0.00 | 20.0 | 14.4 | 14.3 | 72 | 72 | 1 | 75-125 | 20 | M2, |
| Silver | 02/25/20 15:27 | 02/25/20 15:29 | 0.00 | 20.0 | 16.0 | 16.2 | 80 | 81 | 1 | 75-125 | 20 | -- |
| Thallium | 02/25/20 15:27 | 02/25/20 15:29 | 0.00 | 20.0 | 14.4 | 14.5 | 72 | 73 | 1 | 75-125 | 20 | M2, |
| Vanadium | 02/25/20 15:27 | 02/25/20 15:29 | 43.0 | 20.0 | 58.5 | 53.6 | 78 | 53 | 9 | 75-125 | 20 | M3, |
| Zinc | 02/25/20 15:27 | 02/25/20 15:29 | 63.0 | 20.0 | 82.5 | 78.3 | 98 | 77 | 5 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0222202

Date of Extraction: 02/22/20 08:30

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 19.5 | 19.6 | 98 | 98 | 1 | 80-120 | 20 | -- |
| Arsenic | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.8 | 19.3 | 94 | 96 | 3 | 80-120 | 20 | -- |
| Barium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.4 | 18.9 | 92 | 94 | 3 | 80-120 | 20 | -- |
| Beryllium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.6 | 18.8 | 93 | 94 | 1 | 80-120 | 20 | -- |
| Cadmium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 19.0 | 19.5 | 95 | 98 | 3 | 80-120 | 20 | -- |
| Chromium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 19.6 | 19.9 | 98 | 99 | 2 | 80-120 | 20 | -- |
| Cobalt | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 20.9 | 21.3 | 104 | 106 | 2 | 80-120 | 20 | -- |
| Copper | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 20.8 | 21.1 | 104 | 106 | 1 | 80-120 | 20 | -- |
| Lead | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.9 | 19.4 | 94 | 97 | 3 | 80-120 | 20 | -- |
| Molybdenum | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.3 | 18.8 | 91 | 94 | 3 | 80-120 | 20 | -- |
| Nickel | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 20.2 | 20.9 | 101 | 104 | 3 | 80-120 | 20 | -- |
| Selenium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 17.8 | 17.8 | 89 | 89 | 0 | 80-120 | 20 | -- |
| Silver | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.8 | 19.0 | 94 | 95 | 1 | 80-120 | 20 | -- |
| Thallium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 19.2 | 19.6 | 96 | 98 | 2 | 80-120 | 20 | -- |
| Vanadium | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 18.0 | 18.3 | 90 | 91 | 2 | 80-120 | 20 | -- |
| Zinc | 02/25/20 15:20 | 02/25/20 15:22 | -- | 20.0 | 21.5 | 22.1 | 108 | 111 | 3 | 80-120 | 20 | -- |

QA/QC Report for Metals

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-101

Date of Extraction: 02/25/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 02/25/20 16:50 | 02/25/20 16:53 | 0.00 | 20.0 | 2.78 | 2.83 | 14 | 14 | 2 | 75-125 | 20 | M2, |
| Arsenic | 02/25/20 16:50 | 02/25/20 16:53 | 5.40 | 20.0 | 22.6 | 21.4 | 86 | 80 | 5 | 75-125 | 20 | -- |
| Barium | 02/25/20 16:50 | 02/25/20 16:53 | 90.0 | 20.0 | 109 | 112 | 95 | 110 | 3 | 75-125 | 20 | -- |
| Beryllium | 02/25/20 16:50 | 02/25/20 16:53 | 0.84 | 20.0 | 17.9 | 17.8 | 85 | 85 | 1 | 75-125 | 20 | -- |
| Cadmium | 02/25/20 16:50 | 02/25/20 16:53 | 0.83 | 20.0 | 17.9 | 17.9 | 85 | 85 | 0 | 75-125 | 20 | -- |
| Chromium | 02/25/20 16:50 | 02/25/20 16:53 | 60.0 | 20.0 | 79.6 | 72.5 | 98 | 63 | 9 | 75-125 | 20 | M3, |
| Cobalt | 02/25/20 16:50 | 02/25/20 16:53 | 29.0 | 20.0 | 46.7 | 46.9 | 89 | 90 | 0 | 75-125 | 20 | -- |
| Copper | 02/25/20 16:50 | 02/25/20 16:53 | 94.0 | 20.0 | 114 | 110 | 100 | 80 | 4 | 75-125 | 20 | -- |
| Lead | 02/25/20 16:50 | 02/25/20 16:53 | 5.40 | 20.0 | 21.0 | 20.4 | 78 | 75 | 3 | 75-125 | 20 | -- |
| Molybdenum | 02/25/20 16:50 | 02/25/20 16:53 | 0.00 | 20.0 | 11.8 | 12.2 | 59 | 61 | 3 | 75-125 | 20 | M2, |
| Nickel | 02/25/20 16:50 | 02/25/20 16:53 | 28.0 | 20.0 | 43.8 | 43.6 | 79 | 78 | 0 | 75-125 | 20 | -- |
| Selenium | 02/25/20 16:50 | 02/25/20 16:53 | 0.00 | 20.0 | 14.6 | 14.3 | 73 | 72 | 2 | 75-125 | 20 | M2, |
| Silver | 02/25/20 16:50 | 02/25/20 16:53 | 0.00 | 20.0 | 15.8 | 15.7 | 79 | 78 | 1 | 75-125 | 20 | -- |
| Thallium | 02/25/20 16:50 | 02/25/20 16:53 | 0.00 | 20.0 | 1.90 | 1.20 | 9 | 6 | 45 | 75-125 | 20 | M2, R2, |
| Vanadium | 02/25/20 16:50 | 02/25/20 16:53 | 160 | 20.0 | 174 | 173 | 70 | 65 | 1 | 75-125 | 20 | M3, |
| Zinc | 02/25/20 16:50 | 02/25/20 16:53 | 59.0 | 20.0 | 77.9 | 73.2 | 95 | 71 | 6 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225201

Date of Extraction: 02/25/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.9 | 18.7 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Arsenic | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.6 | 18.8 | 93 | 94 | 1 | 80-120 | 20 | -- |
| Barium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.2 | 18.4 | 91 | 92 | 1 | 80-120 | 20 | -- |
| Beryllium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.3 | 18.5 | 91 | 93 | 1 | 80-120 | 20 | -- |
| Cadmium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 19.0 | 19.2 | 95 | 96 | 1 | 80-120 | 20 | -- |
| Chromium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 19.1 | 19.4 | 96 | 97 | 2 | 80-120 | 20 | -- |
| Cobalt | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 20.8 | 20.9 | 104 | 104 | 0 | 80-120 | 20 | -- |
| Copper | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 20.3 | 20.6 | 101 | 103 | 1 | 80-120 | 20 | -- |
| Lead | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.8 | 19.1 | 94 | 96 | 2 | 80-120 | 20 | -- |
| Molybdenum | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.2 | 18.5 | 91 | 93 | 2 | 80-120 | 20 | -- |
| Nickel | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 20.1 | 20.4 | 101 | 102 | 1 | 80-120 | 20 | -- |
| Selenium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 17.3 | 17.0 | 86 | 85 | 2 | 80-120 | 20 | -- |
| Silver | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.5 | 18.7 | 93 | 94 | 1 | 80-120 | 20 | -- |
| Thallium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 18.8 | 19.0 | 94 | 95 | 1 | 80-120 | 20 | -- |
| Vanadium | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 17.6 | 17.8 | 88 | 89 | 1 | 80-120 | 20 | -- |
| Zinc | 02/25/20 16:38 | 02/25/20 16:46 | -- | 20.0 | 20.5 | 20.9 | 102 | 104 | 2 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-121

Date of Extraction: 02/25/20 10:15

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 11:32 | 03/03/20 11:34 | 0.00 | 20.0 | 3.08 | 2.30 | 15 | 11 | 29 | 75-125 | 20 | M2, R2, |
| Arsenic | 03/03/20 11:32 | 03/03/20 11:34 | 4.90 | 20.0 | 21.5 | 22.4 | 83 | 87 | 4 | 75-125 | 20 | -- |
| Barium | 03/03/20 11:32 | 03/03/20 11:34 | 28.0 | 20.0 | 48.2 | 47.6 | 101 | 98 | 1 | 75-125 | 20 | -- |
| Beryllium | 03/03/20 11:32 | 03/03/20 11:34 | 0.90 | 20.0 | 19.6 | 19.5 | 94 | 93 | 1 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 11:32 | 03/03/20 11:34 | 0.82 | 20.0 | 19.5 | 19.0 | 93 | 91 | 3 | 75-125 | 20 | -- |
| Chromium | 03/03/20 11:32 | 03/03/20 11:34 | 110 | 20.0 | 138 | 135 | 140 | 125 | 2 | 75-125 | 20 | M3, |
| Cobalt | 03/03/20 11:32 | 03/03/20 11:34 | 33.0 | 20.0 | 48.4 | 53.9 | 77 | 105 | 11 | 75-125 | 20 | -- |
| Copper | 03/03/20 11:32 | 03/03/20 11:34 | 96.0 | 20.0 | 118 | 116 | 110 | 100 | 2 | 75-125 | 20 | -- |
| Lead | 03/03/20 11:32 | 03/03/20 11:34 | 3.70 | 20.0 | 22.2 | 22.1 | 93 | 92 | 0 | 75-125 | 20 | -- |
| Molybdenum | 03/03/20 11:32 | 03/03/20 11:34 | 0.00 | 20.0 | 13.0 | 12.3 | 65 | 62 | 6 | 75-125 | 20 | M2, |
| Nickel | 03/03/20 11:32 | 03/03/20 11:34 | 49.0 | 20.0 | 63.9 | 68.8 | 75 | 99 | 7 | 75-125 | 20 | -- |
| Selenium | 03/03/20 11:32 | 03/03/20 11:34 | 0.00 | 20.0 | 15.6 | 16.4 | 78 | 82 | 5 | 75-125 | 20 | -- |
| Silver | 03/03/20 11:32 | 03/03/20 11:34 | 0.00 | 20.0 | 16.7 | 16.7 | 84 | 84 | 0 | 75-125 | 20 | -- |
| Thallium | 03/03/20 11:32 | 03/03/20 11:34 | 0.00 | 20.0 | 6.04 | 6.30 | 30 | 32 | 4 | 75-125 | 20 | M2, |
| Vanadium | 03/03/20 11:32 | 03/03/20 11:34 | 180 | 20.0 | 208 | 205 | 140 | 125 | 1 | 75-125 | 20 | M3, |
| Zinc | 03/03/20 11:32 | 03/03/20 11:34 | 60.0 | 20.0 | 78.4 | 77.5 | 92 | 88 | 1 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225206

Date of Extraction: 02/25/20 10:15

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 21.0 | 21.7 | 105 | 109 | 3 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 19.6 | 20.0 | 98 | 100 | 2 | 80-120 | 20 | -- |
| Barium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 19.9 | 20.3 | 99 | 101 | 2 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 19.8 | 20.2 | 99 | 101 | 2 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 20.0 | 20.5 | 100 | 102 | 2 | 80-120 | 20 | -- |
| Chromium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 20.6 | 21.0 | 103 | 105 | 2 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 21.9 | 22.6 | 109 | 113 | 3 | 80-120 | 20 | -- |
| Copper | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 22.3 | 22.8 | 111 | 114 | 2 | 80-120 | 20 | -- |
| Lead | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 20.0 | 20.7 | 100 | 104 | 3 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 18.9 | 19.5 | 94 | 98 | 3 | 80-120 | 20 | -- |
| Nickel | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 21.6 | 22.2 | 108 | 111 | 3 | 80-120 | 20 | -- |
| Selenium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 18.7 | 18.5 | 94 | 93 | 1 | 80-120 | 20 | -- |
| Silver | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 19.3 | 19.6 | 96 | 98 | 2 | 80-120 | 20 | -- |
| Thallium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 20.7 | 21.4 | 104 | 107 | 3 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 19.5 | 19.9 | 98 | 99 | 2 | 80-120 | 20 | -- |
| Zinc | 03/03/20 11:19 | 03/03/20 11:22 | -- | 20.0 | 21.1 | 21.9 | 106 | 109 | 4 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-141

Date of Extraction: 02/25/20 10:15

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 5.29 | 5.23 | 26 | 26 | 1 | 75-125 | 20 | M2, |
| Arsenic | 03/03/20 12:44 | 03/03/20 12:46 | 81.0 | 20.0 | 95.6 | 89.8 | 73 | 44 | 6 | 75-125 | 20 | M3, |
| Barium | 03/03/20 12:44 | 03/03/20 12:46 | 71.0 | 20.0 | 85.2 | 89.1 | 71 | 90 | 4 | 75-125 | 20 | M3, |
| Beryllium | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 19.8 | 19.6 | 99 | 98 | 1 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 12:44 | 03/03/20 12:46 | 2.20 | 20.0 | 21.6 | 21.2 | 97 | 95 | 2 | 75-125 | 20 | -- |
| Chromium | 03/03/20 12:44 | 03/03/20 12:46 | 32.0 | 20.0 | 54.3 | 53.5 | 111 | 108 | 1 | 75-125 | 20 | -- |
| Cobalt | 03/03/20 12:44 | 03/03/20 12:46 | 19.0 | 20.0 | 36.9 | 36.6 | 90 | 88 | 1 | 75-125 | 20 | -- |
| Copper | 03/03/20 12:44 | 03/03/20 12:46 | 77.0 | 20.0 | 93.5 | 94.8 | 83 | 89 | 1 | 75-125 | 20 | -- |
| Lead | 03/03/20 12:44 | 03/03/20 12:46 | 79.0 | 20.0 | 123 | 94.4 | 220 | 77 | 26 | 75-125 | 20 | M3, |
| Molybdenum | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 16.3 | 16.0 | 81 | 80 | 2 | 75-125 | 20 | -- |
| Nickel | 03/03/20 12:44 | 03/03/20 12:46 | 46.0 | 20.0 | 65.0 | 64.4 | 95 | 92 | 1 | 75-125 | 20 | -- |
| Selenium | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 17.0 | 17.7 | 85 | 89 | 4 | 75-125 | 20 | -- |
| Silver | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 17.6 | 17.6 | 88 | 88 | 0 | 75-125 | 20 | -- |
| Thallium | 03/03/20 12:44 | 03/03/20 12:46 | 0.00 | 20.0 | 15.7 | 15.5 | 78 | 78 | 1 | 75-125 | 20 | -- |
| Vanadium | 03/03/20 12:44 | 03/03/20 12:46 | 46.0 | 20.0 | 65.6 | 65.9 | 98 | 100 | 0 | 75-125 | 20 | -- |
| Zinc | 03/03/20 12:44 | 03/03/20 12:46 | 110 | 20.0 | 121 | 124 | 55 | 70 | 2 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225207

Date of Extraction: 02/25/20 10:15

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 21.7 | 21.4 | 109 | 107 | 1 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.4 | 20.4 | 102 | 102 | 0 | 80-120 | 20 | -- |
| Barium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.4 | 20.0 | 102 | 100 | 2 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.0 | 19.8 | 100 | 99 | 1 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.9 | 20.8 | 104 | 104 | 0 | 80-120 | 20 | -- |
| Chromium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 21.0 | 20.7 | 105 | 104 | 1 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 22.5 | 22.4 | 113 | 112 | 0 | 80-120 | 20 | -- |
| Copper | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 22.5 | 22.1 | 113 | 111 | 2 | 80-120 | 20 | -- |
| Lead | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.4 | 20.6 | 102 | 103 | 1 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 19.1 | 19.0 | 96 | 95 | 1 | 80-120 | 20 | -- |
| Nickel | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 22.4 | 22.1 | 112 | 111 | 1 | 80-120 | 20 | -- |
| Selenium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 20.3 | 21.5 | 101 | 108 | 6 | 80-120 | 20 | -- |
| Silver | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 19.9 | 19.6 | 99 | 98 | 2 | 80-120 | 20 | -- |
| Thallium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 21.0 | 20.7 | 105 | 104 | 1 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 19.7 | 19.4 | 99 | 97 | 2 | 80-120 | 20 | -- |
| Zinc | 03/03/20 12:36 | 03/03/20 12:39 | -- | 20.0 | 22.9 | 22.7 | 114 | 114 | 1 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-161

Date of Extraction: 02/25/20 10:30

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 14:08 | 03/03/20 14:11 | 0.00 | 20.0 | 2.44 | 1.53 | 12 | 8 | 46 | 75-125 | 20 | M2, R2, |
| Arsenic | 03/03/20 14:08 | 03/03/20 14:11 | 41.0 | 20.0 | 59.5 | 54.7 | 93 | 69 | 8 | 75-125 | 20 | M3, |
| Barium | 03/03/20 14:08 | 03/03/20 14:11 | 110 | 20.0 | 129 | 134 | 95 | 120 | 4 | 75-125 | 20 | -- |
| Beryllium | 03/03/20 14:08 | 03/03/20 14:11 | 0.620 | 20.0 | 18.4 | 17.9 | 89 | 86 | 3 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 14:08 | 03/03/20 14:11 | 1.30 | 20.0 | 18.8 | 18.6 | 87 | 87 | 1 | 75-125 | 20 | -- |
| Chromium | 03/03/20 14:08 | 03/03/20 14:11 | 58.0 | 20.0 | 69.3 | 78.9 | 57 | 105 | 13 | 75-125 | 20 | M3, |
| Cobalt | 03/03/20 14:08 | 03/03/20 14:11 | 24.0 | 20.0 | 39.2 | 41.4 | 76 | 87 | 5 | 75-125 | 20 | -- |
| Copper | 03/03/20 14:08 | 03/03/20 14:11 | 70.0 | 20.0 | 83.7 | 90.6 | 68 | 103 | 8 | 75-125 | 20 | M3, |
| Lead | 03/03/20 14:08 | 03/03/20 14:11 | 12.0 | 20.0 | 30.8 | 28.8 | 94 | 84 | 7 | 75-125 | 20 | -- |
| Molybdenum | 03/03/20 14:08 | 03/03/20 14:11 | 0.00 | 20.0 | 10.5 | 9.79 | 53 | 49 | 7 | 75-125 | 20 | M2, |
| Nickel | 03/03/20 14:08 | 03/03/20 14:11 | 27.0 | 20.0 | 42.3 | 43.8 | 76 | 84 | 3 | 75-125 | 20 | -- |
| Selenium | 03/03/20 14:08 | 03/03/20 14:11 | 0.00 | 20.0 | 13.3 | 13.7 | 67 | 68 | 3 | 75-125 | 20 | M2, |
| Silver | 03/03/20 14:08 | 03/03/20 14:11 | 0.00 | 20.0 | 15.6 | 15.4 | 78 | 77 | 1 | 75-125 | 20 | -- |
| Thallium | 03/03/20 14:08 | 03/03/20 14:11 | 0.00 | 20.0 | 13.0 | 12.6 | 65 | 63 | 3 | 75-125 | 20 | M2, |
| Vanadium | 03/03/20 14:08 | 03/03/20 14:11 | 100 | 20.0 | 111 | 124 | 55 | 120 | 11 | 75-125 | 20 | M3, |
| Zinc | 03/03/20 14:08 | 03/03/20 14:11 | 56.0 | 20.0 | 72.0 | 74.6 | 80 | 93 | 4 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225208

Date of Extraction: 02/25/20 10:30

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 20.2 | 20.6 | 101 | 103 | 2 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.1 | 18.9 | 96 | 94 | 1 | 80-120 | 20 | -- |
| Barium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.6 | 19.7 | 98 | 99 | 1 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.0 | 19.2 | 95 | 96 | 1 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.6 | 19.7 | 98 | 99 | 1 | 80-120 | 20 | -- |
| Chromium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.8 | 20.1 | 99 | 101 | 2 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 21.4 | 21.5 | 107 | 108 | 0 | 80-120 | 20 | -- |
| Copper | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 21.7 | 21.9 | 109 | 109 | 1 | 80-120 | 20 | -- |
| Lead | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.7 | 19.6 | 99 | 98 | 1 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 18.4 | 18.6 | 92 | 93 | 1 | 80-120 | 20 | -- |
| Nickel | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 21.1 | 21.2 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Selenium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 18.8 | 17.3 | 94 | 86 | 8 | 80-120 | 20 | -- |
| Silver | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 18.7 | 19.1 | 94 | 96 | 2 | 80-120 | 20 | -- |
| Thallium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 19.9 | 19.8 | 99 | 99 | 1 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 18.7 | 18.9 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Zinc | 03/03/20 14:01 | 03/03/20 14:03 | -- | 20.0 | 22.1 | 21.3 | 111 | 106 | 4 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-121

Date of Extraction: 02/25/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/02/20 11:02 | 03/02/20 11:04 | 0.00 | 1.00 | 1.28 | 1.30 | 128 | 130 | 2 | 80-120 | 20 | M1, |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225203

Date of Extraction: 02/25/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/02/20 10:54 | 03/02/20 10:55 | -- | 1.00 | 1.04 | 1.04 | 104 | 104 | 0 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-141

Date of Extraction: 02/25/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/05/20 09:34 | 03/05/20 09:35 | 0.720 | 1.00 | 1.93 | 1.95 | 121 | 123 | 1 | 80-120 | 20 | M1, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225204

Date of Extraction: 02/25/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/02/20 11:48 | 03/02/20 11:50 | -- | 1.00 | 1.15 | 1.15 | 115 | 115 | 0 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-161

Date of Extraction: 02/25/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/05/20 09:44 | 03/05/20 09:46 | 0.740 | 1.00 | 1.32 | 1.83 | 58 | 109 | 32 | 80-120 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0225205

Date of Extraction: 02/25/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/05/20 09:39 | 03/05/20 09:41 | -- | 1.00 | 1.02 | 1.03 | 102 | 103 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-101

Date of Extraction: 02/25/20 16:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/02/20 10:08 | 03/02/20 10:10 | 0.00 | 1.00 | 1.29 | 1.31 | 129 | 131 | 2 | 80-120 | 20 | M1, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0225206

Date of Extraction: 02/25/20 16:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/02/20 10:00 | 03/02/20 10:05 | -- | 1.00 | 1.20 | 1.05 | 120 | 105 | 13 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-181

Date of Extraction: 02/28/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 15:23 | 03/03/20 15:31 | 0.00 | 20.0 | 1.97 | 1.58 | 10 | 8 | 22 | 75-125 | 20 | M2, R2, |
| Arsenic | 03/03/20 15:23 | 03/03/20 15:31 | 100 | 20.0 | 106 | 107 | 30 | 35 | 1 | 75-125 | 20 | M3, |
| Barium | 03/03/20 15:23 | 03/03/20 15:31 | 170 | 20.0 | 131 | 112 | 0 | 0 | 16 | 75-125 | 20 | M3, |
| Beryllium | 03/03/20 15:23 | 03/03/20 15:31 | 0.560 | 20.0 | 18.4 | 17.8 | 89 | 86 | 3 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 15:23 | 03/03/20 15:31 | 3.30 | 20.0 | 20.6 | 20.1 | 87 | 84 | 2 | 75-125 | 20 | -- |
| Chromium | 03/03/20 15:23 | 03/03/20 15:31 | 87.0 | 20.0 | 111 | 88.2 | 120 | 6 | 23 | 75-125 | 20 | M3, |
| Cobalt | 03/03/20 15:23 | 03/03/20 15:31 | 34.0 | 20.0 | 46.1 | 42.2 | 60 | 41 | 9 | 75-125 | 20 | M3, |
| Copper | 03/03/20 15:23 | 03/03/20 15:31 | 100 | 20.0 | 118 | 126 | 90 | 130 | 7 | 75-125 | 20 | M3, |
| Lead | 03/03/20 15:23 | 03/03/20 15:31 | 110 | 20.0 | 160 | 699 | 250 | 2945 | 125 | 75-125 | 20 | M3, |
| Molybdenum | 03/03/20 15:23 | 03/03/20 15:31 | 0.00 | 20.0 | 11.7 | 12.1 | 58 | 61 | 3 | 75-125 | 20 | M2, |
| Nickel | 03/03/20 15:23 | 03/03/20 15:31 | 45.0 | 20.0 | 59.5 | 54.0 | 73 | 45 | 10 | 75-125 | 20 | M3, |
| Selenium | 03/03/20 15:23 | 03/03/20 15:31 | 0.00 | 20.0 | 14.5 | 16.8 | 73 | 84 | 15 | 75-125 | 20 | M2, |
| Silver | 03/03/20 15:23 | 03/03/20 15:31 | 0.00 | 20.0 | 16.1 | 16.0 | 81 | 80 | 1 | 75-125 | 20 | -- |
| Thallium | 03/03/20 15:23 | 03/03/20 15:31 | 0.00 | 20.0 | 10.3 | 10.6 | 52 | 53 | 3 | 75-125 | 20 | M2, |
| Vanadium | 03/03/20 15:23 | 03/03/20 15:31 | 110 | 20.0 | 134 | 118 | 120 | 40 | 13 | 75-125 | 20 | M3, |
| Zinc | 03/03/20 15:23 | 03/03/20 15:31 | 110 | 20.0 | 126 | 130 | 80 | 100 | 3 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0228201

Date of Extraction: 02/28/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 20.5 | 20.8 | 102 | 104 | 1 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.0 | 18.8 | 95 | 94 | 1 | 80-120 | 20 | -- |
| Barium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.3 | 19.5 | 96 | 98 | 1 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 18.9 | 18.6 | 94 | 93 | 2 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.6 | 19.7 | 98 | 99 | 1 | 80-120 | 20 | -- |
| Chromium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 20.0 | 19.9 | 100 | 99 | 1 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 21.5 | 21.5 | 108 | 108 | 0 | 80-120 | 20 | -- |
| Copper | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 21.5 | 21.8 | 108 | 109 | 1 | 80-120 | 20 | -- |
| Lead | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.0 | 19.3 | 95 | 96 | 2 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 18.4 | 18.6 | 92 | 93 | 1 | 80-120 | 20 | -- |
| Nickel | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 21.2 | 21.3 | 106 | 106 | 0 | 80-120 | 20 | -- |
| Selenium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.4 | 18.1 | 97 | 91 | 7 | 80-120 | 20 | -- |
| Silver | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 18.7 | 18.9 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Thallium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 19.7 | 19.9 | 99 | 99 | 1 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 18.7 | 18.7 | 94 | 94 | 0 | 80-120 | 20 | -- |
| Zinc | 03/03/20 15:16 | 03/03/20 15:18 | -- | 20.0 | 21.6 | 20.8 | 108 | 104 | 4 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-201

Date of Extraction: 02/28/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 16:51 | 03/03/20 16:53 | 2.10 | 20.0 | 8.74 | 8.29 | 33 | 31 | 5 | 75-125 | 20 | M2, |
| Arsenic | 03/03/20 16:51 | 03/03/20 16:53 | 440 | 20.0 | 485 | 390 | 225 | 0 | 22 | 75-125 | 20 | M3, |
| Barium | 03/03/20 16:51 | 03/03/20 16:53 | 84.0 | 20.0 | 95.4 | 97.8 | 57 | 69 | 2 | 75-125 | 20 | M3, |
| Beryllium | 03/03/20 16:51 | 03/03/20 16:53 | 0.00 | 20.0 | 19.3 | 19.5 | 96 | 98 | 1 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 16:51 | 03/03/20 16:53 | 12.0 | 20.0 | 31.8 | 29.9 | 99 | 89 | 6 | 75-125 | 20 | -- |
| Chromium | 03/03/20 16:51 | 03/03/20 16:53 | 17.0 | 20.0 | 35.8 | 38.1 | 94 | 105 | 6 | 75-125 | 20 | -- |
| Cobalt | 03/03/20 16:51 | 03/03/20 16:53 | 15.0 | 20.0 | 34.6 | 35.1 | 98 | 100 | 1 | 75-125 | 20 | -- |
| Copper | 03/03/20 16:51 | 03/03/20 16:53 | 66.0 | 20.0 | 78.4 | 80.4 | 62 | 72 | 3 | 75-125 | 20 | M3, |
| Lead | 03/03/20 16:51 | 03/03/20 16:53 | 120 | 20.0 | 137 | 125 | 85 | 25 | 9 | 75-125 | 20 | M3, |
| Molybdenum | 03/03/20 16:51 | 03/03/20 16:53 | 1.30 | 20.0 | 19.1 | 18.5 | 89 | 86 | 3 | 75-125 | 20 | -- |
| Nickel | 03/03/20 16:51 | 03/03/20 16:53 | 55.0 | 20.0 | 71.8 | 72.1 | 84 | 85 | 0 | 75-125 | 20 | -- |
| Selenium | 03/03/20 16:51 | 03/03/20 16:53 | 0.00 | 20.0 | 18.8 | 20.0 | 94 | 100 | 6 | 75-125 | 20 | -- |
| Silver | 03/03/20 16:51 | 03/03/20 16:53 | 1.60 | 20.0 | 20.3 | 19.9 | 93 | 91 | 2 | 75-125 | 20 | -- |
| Thallium | 03/03/20 16:51 | 03/03/20 16:53 | 0.00 | 20.0 | 14.9 | 16.5 | 74 | 83 | 10 | 75-125 | 20 | -- |
| Vanadium | 03/03/20 16:51 | 03/03/20 16:53 | 25.0 | 20.0 | 44.1 | 46.8 | 95 | 109 | 6 | 75-125 | 20 | -- |
| Zinc | 03/03/20 16:51 | 03/03/20 16:53 | 210 | 20.0 | 216 | 214 | 30 | 20 | 1 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0228202

Date of Extraction: 02/28/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.7 | 21.0 | 104 | 105 | 1 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.1 | 20.0 | 101 | 100 | 0 | 80-120 | 20 | -- |
| Barium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.0 | 20.1 | 100 | 101 | 0 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 19.1 | 19.1 | 96 | 96 | 0 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.2 | 20.3 | 101 | 101 | 0 | 80-120 | 20 | -- |
| Chromium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.4 | 20.6 | 102 | 103 | 1 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 22.3 | 22.3 | 111 | 111 | 0 | 80-120 | 20 | -- |
| Copper | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 22.1 | 22.2 | 111 | 111 | 0 | 80-120 | 20 | -- |
| Lead | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.2 | 20.1 | 101 | 101 | 0 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 19.1 | 19.1 | 96 | 96 | 0 | 80-120 | 20 | -- |
| Nickel | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 22.0 | 21.9 | 110 | 109 | 0 | 80-120 | 20 | -- |
| Selenium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.0 | 17.7 | 100 | 89 | 12 | 80-120 | 20 | -- |
| Silver | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 19.1 | 19.2 | 96 | 96 | 1 | 80-120 | 20 | -- |
| Thallium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 20.3 | 20.3 | 101 | 101 | 0 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 19.1 | 19.3 | 96 | 96 | 1 | 80-120 | 20 | -- |
| Zinc | 03/03/20 16:43 | 03/03/20 16:46 | -- | 20.0 | 22.8 | 22.5 | 114 | 113 | 1 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-221

Date of Extraction: 02/28/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|------|------|-------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 19:57 | 03/03/20 19:59 | 0.00 | 20.0 | 4.03 | 4.11 | 20 | 21 | 2 | 75-125 | 20 | M2, |
| Arsenic | 03/03/20 19:57 | 03/03/20 19:59 | 1100 | 20.0 | 3490 | 1020 | 11950 | 0 | 110 | 75-125 | 20 | E2, M3, |
| Barium | 03/03/20 19:57 | 03/03/20 19:59 | 67.0 | 20.0 | 88.4 | 87.5 | 107 | 102 | 1 | 75-125 | 20 | -- |
| Beryllium | 03/03/20 19:57 | 03/03/20 19:59 | 0.00 | 20.0 | 19.3 | 19.4 | 96 | 97 | 1 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 19:57 | 03/03/20 19:59 | 29.0 | 20.0 | 108 | 44.1 | 395 | 75 | 84 | 75-125 | 20 | M3, |
| Chromium | 03/03/20 19:57 | 03/03/20 19:59 | 16.0 | 20.0 | 38.7 | 38.3 | 114 | 111 | 1 | 75-125 | 20 | -- |
| Cobalt | 03/03/20 19:57 | 03/03/20 19:59 | 19.0 | 20.0 | 40.4 | 38.7 | 107 | 99 | 4 | 75-125 | 20 | -- |
| Copper | 03/03/20 19:57 | 03/03/20 19:59 | 130 | 20.0 | 224 | 170 | 470 | 200 | 27 | 75-125 | 20 | M3, |
| Lead | 03/04/20 17:04 | 03/04/20 17:06 | 82.0 | 20.0 | 102 | 81.0 | 100 | 0 | 23 | 75-125 | 20 | M3, |
| Molybdenum | 03/03/20 19:57 | 03/03/20 19:59 | 2.00 | 20.0 | 19.2 | 19.9 | 86 | 89 | 4 | 75-125 | 20 | -- |
| Nickel | 03/03/20 19:57 | 03/03/20 19:59 | 76.0 | 20.0 | 111 | 96.4 | 175 | 102 | 14 | 75-125 | 20 | M3, |
| Selenium | 03/03/20 19:57 | 03/03/20 19:59 | 0.00 | 20.0 | 23.1 | 20.3 | 116 | 101 | 13 | 75-125 | 20 | -- |
| Silver | 03/03/20 19:57 | 03/03/20 19:59 | 4.70 | 20.0 | 19.2 | 20.0 | 73 | 77 | 4 | 75-125 | 20 | M3, |
| Thallium | 03/03/20 19:57 | 03/03/20 19:59 | 0.00 | 20.0 | 15.4 | 15.0 | 77 | 75 | 3 | 75-125 | 20 | -- |
| Vanadium | 03/03/20 19:57 | 03/03/20 19:59 | 12.0 | 20.0 | 31.4 | 31.9 | 97 | 99 | 2 | 75-125 | 20 | -- |
| Zinc | 03/03/20 19:57 | 03/03/20 19:59 | 220 | 20.0 | 238 | 257 | 90 | 185 | 8 | 75-125 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0228203

Date of Extraction: 02/28/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 20.8 | 21.3 | 104 | 106 | 2 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 20.0 | 20.7 | 100 | 104 | 3 | 80-120 | 20 | -- |
| Barium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 19.8 | 20.1 | 99 | 101 | 2 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 19.3 | 19.3 | 96 | 96 | 0 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 20.4 | 20.7 | 102 | 104 | 1 | 80-120 | 20 | -- |
| Chromium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 20.5 | 20.6 | 102 | 103 | 0 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 22.3 | 22.8 | 111 | 114 | 2 | 80-120 | 20 | -- |
| Copper | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 22.3 | 22.5 | 111 | 113 | 1 | 80-120 | 20 | -- |
| Lead | 03/04/20 16:58 | 03/04/20 17:00 | -- | 20.0 | 21.4 | 20.9 | 107 | 104 | 2 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 19.1 | 19.4 | 96 | 97 | 2 | 80-120 | 20 | -- |
| Nickel | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 22.1 | 22.5 | 111 | 113 | 2 | 80-120 | 20 | -- |
| Selenium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 18.7 | 18.9 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Silver | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 19.0 | 19.1 | 95 | 96 | 1 | 80-120 | 20 | -- |
| Thallium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 20.0 | 20.3 | 100 | 101 | 1 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 19.0 | 19.1 | 95 | 96 | 1 | 80-120 | 20 | -- |
| Zinc | 03/03/20 19:48 | 03/03/20 19:51 | -- | 20.0 | 21.8 | 22.0 | 109 | 110 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: AZ12323-001

Date of Extraction: 02/28/20 09:34

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|--------------|---------------------|----------------------|------|----------|--------|--------|------|-------|-----|---------|---------|------------|
| TCLP Mercury | 03/02/20 17:11 | 03/02/20 17:13 | 0.00 | 0.0500 | 0.0525 | 0.0530 | 105 | 106 | 1 | 80-120 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: SR0228201

Date of Extraction: 02/28/20 09:34

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|--------------|----------------------|-----------------------|----|----------|--------|--------|-------|--------|-----|----------|---------|------------|
| TCLP Mercury | 03/02/20 17:07 | 03/02/20 17:08 | -- | 0.0500 | 0.0524 | 0.0538 | 105 | 108 | 3 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-181

Date of Extraction: 02/28/20 10:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|-------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/05/20 10:39 | 03/05/20 10:41 | 0.750 | 1.00 | 1.73 | 1.85 | 98 | 110 | 7 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: JV0228201

Date of Extraction: 02/28/20 10:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/05/20 10:34 | 03/05/20 10:36 | -- | 1.00 | 1.07 | 1.07 | 107 | 107 | 0 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-201

Date of Extraction: 02/28/20 12:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/05/20 15:06 | 03/05/20 15:07 | 0.53 | 1.00 | 1.52 | 1.52 | 99 | 99 | 0 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: JV0228202

Date of Extraction: 02/28/20 12:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|-------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/05/20 15:00 | 03/05/20 15:02 | -- | 1.00 | 1.01 | 0.972 | 101 | 97 | 4 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-221

Date of Extraction: 02/28/20 12:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/05/20 17:14 | 03/05/20 17:15 | 6.40 | 1.00 | 7.62 | 7.13 | 122 | 73 | 7 | 80-120 | 20 | M3, |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: JV0228203

Date of Extraction: 02/28/20 12:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/05/20 15:52 | 03/05/20 15:54 | -- | 1.00 | 1.04 | 1.00 | 104 | 100 | 4 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25001-011

Date of Extraction: 03/02/20 17:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------------|---------------------|----------------------|-------|----------|-------|-------|------|-------|-----|---------|---------|------------|
| TCLP Arsenic | 03/03/20 18:57 | 03/03/20 19:02 | 0.00 | 0.400 | 0.436 | 0.433 | 109 | 108 | 1 | 75-125 | 20 | -- |
| TCLP Barium | 03/03/20 18:57 | 03/03/20 19:02 | 0.560 | 0.400 | 0.937 | 0.921 | 94 | 90 | 2 | 75-125 | 20 | -- |
| TCLP Cadmium | 03/03/20 18:57 | 03/03/20 19:02 | 0.030 | 0.400 | 0.429 | 0.425 | 100 | 99 | 1 | 75-125 | 20 | -- |
| TCLP Chromium | 03/03/20 18:57 | 03/03/20 19:02 | 0.00 | 0.400 | 0.406 | 0.406 | 101 | 101 | 0 | 75-125 | 20 | -- |
| TCLP Lead | 03/04/20 16:29 | 03/04/20 16:31 | 190 | 0.400 | 195 | 190 | 1250 | 0 | 3 | 75-125 | 20 | M3, |
| TCLP Selenium | 03/03/20 18:57 | 03/03/20 19:02 | 0.00 | 0.400 | 0.330 | 0.326 | 83 | 82 | 1 | 75-125 | 20 | -- |
| TCLP Silver | 03/03/20 18:57 | 03/03/20 19:02 | 0.00 | 0.400 | 0.387 | 0.384 | 97 | 96 | 1 | 75-125 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: BV0302202

Date of Extraction: 03/02/20 17:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------------|----------------------|-----------------------|----|----------|-------|-------|-------|--------|-----|----------|---------|------------|
| TCLP Arsenic | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.408 | 0.366 | 102 | 91 | 11 | 80-120 | 20 | -- |
| TCLP Barium | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.419 | 0.366 | 105 | 91 | 14 | 80-120 | 20 | -- |
| TCLP Cadmium | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.403 | 0.351 | 101 | 88 | 14 | 80-120 | 20 | -- |
| TCLP Chromium | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.394 | 0.351 | 98 | 88 | 12 | 80-120 | 20 | -- |
| TCLP Lead | 03/04/20 16:23 | 03/04/20 16:25 | -- | 0.400 | 0.408 | 0.356 | 102 | 89 | 14 | 80-120 | 20 | -- |
| TCLP Selenium | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.363 | 0.323 | 91 | 81 | 12 | 80-120 | 20 | -- |
| TCLP Silver | 03/03/20 18:47 | 03/03/20 18:49 | -- | 0.400 | 0.382 | 0.338 | 95 | 84 | 12 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: 25027-021

Date of Extraction: 03/11/20 12:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|------|------|------|-------|-----|---------|---------|------------|
| Mercury | 03/11/20 15:05 | 03/11/20 15:06 | 0.00 | 1.00 | 1.12 | 1.13 | 112 | 113 | 1 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7471A/7470A

Laboratory Sample #: IR0311201

Date of Extraction: 03/11/20 12:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|------|------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/11/20 15:00 | 03/11/20 15:01 | -- | 1.00 | 1.02 | 1.03 | 102 | 103 | 1 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7470A/7470A

Laboratory Sample #: 25001-230

Date of Extraction: 03/02/20 17:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|------------|---------------------|----------------------|------|----------|-------|-------|------|-------|-----|---------|---------|------------|
| Antimony | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.212 | 0.220 | 106 | 110 | 4 | 75-125 | 20 | -- |
| Arsenic | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.195 | 0.205 | 97 | 102 | 5 | 75-125 | 20 | -- |
| Barium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.208 | 0.211 | 104 | 105 | 1 | 75-125 | 20 | -- |
| Beryllium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.190 | 0.192 | 95 | 96 | 1 | 75-125 | 20 | -- |
| Cadmium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.200 | 0.203 | 100 | 101 | 1 | 75-125 | 20 | -- |
| Chromium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.200 | 0.208 | 100 | 104 | 4 | 75-125 | 20 | -- |
| Cobalt | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.219 | 0.222 | 109 | 111 | 1 | 75-125 | 20 | -- |
| Copper | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.222 | 0.255 | 111 | 127 | 14 | 75-125 | 20 | M1, |
| Lead | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.184 | 0.195 | 92 | 97 | 6 | 75-125 | 20 | -- |
| Molybdenum | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.188 | 0.192 | 94 | 96 | 2 | 75-125 | 20 | -- |
| Nickel | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.215 | 0.220 | 108 | 110 | 2 | 75-125 | 20 | -- |
| Selenium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.156 | 0.164 | 78 | 82 | 5 | 75-125 | 20 | -- |
| Silver | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.189 | 0.195 | 94 | 97 | 3 | 75-125 | 20 | -- |
| Thallium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.192 | 0.199 | 96 | 99 | 4 | 75-125 | 20 | -- |
| Vanadium | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.186 | 0.193 | 93 | 97 | 4 | 75-125 | 20 | -- |
| Zinc | 03/03/20 18:24 | 03/03/20 18:27 | 0.00 | 0.200 | 0.220 | 0.223 | 110 | 112 | 1 | 75-125 | 20 | -- |

**QA/QC Report
for
Metals**

Reference #: WST 25001

Reporting units: ppm

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7470A/7470A

Laboratory Sample #: BV0302203

Date of Extraction: 03/02/20 17:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|------------|----------------------|-----------------------|----|----------|-------|-------|-------|--------|-----|----------|---------|------------|
| Antimony | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.205 | 0.212 | 102 | 106 | 3 | 80-120 | 20 | -- |
| Arsenic | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.196 | 0.208 | 98 | 104 | 6 | 80-120 | 20 | -- |
| Barium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.208 | 0.210 | 104 | 105 | 1 | 80-120 | 20 | -- |
| Beryllium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.189 | 0.194 | 94 | 97 | 3 | 80-120 | 20 | -- |
| Cadmium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.199 | 0.201 | 99 | 101 | 1 | 80-120 | 20 | -- |
| Chromium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.197 | 0.200 | 98 | 100 | 2 | 80-120 | 20 | -- |
| Cobalt | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.219 | 0.221 | 109 | 110 | 1 | 80-120 | 20 | -- |
| Copper | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.221 | 0.222 | 110 | 111 | 0 | 80-120 | 20 | -- |
| Lead | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.193 | 0.192 | 97 | 96 | 1 | 80-120 | 20 | -- |
| Molybdenum | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.188 | 0.190 | 94 | 95 | 1 | 80-120 | 20 | -- |
| Nickel | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.215 | 0.218 | 108 | 109 | 1 | 80-120 | 20 | -- |
| Selenium | 03/03/20 20:55 | 03/03/20 18:19 | -- | 0.200 | 0.198 | 0.197 | 99 | 98 | 1 | 80-120 | 20 | -- |
| Silver | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.187 | 0.189 | 94 | 94 | 1 | 80-120 | 20 | -- |
| Thallium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.193 | 0.204 | 97 | 102 | 6 | 80-120 | 20 | -- |
| Vanadium | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.185 | 0.187 | 92 | 94 | 1 | 80-120 | 20 | -- |
| Zinc | 03/03/20 18:17 | 03/03/20 18:19 | -- | 0.200 | 0.239 | 0.234 | 119 | 117 | 2 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7470A/7470A

Laboratory Sample #: 25001-230

Date of Extraction: 03/02/20 12:30

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------|---------------------|----------------------|------|----------|---------|---------|------|-------|-----|---------|---------|------------|
| Mercury | 03/02/20 17:33 | 03/02/20 17:35 | 0.00 | 0.00500 | 0.00498 | 0.00506 | 100 | 101 | 2 | 80-120 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7470A/7470A

Laboratory Sample #: SR0302201

Date of Extraction: 03/02/20 12:30

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------|----------------------|-----------------------|----|----------|---------|---------|-------|--------|-----|----------|---------|------------|
| Mercury | 03/02/20 17:29 | 03/02/20 17:30 | -- | 0.00500 | 0.00521 | 0.00513 | 104 | 103 | 2 | 80-120 | 20 | -- |

Data Qualifier Definitions

Qualifier

D2 = Sample required dilution due to high concentration of target analyte.

E2 = Concentration estimated. Analyte exceeded calibration range.

| | | | |
|-----------|-------|---------|----|
| 25001-221 | 6010B | Arsenic | MS |
|-----------|-------|---------|----|

M1 = Matrix spike recovery was high, the associated blank spike recovery was acceptable.

| | | | |
|-----------|-------|---------|--------|
| 25001-101 | 6010B | Mercury | MS/MSD |
| 25001-121 | 6010B | Mercury | MS/MSD |
| 25001-141 | 6010B | Mercury | MS/MSD |
| 25001-230 | 6010B | Copper | MSD |

M2 = Matrix spike recovery was low, the associated blank spike recovery was acceptable.

| | | | |
|-----------|-------|------------|--------|
| 25001-001 | 6010B | Antimony | MS/MSD |
| 25001-001 | 6010B | Molybdenum | MS/MSD |
| 25001-001 | 6010B | Thallium | MS/MSD |
| 25001-021 | 6010B | Antimony | MSD |
| 25001-021 | 6010B | Thallium | MS/MSD |
| 25001-041 | 6010B | Antimony | MS/MSD |
| 25001-041 | 6010B | Molybdenum | MS/MSD |
| 25001-041 | 6010B | Selenium | MS |
| 25001-041 | 6010B | Thallium | MS/MSD |
| 25001-061 | 6010B | Antimony | MS/MSD |
| 25001-081 | 6010B | Antimony | MS/MSD |
| 25001-081 | 6010B | Molybdenum | MS/MSD |
| 25001-081 | 6010B | Selenium | MS/MSD |
| 25001-081 | 6010B | Thallium | MS/MSD |
| 25001-101 | 6010B | Antimony | MS/MSD |
| 25001-101 | 6010B | Molybdenum | MS/MSD |
| 25001-101 | 6010B | Selenium | MS/MSD |
| 25001-101 | 6010B | Thallium | MS/MSD |
| 25001-121 | 6010B | Antimony | MS/MSD |
| 25001-121 | 6010B | Molybdenum | MS/MSD |
| 25001-121 | 6010B | Thallium | MS/MSD |
| 25001-141 | 6010B | Antimony | MS/MSD |
| 25001-161 | 6010B | Antimony | MS/MSD |
| 25001-161 | 6010B | Molybdenum | MS/MSD |
| 25001-161 | 6010B | Selenium | MS/MSD |
| 25001-161 | 6010B | Thallium | MS/MSD |
| 25001-181 | 6010B | Antimony | MS/MSD |
| 25001-181 | 6010B | Molybdenum | MS/MSD |
| 25001-181 | 6010B | Selenium | MS |
| 25001-181 | 6010B | Thallium | MS/MSD |
| 25001-201 | 6010B | Antimony | MS/MSD |
| 25001-221 | 6010B | Antimony | MS/MSD |

M3 = The spike recovery value is unusable since the analyte concentration in the sample is disproportionate to spike level.
The associated blank spike recovery was acceptable.

| | | | |
|-----------|-------|----------|--------|
| 25001-001 | 6010B | Arsenic | MS/MSD |
| 25001-001 | 6010B | Barium | MS/MSD |
| 25001-001 | 6010B | Chromium | MS/MSD |
| 25001-001 | 6010B | Cobalt | MS/MSD |
| 25001-001 | 6010B | Copper | MS/MSD |

Data Qualifier Definitions

Qualifier

| | | | |
|-----------|-------|-----------|--------|
| 25001-001 | 6010B | Lead | MS/MSD |
| 25001-001 | 6010B | Nickel | MS/MSD |
| 25001-001 | 6010B | Vanadium | MS/MSD |
| 25001-001 | 6010B | Zinc | MS/MSD |
| 25001-011 | 6010B | TCLP Lead | MS/MSD |
| 25001-021 | 6010B | Arsenic | MS/MSD |
| 25001-021 | 6010B | Barium | MS/MSD |
| 25001-021 | 6010B | Cobalt | MS/MSD |
| 25001-021 | 6010B | Copper | MS/MSD |
| 25001-021 | 6010B | Lead | MS/MSD |
| 25001-021 | 6010B | Mercury | MS/MSD |
| 25001-021 | 6010B | Nickel | MS/MSD |
| 25001-021 | 6010B | Vanadium | MS/MSD |
| 25001-021 | 6010B | Zinc | MS/MSD |
| 25001-041 | 6010B | Arsenic | MS/MSD |
| 25001-041 | 6010B | Barium | MS/MSD |
| 25001-041 | 6010B | Copper | MS/MSD |
| 25001-061 | 6010B | Arsenic | MS/MSD |
| 25001-061 | 6010B | Barium | MS/MSD |
| 25001-061 | 6010B | Chromium | MS/MSD |
| 25001-061 | 6010B | Vanadium | MS/MSD |
| 25001-061 | 6010B | Zinc | MS/MSD |
| 25001-081 | 6010B | Arsenic | MS/MSD |
| 25001-081 | 6010B | Barium | MS/MSD |
| 25001-081 | 6010B | Chromium | MS/MSD |
| 25001-081 | 6010B | Cobalt | MS/MSD |
| 25001-081 | 6010B | Copper | MS/MSD |
| 25001-081 | 6010B | Vanadium | MS/MSD |
| 25001-101 | 6010B | Chromium | MS/MSD |
| 25001-101 | 6010B | Vanadium | MS/MSD |
| 25001-101 | 6010B | Zinc | MS/MSD |
| 25001-121 | 6010B | Chromium | MS/MSD |
| 25001-121 | 6010B | Vanadium | MS/MSD |
| 25001-141 | 6010B | Arsenic | MS/MSD |
| 25001-141 | 6010B | Barium | MS/MSD |
| 25001-141 | 6010B | Lead | MS/MSD |
| 25001-141 | 6010B | Zinc | MS/MSD |
| 25001-161 | 6010B | Arsenic | MS/MSD |
| 25001-161 | 6010B | Chromium | MS/MSD |
| 25001-161 | 6010B | Copper | MS/MSD |
| 25001-161 | 6010B | Mercury | MS/MSD |
| 25001-161 | 6010B | Vanadium | MS/MSD |
| 25001-181 | 6010B | Arsenic | MS/MSD |
| 25001-181 | 6010B | Barium | MS/MSD |
| 25001-181 | 6010B | Chromium | MS/MSD |
| 25001-181 | 6010B | Cobalt | MS/MSD |
| 25001-181 | 6010B | Copper | MS/MSD |
| 25001-181 | 6010B | Lead | MS/MSD |

Data Qualifier Definitions

Qualifier

| | | | |
|-----------|-------|----------|--------|
| 25001-181 | 6010B | Nickel | MS/MSD |
| 25001-181 | 6010B | Vanadium | MS/MSD |
| 25001-201 | 6010B | Arsenic | MS/MSD |
| 25001-201 | 6010B | Barium | MS/MSD |
| 25001-201 | 6010B | Copper | MS/MSD |
| 25001-201 | 6010B | Lead | MS/MSD |
| 25001-201 | 6010B | Zinc | MS/MSD |
| 25001-221 | 6010B | Arsenic | MS/MSD |
| 25001-221 | 6010B | Cadmium | MS/MSD |
| 25001-221 | 6010B | Copper | MS/MSD |
| 25001-221 | 6010B | Lead | MS/MSD |
| 25001-221 | 6010B | Mercury | MS/MSD |
| 25001-221 | 6010B | Nickel | MS/MSD |
| 25001-221 | 6010B | Silver | MS/MSD |
| 25001-221 | 6010B | Zinc | MS/MSD |

R2 = RPD/RSD exceeded the laboratory acceptance limit.

| | | | |
|-----------|-------|----------|--------|
| 25001-001 | 6010B | Antimony | MS/MSD |
| 25001-021 | 6010B | Antimony | MS/MSD |
| 25001-041 | 6010B | Antimony | MS/MSD |
| 25001-101 | 6010B | Thallium | MS/MSD |
| 25001-121 | 6010B | Antimony | MS/MSD |
| 25001-161 | 6010B | Antimony | MS/MSD |
| 25001-181 | 6010B | Antimony | MS/MSD |

Definition of terms:

| | |
|--------------------------|---|
| R1 | Result of unspiked laboratory sample used for matrix spike determination. |
| SP CONC (or Spike Conc.) | Spike concentration added to sample or blank |
| MS | Matrix Spike sample result |
| MSD | Matrix Spike Duplicate sample result |
| %MS | Percent recovery of MS: $\{(MS-R1) / SP\ CONC\} \times 100$ |
| %MSD | Percent recovery of MSD: $\{(MSD-R1) / SP\ CONC\} \times 100$ |
| RPD (for MS/MSD) | Relative Percent Difference: $\{(MS-MSD) / (MS+MSD)\} \times 100 \times 2$ |
| LCS | Laboratory Control Sample result |
| LCSD | Laboratory Control Sample Duplicate result |
| %LCS | Percent recovery of LCS: $\{(LCS) / SP\ CONC\} \times 100$ |
| %LCSD | Percent recovery of LCSD: $\{(LCSD) / SP\ CONC\} \times 100$ |
| RPD (for LCS/LCSD) | Relative Percent Difference: $\{(LCS-LCSD) / (LCS+LCSD)\} \times 100 \times 2$ |
| ACP %LCS | Acceptable percent recovery range for Laboratory Control Samples. |
| ACP %MS | Acceptable percent recovery range for Matrix Spike samples |
| ACP RPD | Acceptable Relative Percent Difference |
| D | Detectable, result must be greater than zero |
| Qual | A checked box indicates a data qualifier was utilized and/or required for this analyte see attached explanation. |
| ND | Analyte Not Detected |

25001

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 1 | AMA20-05-1 | AMA20-05 | Metals and Mercury | Surface Soil | 2/12/2020 | 11:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 2 | AMA20-05-10E-1 | AMA20-05-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 11:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 3 | AMA20-05-10E-2.5 | AMA20-05-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 4 | AMA20-05-10S-1 | AMA20-05-10S | Metals and Mercury | Surface Soil | 2/12/2020 | 11:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 5 | AMA20-05-10S-4 | AMA20-05-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 6 | AMA20-05-10W-0 | AMA20-05-10W | Metals and Mercury | Surface Soil | 2/13/2020 | 08:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 7 | AMA20-05-25SE-1 | AMA20-05-25SE | Metals and Mercury | Surface Soil | 2/12/2020 | 11:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 8 | AMA20-05-25SE-3 | AMA20-05-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 9 | AMA20-05-25W-0 | AMA20-05-25W | Metals and Mercury | Surface Soil | 2/13/2020 | 08:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 10 | AMA20-05-4 | AMA20-05 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.



Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------------|--|-----------------|-------------------------------|
| ALL |  WESTON | 2/18/20 1200 | FEDEX | 2/18/20 1200 | — |
| | | |  ORACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 11 | AMA20-06-0 | AMA20-06 | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 08:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 12 | AMA20-06-10N-0 | AMA20-06-10N | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 08:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 13 | AMA20-06-10N-2 | AMA20-06-10N | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 14 | AMA20-06-10W-0 | AMA20-06-10W | Metals and Mercury | Surface Soil | 2/14/2020 | 08:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 15 | AMA20-06-10W-2 | AMA20-06-10W | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 16 | AMA20-06-15S-0 | AMA20-06-15S | Metals and Mercury | Surface Soil | 2/14/2020 | 08:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 17 | AMA20-06-15S-2 | AMA20-06-15S | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:59 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 18 | AMA20-06-25E-0 | AMA20-06-25E | Metals and Mercury | Surface Soil | 2/14/2020 | 09:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 19 | AMA20-06-25E-1 | AMA20-06-25E | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:12 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 20 | AMA20-06-25NW-0 | AMA20-06-25NW | Metals and Mercury | Surface Soil | 2/14/2020 | 08:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  CCACA | 1020 2/19/20 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 21 | AMA20-06-25NW-2 | AMA20-06-25NW | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:27 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 22 | AMA20-06-25S-2 | AMA20-06-25S | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:59 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 23 | AMA20-06-30NE-0 | AMA20-06-30NE | Metals and Mercury | Surface Soil | 2/14/2020 | 08:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 24 | AMA20-06-30NE-2 | AMA20-06-30NE | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 25 | AMA20-06-30SE-0 | AMA20-06-30SE | Metals and Mercury | Surface Soil | 2/14/2020 | 09:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 26 | AMA20-06-30SE-2 | AMA20-06-30SE | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 27 | AMA20-07-1 | AMA20-07 | Metals and Mercury, TCLP Metals | Surface Soil | 2/12/2020 | 13:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 28 | AMA20-07-10E-1 | AMA20-07-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 29 | AMA20-07-10E-2 | AMA20-07-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 30 | AMA20-07-10N-1 | AMA20-07-10N | Metals and Mercury | Surface Soil | 2/12/2020 | 14:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 31 | AMA20-07-10N-2 | AMA20-07-10N | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 32 | AMA20-07-10S-1 | AMA20-07-10S | Metals and Mercury, TCLP Metals | Surface Soil | 2/12/2020 | 13:49 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 33 | AMA20-07-10S-4 | AMA20-07-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 13:51 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 34 | AMA20-07-25NE-1 | AMA20-07-25NE | Metals and Mercury | Surface Soil | 2/12/2020 | 14:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 35 | AMA20-07-25NE-2 | AMA20-07-25NE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 36 | AMA20-07-25SE-1 | AMA20-07-25SE | Metals and Mercury | Surface Soil | 2/12/2020 | 14:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 37 | AMA20-07-25SE-2 | AMA20-07-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 38 | AMA20-07-4 | AMA20-07 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 13:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 39 | AMA20-08-1 | AMA20-0 | Metals and Mercury | Surface Soil | 2/12/2020 | 10:14 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 40 | AMA20-08-10E-1.5 | AMA20-08-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 09:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCACTA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 77793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 41 | AMA20-08-10E-4 | AMA20-08-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 42 | AMA20-08-10N-1 | AMA20-08-10 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 43 | AMA20-08-10N-3 | AMA20-08-10N | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 44 | AMA20-08-10S-1 | AMA20-08-10S | Metals and Mercury | Surface Soil | 2/12/2020 | 09:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 45 | AMA20-08-10S-3 | AMA20-08-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 46 | AMA20-08-10W-1 | AMA20-08-10W | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 47 | AMA20-08-10W-2 | AMA20-08-10W | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 48 | AMA20-08-25NE-1 | AMA20-08-25NE | Metals and Mercury | Surface Soil | 2/12/2020 | 10:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 49 | AMA20-08-25NE-4 | AMA20-08-25NE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 50 | AMA20-08-25NW-1 | AMA20-08-25NW | Metals and Mercury | Surface Soil | 2/12/2020 | 10:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------|-------------------------------|
| | | |  CCACIA | 2/19/2020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|----------------|--------------------|-----------------|-------------|-------------|-----------|-------------|---------------------|--------|
| 51 | AMA20-08-25NW-4 | AMA20-08-25NW | Metals and Mercury | SubSurface Soil | 2/12/2020 | 22:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 52 | AMA20-08-25-SE-1 | AMA20-08-25-SE | Metals and Mercury | Surface Soil | 2/12/2020 | 10:43 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 53 | AMA20-08-25SE-3 | AMA20-08-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 54 | AMA20-08-25SW-1 | AMA20-08-25SW | Metals and Mercury | Surface Soil | 2/12/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 55 | AMA20-08-25SW-3 | AMA20-08-25SW | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 56 | AMA20-08-3 | AMA20-08 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 57 | AMA20-100 | AMA20-100 | Asbestos | Bulk Material | 2/12/2020 | 11:55 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 58 | AMA20-101 | AMA20-101 | Metals and Mercury | Bulk Material | 2/14/2020 | 10:00 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 59 | AMA20-14-0 | AMA20-14 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 60 | AMA20-14-10E-1 | AMA20-14-10E | Metals and Mercury | Surface Soil | 2/13/2020 | 15:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  SCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 61 | AMA20-14-10E-3 | AMA20-14-10E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 62 | AMA20-14-10N-0 | AMA20-14-10N | Metals and Mercury | Surface Soil | 2/14/2020 | 12:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 63 | AMA20-14-10S-0 | AMA20-14-10S | Metals and Mercury | Surface Soil | 2/14/2020 | 12:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 64 | AMA20-14-10W-0 | AMA20-14-10W | Metals and Mercury | Surface Soil | 2/14/2020 | 12:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 65 | AMA20-14-25NE-1 | AMA20-14-25NE | Metals and Mercury | Surface Soil | 2/13/2020 | 15:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 66 | AMA20-14-25NE-3 | AMA20-14-25NE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:01 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 67 | AMA20-14-25SE-1 | AMA20-14-25SE | Metals and Mercury | Surface Soil | 2/13/2020 | 16:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 68 | AMA20-14-25SE-3 | AMA20-14-25SE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 69 | AMA20-14-25SW-1 | AMA20-14-25SW | Metals and Mercury | Surface Soil | 2/13/2020 | 16:47 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 70 | AMA20-14-25SW-3 | AMA20-14-25SW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 71 | AMA20-15-0 | AMA20-15 | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 11:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 72 | AMA20-15-10E-1 | AMA20-15-10E | Metals and Mercury | Surface Soil | 2/13/2020 | 12:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 73 | AMA20-15-10E-4 | AMA20-15-10E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 74 | AMA20-15-10N-1 | AMA20-15-10N | Metals and Mercury | Surface Soil | 2/13/2020 | 12:01 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 75 | AMA20-15-10N-4 | AMA20-15-10N | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 76 | AMA20-15-10S-1 | AMA20-15-10S | Metals and Mercury | Surface Soil | 2/13/2020 | 13:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 77 | AMA20-15-10S-2.5 | AMA20-15-10S | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 78 | AMA20-15-10W-1 | AMA20-15-10W | Metals and Mercury | Surface Soil | 2/13/2020 | 12:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 79 | AMA20-15-10W-4 | AMA20-15-10W | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 80 | AMA20-15-25NE-1 | AMA20-15-25NE | Metals and Mercury | Surface Soil | 2/13/2020 | 12:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 81 | AMA20-15-25NE-3 | AMA20-15-25NE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 82 | AMA20-15-25NW-1 | AMA20-15-25NW | Metals and Mercury | Surface Soil | 2/13/2020 | 12:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 83 | AMA20-15-25NW-2 | AMA20-15-25NW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 84 | AMA20-15-25SE-1 | AMA20-15-25SE | Metals and Mercury | Surface Soil | 2/13/2020 | 13:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 85 | AMA20-15-25SE-2 | AMA20-15-25SE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:23 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 86 | AMA20-15-25SW-1 | AMA20-15-25SW | Metals and Mercury | Surface Soil | 2/13/2020 | 13:09 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 87 | AMA20-15-25SW-3 | AMA20-15-25SW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 88 | AMA20-20-0 | AMA20-20 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 89 | AMA20-20-2 | AMA20-20 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 90 | AMA20-21-0 | AMA20-21 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------|-------------------------------|
| | | |  OCAACA | 2/19/20 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 91 | AMA20-21-1.5 | AMA20-21 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 92 | AMA20-22-0 | AMA20-22 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 93 | AMA20-22-1.5 | AMA20-22 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 10:02 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 94 | AMA20-23-0 | AMA20-23 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 95 | AMA20-23-2 | AMA20-23 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 96 | AMA20-24-0 | AMA20-24 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 97 | AMA20-24-2 | AMA20-24 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 98 | AMA20-25-1 | AMA20-25 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 99 | AMA20-25-4 | AMA20-25 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 100 | AMA20-25-6 | AMA20-25 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:13 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCACFA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|---------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 101 | AMA20-26- 2 | AMA20-26 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 15:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 102 | AMA20-26-0 | AMA20-26 | Metals and Mercury | Surface Soil | 2/11/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 103 | AMA20-27-0 | AMA20-27 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 104 | AMA20-27-2 | AMA20-27 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 105 | AMA20-28-0 | AMA20-28 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 106 | AMA20-28-2 | AMA20-28 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 107 | AMA20-29-0 | AMA20-29 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 108 | AMA20-30-10 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 109 | AMA20-30-12 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 110 | AMA20-30-14.5 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA-CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 111 | AMA20-30-4 | AMA20-30 | Metals and Mercury | Surface Soil | 2/12/2020 | 08:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 112 | AMA20-30-6 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 113 | AMA20-30-8 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 114 | AMA20-31-0 | AMA20-31 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 115 | AMA20-31-2 | AMA20-31 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:09 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 116 | AMA20-32-0 | AMA20-32 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:23 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 117 | AMA20-32-2 | AMA20-32 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:27 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 118 | AMA20-33-0 | AMA20-33 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 119 | AMA20-33-2 | AMA20-33 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 120 | AMA20-34-1 | AMA20-34 | Metals and Mercury | Surface Soil | 2/12/2020 | 12:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 77793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 121 | AMA20-34-4 | AMA20-34 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 12:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 122 | AMA20-35-11 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 123 | AMA20-35-13 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 124 | AMA20-35-2 | AMA20-35 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 125 | AMA20-35-4 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 126 | AMA20-35-7 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 127 | AMA20-36-0 | AMA20-36 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:13 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 128 | AMA20-36-1.5 | AMA20-36 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 129 | AMA20-37-0 | AMA20-37 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 130 | AMA20-37-2 | AMA20-37 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.
 Report on a dry weight basis.
 Brick and metals sample-please analyze both layers separately.
 Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA/CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 131 | AMA20-38-0 | AMA20-38 | Metals and Mercury | Surface Soil | 2/13/2020 | 10:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 132 | AMA20-38-2 | AMA20-38 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 133 | AMA20-39-0 | AMA20-39 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 134 | AMA20-39-2 | AMA20-39 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 135 | AMA20-41-0 | AMA20-41 | Metals and Mercury | Surface Soil | 2/13/2020 | 12:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 136 | AMA20-41-1.5 | AMA20-41 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 137 | AMA20-42-0 | AMA20-42-0 | Metals and Mercury | Surface Soil | 2/13/2020 | 12:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 138 | AMA20-42-2 | AMA20-42 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:04 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 139 | AMA20-43-0 | AMA20-43 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 140 | AMA20-43-2 | AMA20-43 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 141 | AMA20-44-1.5 | AMA20-44 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 142 | AMA20-44-3 | AMA20-44 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 143 | AMA20-45-0 | AMA20-45 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 144 | AMA20-45-1.5 | AMA20-45 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 11:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 145 | AMA20-46-0 | AMA20-46 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:12 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 146 | AMA20-46-2 | AMA20-46 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 147 | AMA20-47-0 | AMA20-47 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 148 | AMA20-47-1.5 | AMA20-47 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 149 | AMA20-48-0 | AMA20-48 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 150 | AMA20-49-1.5 | AMA20-49 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 151 | AMA20-49-3 | AMA20-49 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 152 | AMA20-50-1.5 | AMA20-50 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 153 | AMA20-50-3 | AMA20-50 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 154 | AMA20-51-1 | AMA20-51 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 155 | AMA20-52-0 | AMA20-52 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 156 | AMA20-53-0 | AMA20-53 | Metals and Mercury | Surface Soil | 2/14/2020 | 13:14 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 157 | AMA20-54-1 | AMA20-54 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 158 | AMA20-54-2.5 | AMA20-54 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 159 | AMA20-55-1 | AMA20-55 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 160 | AMA20-55-3 | AMA20-55 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|-----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 161 | AMA20-56-1 | AMA20-56 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 162 | AMA20-56-2.5 | AMA20-56 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 163 | AMA20-57-1 | AMA20-57 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 164 | AMA20-57-3 | AMA20-57 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 165 | AMA20-57E-1 | AMA20-57E | Metals and Mercury | Surface Soil | 2/13/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 166 | AMA20-57E-2 | AMA20-57E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 167 | AMA20-57N-1 | AMA20-57N | Metals and Mercury | Surface Soil | 2/13/2020 | 14:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 168 | AMA20-57N-3 | AMA20-57N | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 169 | AMA20-57W-0 | AMA20-57W | Metals and Mercury | Surface Soil | 2/14/2020 | 12:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 170 | AMA20-59-1 | AMA20-59 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 171 | AMA20-59-3 | AMA20-59 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:49 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 172 | AMA20-60-1 | AMA20-60 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 173 | AMA20-60-3 | AMA20-60 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 174 | AMA20-61-0 | AMA20-61 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 175 | AMA20-61-2 | AMA20-61 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 11:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 176 | AMA20-62-0 | AMA20-62 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 177 | AMA20-62-2 | AMA20-62 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 178 | AMA20-63-0 | AMA20-63 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 179 | AMA20-63-2 | AMA20-63 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 180 | AMA20-64-4 | AMA20-64 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 181 | AMA20-65-1 | AMA20-65 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 182 | AMA20-66-4 | AMA20-66 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 183 | AMA20-67-1 | AMA20-67 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 184 | AMA20-67-3 | AMA20-67 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 185 | AMA20-68-1 | AMA20-68 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 186 | AMA20-69-2 | AMA20-69 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 187 | AMA20-70-1 | AMA20-70 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 188 | AMA20-71-2 | AMA20-71 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 189 | AMA20-72-3 | AMA20-72 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 190 | AMA20-73-3 | AMA20-73 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 191 | AMA20-74-3 | AMA20-74 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 192 | AMA20-75-0 | AMA20-75 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 193 | AMA20-75-3 | AMA20-75 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 194 | AMA20-76-0 | AMA20-76 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 195 | AMA20-76-2 | AMA20-76 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 196 | AMA20-77-0 | AMA20-77 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 197 | AMA20-78-0 | AMA20-78 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 198 | AMA20-78-2 | AMA20-78 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 199 | AMA20-79-0 | AMA20-79 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 200 | AMA20-80-0 | AMA20-80 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|----------------|----------|--------------------|-----------------|-------------|-------------|-----------|-------------|---------------------|--------|
| 201 | AMA20-81-0 | AMA20-81 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 202 | AMA20-81-1.5 | AMA20-81 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 203 | AMA20-82-0 | AMA20-82 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 204 | AMA20-83-0 | AMA20-83 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 205 | AMA20-84-0 | AMA20-84 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 206 | AMA20-84-2 | AMA20-84 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 207 | AMA20-85-0 | AMA20-85 | Metals and Mercury | Surface Soil | 2/14/2020 | 21:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 208 | AMA20-86-BRICK | AMA20-86 | Metals and Mercury | Bulk Material | 2/14/2020 | 09:16 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 209 | AMA20-86-METAL | AMA20-86 | Metals and Mercury | Bulk Material | 2/14/2020 | 09:16 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 210 | AMA20-87-0 | AMA20-87 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 211 | AMA20-87-1 | AMA20-87 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 212 | AMA20-88-0 | AMA20-88 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 213 | AMA20-89-0 | AMA20-89 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 214 | AMA20-90-1.5 | AMA20-90 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 215 | AMA20-91-3 | AMA20-91 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 216 | AMA20-92-0 | AMA20-92 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 217 | AMA20-93-0 | AMA20-93 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 218 | AMA20-94-0 | AMA20-94 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 219 | AMA20-95-1 | AMA20-95 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 220 | AMA20-96-0 | AMA20-96 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1030 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|------------|--------------------|--------------|-------------|-------------|-----------|------------|---------------------------|--------|
| 221 | AMA20-97-0 | AMA20-97 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 222 | AMA20-98-0 | AMA20-98 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 223 | AMA20-99-0 | AMA20-99 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 224 | AWEST-01-0.5 | AWEST-01 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 225 | AWEST-02-0.5 | AWEST-02 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 226 | AWEST-03-0.5 | AWEST-03 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 227 | AWEST-04-0.5 | AWEST-04 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 228 | AWEST-05-0.5 | AWEST-05 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 229 | AWEST-06-0.5 | AWEST-06 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 230 | EB-1 | AMA20-EB-1 | Metals and Mercury | Water | 2/12/2020 | 17:31 | 1 | 500mL poly | HNO3, Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | | | | |
| | | |  CCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|----------|------------|--------------------|--------|-------------|-------------|-----------|------------|---------------------------|--------|
| 231 | EB-2 | AMA20-EB-2 | Metals and Mercury | Water | 2/13/2020 | 17:00 | 1 | 500mL poly | HNO3, Chill to 4 C on Ice | |
| 232 | EB-3 | AMA20-EB-3 | Metals and Mercury | Water | 2/14/2020 | 15:22 | 1 | 500mL poly | HNO3, Chill to 4 C on Ice | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OC ACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

Sample Receipt Report

Laboratory Reference WST 25001

Logged in by MM

Received: 02/19/20 10:20

Company Name: Weston Solutions, Inc.

Method of Shipment: FEDEX

Project Manager: Mr. Greg Roussos

Shipping Container: Cooler

Project Name: A930

Shipping Containers: 5

Project #: _____

Sample Quantity

227 Soil 2 Solid 3 Water

Chain of Custody Complete ☒ Incomplete ☐ None ☐

Samples On Ice Yes, Wet ☒ Yes, Blue ☐ No ☐

Observed Temp. (°C): _____ Thermometer ID: _____ Adjusted Temp.: _____

Shipping Intact Yes ☒ N/A ☐ No ☐

Shipping Custody Seals Intact Yes ☐ N/A ☒ No ☐

Samples Intact Yes ☒ No ☐

Sample Custody Seals Intact Yes ☒ N/A ☐ No ☐

Custody Seals Signed & Dated Yes ☒ N/A ☐ No ☐

Proper Test Containers Yes ☒ No ☐

Proper Test Preservations Yes ☒ No ☐

Samples Within Hold Times Yes ☒ No ☐

VOAs Have Zero Headspace Yes ☐ N/A ☒ No ☐

Sample Labels Complete ☒ Incomplete ☐ None ☐

Sample Information Matches COC Yes ☒ N/A ☐ No ☐

Notes

5 Coolers received with observed temperatures of 3.6, 2.2, 2.6, 2.2, 3.4 °C (IR#1 Correction= -0.2°C)

Sample AMA20-06-25S-2 not received (see clients email).

Client Notified _____

By _____

On _____



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@lateesting.com

LA Testing Order: 332003873

Customer ID: 32ORAN77

Customer PO:

Project ID:

Attention: Mark Noorani
Orange Coast Analytical, Inc.
3002 Dow Avenue
Suite 532
Tustin, CA 92780

Project: A930

Phone: (714) 832-0064

Fax: (714) 832-0067

Received Date: 02/25/2020 12:40 PM

Analysis Date: 03/03/2020

Collected Date: 02/12/2020

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

| Sample | Description | Appearance | Non-Asbestos | | Asbestos |
|----------------|-------------|----------------|--------------|-------------------------|----------------|
| | | | % Fibrous | % Non-Fibrous | % Type |
| AMA20-100 | | Tan Fibrous | | 65% Non-fibrous (Other) | 35% Chrysotile |
| 332003873-0001 | | Homogeneous | | | |

Analyst(s)

Yunsik Cho (1)

Michael DeCavallas, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method"), but augmented with procedures outlined in the 1993 ("final") version of the method. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. All samples received in acceptable condition unless otherwise noted. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. EMSL recommends gravimetric reduction for all non-friable organically bound materials prior to analysis. Estimation of uncertainty is available on request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0, CA ELAP 1406

Initial report from: 03/03/2020 12:14:32



Asbestos Chain of Custody

LA Testing Order Number (Lab Use Only):

#332003873

LA TESTING
5431 INDUSTRIAL DRIVE
HUNTINGTON BEACH, CA
92649
PHONE: (714)828-4999
FAX: (714)761-2713

| | | | |
|---|--------------------|--|-------------------------------|
| Company : Orange Coast Analytical | | LA Testing-Bill to: <input checked="" type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments** | |
| Street: 3002 Dow Ave, Ste 532 | | Third Party Billing requires written authorization from third party | |
| City: Tustin | State/Province: CA | Zip/Postal Code: 92780 | Country: USA |
| Report To (Name): Mark Noorani | | Fax #: | |
| Telephone #: 7148320064 | | Email Address: markn@ocalab.com, ocalab@sbcglobal.net | |
| Project Name/Number: A930 | | | |
| Please Provide Results: <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email | | Purchase Order: 25001 | U.S. State Samples Taken: Yes |
| Turnaround Time (TAT) Options* - Please Check | | | |
| <input type="checkbox"/> 3 Hours <input type="checkbox"/> 6 Hours <input type="checkbox"/> 24 Hrs <input type="checkbox"/> 48 Hrs <input type="checkbox"/> 3 Days <input type="checkbox"/> 4 Days <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days | | | |
| *For TEM Air 3 hours/6 hours, please call ahead to schedule. *There is a premium charge for 3 Hour TEM AHERA or EPA Level II TAT. You will be asked to sign an authorization form for this service. Analysis completed in accordance with LA Testing's Terms and Conditions located in the Analytical Price Guide. | | | |
| PCM - Air <input type="checkbox"/> NIOSH 7400 <input type="checkbox"/> w/ OSHA 8hr. TWA PLM - Bulk (reporting limit) <input checked="" type="checkbox"/> PLM EPA 600/R-93/116 (<1%) <input type="checkbox"/> PLM EPA NOB (<1%) Point Count <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%) Point Count w/Gravimetric <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%) <input type="checkbox"/> NYS 198.1 (friable in NY) <input type="checkbox"/> NYS 198.6 NOB (non-friable-NY) <input type="checkbox"/> NIOSH 9002 (<1%) | | TEM - Air <input type="checkbox"/> AHERA 40 CFR, Part 763 <input type="checkbox"/> NIOSH 7402 <input type="checkbox"/> EPA Level II <input type="checkbox"/> ISO 10312 TEM - Bulk <input type="checkbox"/> TEM EPA NOB <input type="checkbox"/> NYS NOB 198.4 (non-friable-NY) <input type="checkbox"/> Chatfield SOP <input type="checkbox"/> TEM Mass Analysis-EPA 600 sec. 2.5 TEM - Water: EPA 100.2 Fibers >10µm <input type="checkbox"/> Waste <input type="checkbox"/> Drinking All Fiber Sizes <input type="checkbox"/> Waste <input type="checkbox"/> Drinking | |
| | | TEM- Dust <input type="checkbox"/> Microvac - ASTM D 5755 <input type="checkbox"/> Wipe - ASTM D6480 <input type="checkbox"/> Carpet Sonication (EPA 600/J-93/167) Soil/Rock/Vermiculite <input type="checkbox"/> PLM CARB 435 - A (0.25% sensitivity) <input type="checkbox"/> PLM CARB 435 - B (0.1% sensitivity) <input type="checkbox"/> TEM CARB 435 - B (0.1% sensitivity) <input type="checkbox"/> TEM CARB 435 - C (0.01% sensitivity) <input type="checkbox"/> EPA Protocol (Semi-Quantitative) <input type="checkbox"/> EPA Protocol (Quantitative) Other: <input type="checkbox"/> | |
| <input type="checkbox"/> Check For Positive Stop - Clearly Identify Homogenous Group | | | |
| Samplers Name: | | Samplers Signature: | |
| Sample # | Sample Description | Volume/Area (Air) HA # (Bulk) | Date/Time Sampled |
| | AMA20-100 | | 2/12/20 @ 1155 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Client Sample # (s): | | Total # of Samples: | |
| Relinquished (Client): | | Date: 02/25/20 | Time: 12:37 |
| Received (Lab): | | Date: 2/25/20 | Time: 12:40 |
| Comments/Special Instructions: | | | |



Orange Coast Analytical, Inc.

3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (480) 736-0960 Fax (480) 736-0970

LABORATORY REPORT FORM

ORANGE COAST ANALYTICAL, INC.

3002 Dow Suite 532 Tustin, CA 92780

(714) 832-0064

Laboratory Certification (ELAP) No.: 2576

Expiration Date: 2021

Los Angeles County Sanitation District Lab ID# 10206

Laboratory Director's Name:

Mark Noorani

Client: Weston Solutions, Inc.

Laboratory Reference: WST 25001A

Project Name: A930


Project Number:

Date Received: 5/27/2020

Date Reported: 6/2/2020

Chain of Custody Received: ☒

Analytical Method: 1311/6010B, 1311/7470A,



Mark Noorani, Laboratory Director

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference #: WST 25001A
Project Name: A930
Project #:

Case Narrative

Sample Receipt:

All samples on the Chain of Custody were received by OCA at °C, on ice.

5 Coolers received with observed temperatures of 3.6, 2.2, 2.6, 2.2, 3.4 °C (IR#1 Correction= -0.2°C)
Sample AMA20-06-25S-2 not received (see clients email).

Holding Times:

All samples were analyzed within required holding times unless otherwise noted in the data qualifier section of the report.

Analytical Methods:

Sample analysis was performed following the analytical methods listed on the cover page.

Data Qualifiers:

Within this report, data qualifiers may have been assigned to clarify deviations in common laboratory procedures or any divergence from laboratory QA/QC criteria. If a data qualifier has been used, it will appear in the back of the report along with its description. All method QA/QC criteria have been met unless otherwise noted in the data qualifier section.

Definition of Terms:

The definitions of common terms and acronyms used in the report have been placed at the back of the report to assist data users.

Comments:

None

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference #: WST 25001A
Project Name: A930
Project #:

Client Sample Summary

| Client Sample ID | Lab Sample Number | Date Received | Date Sampled | Matrix |
|------------------|-------------------|---------------|--------------|--------|
| AMA20-06-30SE-0 | 25001-025 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-07-25SE-2 | 25001-037 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-10N-1 | 25001-042 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-08-25NW-1 | 25001-050 | 2/19/2020 | 2/12/2020 | Soil |
| AMA20-101 | 25001-058 | 2/19/2020 | 2/14/2020 | Soil |
| AMA20-76-2 | 25001-195 | 2/19/2020 | 2/14/2020 | Soil |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference #: WST 25001A
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | |
|------------------|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| AMA20-06-30SE-0 | | 25001-025 | 2/19/2020 | 10:20 | 2/14/2020 | 9:22 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | TCLP Arsenic | 6010B | 0.098 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Barium | 6010B | 0.81 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Lead | 6010B | 75 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:38 | -- | 1 |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:39 | -- | 1 |
| AMA20-07-25SE-2 | | 25001-037 | 2/19/2020 | 10:20 | 2/12/2020 | 14:46 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | TCLP Arsenic | 6010B | <0.080 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Barium | 6010B | 0.52 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Lead | 6010B | 3.5 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:39 | -- | 1 |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:41 | -- | 1 |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference #: WST 25001A
Project Name: A930
Project #:

Metals

| Client Sample ID | | Lab Sample Number | Date Received | | Date Sampled | | Matrix | |
|------------------|----------------|-------------------|---------------|--------------|-----------------------|----------------------|-------------|-----------|
| AMA20-08-10N-1 | | 25001-042 | 2/19/2020 | 10:20 | 2/12/2020 | 9:39 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | TCLP Arsenic | 6010B | <0.080 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Barium | 6010B | 0.22 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Lead | 6010B | 0.21 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:44 | -- | 1 |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:43 | -- | 1 |
| AMA20-08-25NW-1 | | 25001-050 | 2/19/2020 | 10:20 | 2/12/2020 | 10:26 | Soil | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> |
| | TCLP Arsenic | 6010B | <0.080 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Barium | 6010B | 0.41 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Lead | 6010B | 1.5 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:46 | -- | 1 |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:49 | -- | 1 |

Mr. Greg Roussos
 Weston Solutions, Inc.
 2300 Clayton Rd Ste 900
 Concord, CA, 94520

Lab Reference #: WST 25001A
 Project Name: A930
 Project #:

Metals

| Client Sample ID | Lab Sample Number | | Date Received | | Date Sampled | | Matrix | | |
|------------------|-------------------|-------------------|-----------------|--------------|-----------------------|----------------------|-------------|-----------|--|
| AMA20-101 | 25001-058 | | 2/19/2020 10:20 | | 2/14/2020 10:00 | | Soil | | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| | TCLP Arsenic | 6010B | 0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| | TCLP Barium | 6010B | 0.084 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| | TCLP Lead | 6010B | 870 | mg/l | 05/28/20 17:30 | 06/02/20 12:21 | D2, | 10 | |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:47 | -- | 1 | |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:55 | -- | 1 | |
| AMA20-76-2 | 25001-195 | | 2/19/2020 10:20 | | 2/14/2020 8:10 | | Soil | | |
| | <u>ANALYTE</u> | <u>EPA Method</u> | <u>Result</u> | <u>Units</u> | <u>Date Extracted</u> | <u>Date Analyzed</u> | <u>Qual</u> | <u>DF</u> | |
| | TCLP Arsenic | 6010B | 0.10 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Barium | 6010B | 0.86 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Cadmium | 6010B | 0.071 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Lead | 6010B | 35 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:49 | -- | 1 | |
| | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |
| | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 06/02/20 11:58 | -- | 1 | |

Mr. Greg Roussos
Weston Solutions, Inc.
2300 Clayton Rd Ste 900
Concord, CA, 94520

Lab Reference #: WST 25001A
Project Name: A930
Project #:

Metals

| Client Sample ID | | | Lab Sample Number | Date Received | Date Sampled | | Matrix | | |
|------------------|---------------|------------|-------------------|---------------|----------------|----------------|--------|----|--|
| Method Blank | | | | | | | Soil | | |
| MB ID | ANALYTE | EPA Method | Result | Units | Date Extracted | Date Analyzed | Qual | DF | |
| MBJV0528203 | TCLP Arsenic | 6010B | <0.080 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBJV0528203 | TCLP Barium | 6010B | <0.040 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBJV0528203 | TCLP Cadmium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBJV0528203 | TCLP Chromium | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBJV0528203 | TCLP Lead | 6010B | <0.080 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBIR0529202 | TCLP Mercury | 7470A | <0.010 | mg/l | 05/29/20 12:00 | 05/29/20 16:26 | -- | 1 | |
| MBJV0528203 | TCLP Selenium | 6010B | <0.20 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |
| MBJV0528203 | TCLP Silver | 6010B | <0.020 | mg/l | 05/28/20 17:30 | 05/29/20 14:28 | -- | 1 | |

**QA/QC Report
for
Metals**

Reference #: WST 25001A

Reporting units: ppm

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7470A

Laboratory Sample #: 25209-001

Date of Extraction: 05/28/20 17:30

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|---------------|---------------------|----------------------|------|----------|-------|-------|------|-------|-----|---------|---------|------------|
| TCLP Arsenic | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.422 | 0.440 | 105 | 110 | 4 | 75-125 | 20 | -- |
| TCLP Barium | 05/29/20 14:44 | 05/29/20 14:47 | 1.30 | 0.400 | 1.64 | 1.62 | 85 | 80 | 1 | 75-125 | 20 | -- |
| TCLP Cadmium | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.400 | 0.410 | 100 | 102 | 2 | 75-125 | 20 | -- |
| TCLP Chromium | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.411 | 0.423 | 103 | 106 | 3 | 75-125 | 20 | -- |
| TCLP Lead | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.444 | 0.456 | 111 | 114 | 3 | 75-125 | 20 | -- |
| TCLP Selenium | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.333 | 0.390 | 83 | 97 | 16 | 75-125 | 20 | -- |
| TCLP Silver | 05/29/20 14:44 | 05/29/20 14:47 | 0.00 | 0.400 | 0.390 | 0.398 | 97 | 99 | 2 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7470A

Laboratory Sample #: JV0528203

Date of Extraction: 05/28/20 17:30

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|---------------|----------------------|-----------------------|----|----------|-------|-------|-------|--------|-----|----------|---------|------------|
| TCLP Arsenic | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.430 | 0.422 | 108 | 105 | 2 | 80-120 | 20 | -- |
| TCLP Barium | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.415 | 0.408 | 104 | 102 | 2 | 80-120 | 20 | -- |
| TCLP Cadmium | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.410 | 0.411 | 102 | 103 | 0 | 80-120 | 20 | -- |
| TCLP Chromium | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.413 | 0.415 | 103 | 104 | 0 | 80-120 | 20 | -- |
| TCLP Lead | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.414 | 0.413 | 103 | 103 | 0 | 80-120 | 20 | -- |
| TCLP Selenium | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.480 | 0.433 | 120 | 108 | 10 | 80-120 | 20 | -- |
| TCLP Silver | 05/29/20 14:36 | 05/29/20 14:39 | -- | 0.400 | 0.388 | 0.387 | 97 | 97 | 0 | 80-120 | 20 | -- |

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

1311/ 6010B/7470A

Laboratory Sample #: 25209-001

Date of Extraction: 05/29/20 12:00

| Analyte | MS Date of Analysis | MSD Date of Analysis | R1 | SPC CONC | MS | MSD | % MS | % MSD | RPD | ACP %MS | ACP RPD | Qualifiers |
|--------------|---------------------|----------------------|------|----------|--------|--------|------|-------|-----|---------|---------|------------|
| TCLP Mercury | 05/29/20 16:32 | 05/29/20 16:33 | 0.00 | 0.0500 | 0.0554 | 0.0560 | 111 | 112 | 1 | 75-125 | 20 | -- |

Laboratory Control Spike (LCS) / Laboratory Control Spike Duplicate (LCSD)

1311/ 6010B/7470A

Laboratory Sample #: IR0529202

Date of Extraction: 05/29/20 12:00

| Analyte | LCS Date of Analysis | LCSD Date of Analysis | | SPC CONC | LCS | LCSD | % LCS | % LCSD | RPD | ACP %LCS | ACP RPD | Qualifiers |
|--------------|----------------------|-----------------------|----|----------|--------|--------|-------|--------|-----|----------|---------|------------|
| TCLP Mercury | 05/29/20 16:27 | 05/29/20 16:29 | -- | 0.0500 | 0.0562 | 0.0561 | 112 | 112 | 0 | 80-120 | 20 | -- |

Data Qualifier Definitions

Qualifier

D2 = Sample required dilution due to high concentration of target analyte.

Definition of terms:

| | |
|--------------------------|---|
| R1 | Result of unspiked laboratory sample used for matrix spike determination. |
| SP CONC (or Spike Conc.) | Spike concentration added to sample or blank |
| MS | Matrix Spike sample result |
| MSD | Matrix Spike Duplicate sample result |
| %MS | Percent recovery of MS: $\{(MS-R1) / SP\ CONC\} \times 100$ |
| %MSD | Percent recovery of MSD: $\{(MSD-R1) / SP\ CONC\} \times 100$ |
| RPD (for MS/MSD) | Relative Percent Difference: $\{(MS-MSD) / (MS+MSD)\} \times 100 \times 2$ |
| LCS | Laboratory Control Sample result |
| LCSD | Laboratory Control Sample Duplicate result |
| %LCS | Percent recovery of LCS: $\{(LCS) / SP\ CONC\} \times 100$ |
| %LCSD | Percent recovery of LCSD: $\{(LCSD) / SP\ CONC\} \times 100$ |
| RPD (for LCS/LCSD) | Relative Percent Difference: $\{(LCS-LCSD) / (LCS+LCSD)\} \times 100 \times 2$ |
| ACP %LCS | Acceptable percent recovery range for Laboratory Control Samples. |
| ACP %MS | Acceptable percent recovery range for Matrix Spike samples |
| ACP RPD | Acceptable Relative Percent Difference |
| D | Detectable, result must be greater than zero |
| Qual | A checked box indicates a data qualifier was utilized and/or required for this analyte see attached explanation. |
| ND | Analyte Not Detected |

Miriam Molina

From: Roussos, Gregory <Greg.Roussos@WestonSolutions.com>
Sent: Wednesday, May 27, 2020 1:09 PM
To: Miriam Molina; 'Mark Noorani'
Subject: RE: Argonaut Mine sample volumes

Yes that is correct.

From: Miriam Molina <miriamm@ocalab.com>
Sent: Wednesday, May 27, 2020 12:53 PM
To: Roussos, Gregory <Greg.Roussos@WestonSolutions.com>; 'Mark Noorani' <markn@ocalab.com>
Subject: RE: Argonaut Mine sample volumes

**** External Email ****

Hello Greg,

The sample requested AMA20-07-SE-2 is not on record, please confirm if it is sample AMA20-07-25SE-2

Thank you,



**ORANGE COAST
ANALYTICAL, INC.**

Miriam Molina | Project Manager
3002 Dow Ave. Ste. 532 Tustin, CA, 92780
Office: 714-832-0064 Fax: 714-832-0067
Cell: 714-721-5914
miriamm@ocalab.com

This message is intended exclusively for the individual or entity to which it is addressed. This communication may contain information that is proprietary, privileged or confidential or otherwise legally exempt from disclosure. If you are not the named addressee, you are not authorized to read, print, retain, copy, or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by e-mail and delete all copies of the message.

From: Roussos, Gregory [<mailto:Greg.Roussos@WestonSolutions.com>]
Sent: Wednesday, May 27, 2020 10:25 AM
To: Mark Noorani <markn@ocalab.com>
Cc: Miriam Molina <miriamm@ocalab.com>
Subject: RE: Argonaut Mine sample volumes

Apologies, we are looking for the RCRA list.

-Greg

From: Mark Noorani <markn@ocalab.com>
Sent: Wednesday, May 27, 2020 10:21 AM
To: Roussos, Gregory <Greg.Roussos@WestonSolutions.com>
Cc: Miriam Molina <miriamm@ocalab.com>
Subject: Re: Argonaut Mine sample volumes

**** External Email ****

Hi Greg:

Thank you for your email.

Please advise if you are looking for TCLP RCRA metals or TCLP for certain metals (if this is the case, please specify which metals).

Thanks again,

Mark

On 2020-05-27 10:12, Roussos, Gregory wrote:

Hi Mark,

We are pushing the updated paperwork through our procurement now and would like to run the following for TCLP Metals:

AMA20-101

AMA20-08-10N-1

AMA20-08-25NW-1

AMA20-07-SE-2

AMA20-06-30SE-0

AMA20-76-2

Thanks,

Greg

25001

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 1 | AMA20-05-1 | AMA20-05 | Metals and Mercury | Surface Soil | 2/12/2020 | 11:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 2 | AMA20-05-10E-1 | AMA20-05-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 11:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 3 | AMA20-05-10E-2.5 | AMA20-05-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 4 | AMA20-05-10S-1 | AMA20-05-10S | Metals and Mercury | Surface Soil | 2/12/2020 | 11:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 5 | AMA20-05-10S-4 | AMA20-05-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 6 | AMA20-05-10W-0 | AMA20-05-10W | Metals and Mercury | Surface Soil | 2/13/2020 | 08:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 7 | AMA20-05-25SE-1 | AMA20-05-25SE | Metals and Mercury | Surface Soil | 2/12/2020 | 11:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 8 | AMA20-05-25SE-3 | AMA20-05-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 9 | AMA20-05-25W-0 | AMA20-05-25W | Metals and Mercury | Surface Soil | 2/13/2020 | 08:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 10 | AMA20-05-4 | AMA20-05 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 11:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.



Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------------|---|-----------------|-------------------------------|
| ALL |  WESTON | 2/18/20 1200 | FEDEX | 2/18/20 1200 | — |
| | | |  ORCA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 11 | AMA20-06-0 | AMA20-06 | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 08:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 12 | AMA20-06-10N-0 | AMA20-06-10N | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 08:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 13 | AMA20-06-10N-2 | AMA20-06-10N | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 14 | AMA20-06-10W-0 | AMA20-06-10W | Metals and Mercury | Surface Soil | 2/14/2020 | 08:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 15 | AMA20-06-10W-2 | AMA20-06-10W | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 16 | AMA20-06-15S-0 | AMA20-06-15S | Metals and Mercury | Surface Soil | 2/14/2020 | 08:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 17 | AMA20-06-15S-2 | AMA20-06-15S | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:59 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 18 | AMA20-06-25E-0 | AMA20-06-25E | Metals and Mercury | Surface Soil | 2/14/2020 | 09:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 19 | AMA20-06-25E-1 | AMA20-06-25E | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:12 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 20 | AMA20-06-25NW-0 | AMA20-06-25NW | Metals and Mercury | Surface Soil | 2/14/2020 | 08:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  CCACA | 1020 2/19/20 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 21 | AMA20-06-25NW-2 | AMA20-06-25NW | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:27 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 22 | AMA20-06-25S-2 | AMA20-06-25S | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:59 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 23 | AMA20-06-30NE-0 | AMA20-06-30NE | Metals and Mercury | Surface Soil | 2/14/2020 | 08:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 24 | AMA20-06-30NE-2 | AMA20-06-30NE | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 25 | AMA20-06-30SE-0 | AMA20-06-30SE | Metals and Mercury | Surface Soil | 2/14/2020 | 09:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 26 | AMA20-06-30SE-2 | AMA20-06-30SE | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 27 | AMA20-07-1 | AMA20-07 | Metals and Mercury, TCLP Metals | Surface Soil | 2/12/2020 | 13:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 28 | AMA20-07-10E-1 | AMA20-07-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 29 | AMA20-07-10E-2 | AMA20-07-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 30 | AMA20-07-10N-1 | AMA20-07-10N | Metals and Mercury | Surface Soil | 2/12/2020 | 14:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 31 | AMA20-07-10N-2 | AMA20-07-10N | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 32 | AMA20-07-10S-1 | AMA20-07-10S | Metals and Mercury, TCLP Metals | Surface Soil | 2/12/2020 | 13:49 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 33 | AMA20-07-10S-4 | AMA20-07-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 13:51 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 34 | AMA20-07-25NE-1 | AMA20-07-25NE | Metals and Mercury | Surface Soil | 2/12/2020 | 14:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 35 | AMA20-07-25NE-2 | AMA20-07-25NE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 36 | AMA20-07-25SE-1 | AMA20-07-25SE | Metals and Mercury | Surface Soil | 2/12/2020 | 14:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 37 | AMA20-07-25SE-2 | AMA20-07-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 14:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 38 | AMA20-07-4 | AMA20-07 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 13:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 39 | AMA20-08-1 | AMA20-0 | Metals and Mercury | Surface Soil | 2/12/2020 | 10:14 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 40 | AMA20-08-10E-1.5 | AMA20-08-10E | Metals and Mercury | Surface Soil | 2/12/2020 | 09:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCACTA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 77793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 41 | AMA20-08-10E-4 | AMA20-08-10E | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 42 | AMA20-08-10N-1 | AMA20-08-10 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 43 | AMA20-08-10N-3 | AMA20-08-10N | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 44 | AMA20-08-10S-1 | AMA20-08-10S | Metals and Mercury | Surface Soil | 2/12/2020 | 09:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 45 | AMA20-08-10S-3 | AMA20-08-10S | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 46 | AMA20-08-10W-1 | AMA20-08-10W | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 47 | AMA20-08-10W-2 | AMA20-08-10W | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 48 | AMA20-08-25NE-1 | AMA20-08-25NE | Metals and Mercury | Surface Soil | 2/12/2020 | 10:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 49 | AMA20-08-25NE-4 | AMA20-08-25NE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 50 | AMA20-08-25NW-1 | AMA20-08-25NW | Metals and Mercury | Surface Soil | 2/12/2020 | 10:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------|-------------------------------|
| | | |  CCACIA | 2/19/2020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|----------------|--------------------|-----------------|-------------|-------------|-----------|-------------|---------------------|--------|
| 51 | AMA20-08-25NW-4 | AMA20-08-25NW | Metals and Mercury | SubSurface Soil | 2/12/2020 | 22:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 52 | AMA20-08-25-SE-1 | AMA20-08-25-SE | Metals and Mercury | Surface Soil | 2/12/2020 | 10:43 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 53 | AMA20-08-25SE-3 | AMA20-08-25SE | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 54 | AMA20-08-25SW-1 | AMA20-08-25SW | Metals and Mercury | Surface Soil | 2/12/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 55 | AMA20-08-25SW-3 | AMA20-08-25SW | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 56 | AMA20-08-3 | AMA20-08 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 10:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 57 | AMA20-100 | AMA20-100 | Asbestos | Bulk Material | 2/12/2020 | 11:55 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 58 | AMA20-101 | AMA20-101 | Metals and Mercury | Bulk Material | 2/14/2020 | 10:00 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 59 | AMA20-14-0 | AMA20-14 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 60 | AMA20-14-10E-1 | AMA20-14-10E | Metals and Mercury | Surface Soil | 2/13/2020 | 15:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  SCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 61 | AMA20-14-10E-3 | AMA20-14-10E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 62 | AMA20-14-10N-0 | AMA20-14-10N | Metals and Mercury | Surface Soil | 2/14/2020 | 12:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 63 | AMA20-14-10S-0 | AMA20-14-10S | Metals and Mercury | Surface Soil | 2/14/2020 | 12:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 64 | AMA20-14-10W-0 | AMA20-14-10W | Metals and Mercury | Surface Soil | 2/14/2020 | 12:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 65 | AMA20-14-25NE-1 | AMA20-14-25NE | Metals and Mercury | Surface Soil | 2/13/2020 | 15:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 66 | AMA20-14-25NE-3 | AMA20-14-25NE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:01 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 67 | AMA20-14-25SE-1 | AMA20-14-25SE | Metals and Mercury | Surface Soil | 2/13/2020 | 16:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 68 | AMA20-14-25SE-3 | AMA20-14-25SE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 69 | AMA20-14-25SW-1 | AMA20-14-25SW | Metals and Mercury | Surface Soil | 2/13/2020 | 16:47 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 70 | AMA20-14-25SW-3 | AMA20-14-25SW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCAC | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------------|---------------|---------------------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 71 | AMA20-15-0 | AMA20-15 | Metals and Mercury, TCLP Metals | Surface Soil | 2/14/2020 | 11:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 72 | AMA20-15-10E-1 | AMA20-15-10E | Metals and Mercury | Surface Soil | 2/13/2020 | 12:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 73 | AMA20-15-10E-4 | AMA20-15-10E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 74 | AMA20-15-10N-1 | AMA20-15-10N | Metals and Mercury | Surface Soil | 2/13/2020 | 12:01 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 75 | AMA20-15-10N-4 | AMA20-15-10N | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 76 | AMA20-15-10S-1 | AMA20-15-10S | Metals and Mercury | Surface Soil | 2/13/2020 | 13:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 77 | AMA20-15-10S-2.5 | AMA20-15-10S | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 78 | AMA20-15-10W-1 | AMA20-15-10W | Metals and Mercury | Surface Soil | 2/13/2020 | 12:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 79 | AMA20-15-10W-4 | AMA20-15-10W | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 80 | AMA20-15-25NE-1 | AMA20-15-25NE | Metals and Mercury | Surface Soil | 2/13/2020 | 12:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|-----------------|---------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 81 | AMA20-15-25NE-3 | AMA20-15-25NE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 82 | AMA20-15-25NW-1 | AMA20-15-25NW | Metals and Mercury | Surface Soil | 2/13/2020 | 12:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 83 | AMA20-15-25NW-2 | AMA20-15-25NW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:05 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 84 | AMA20-15-25SE-1 | AMA20-15-25SE | Metals and Mercury | Surface Soil | 2/13/2020 | 13:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 85 | AMA20-15-25SE-2 | AMA20-15-25SE | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:23 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 86 | AMA20-15-25SW-1 | AMA20-15-25SW | Metals and Mercury | Surface Soil | 2/13/2020 | 13:09 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 87 | AMA20-15-25SW-3 | AMA20-15-25SW | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 88 | AMA20-20-0 | AMA20-20 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 89 | AMA20-20-2 | AMA20-20 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 90 | AMA20-21-0 | AMA20-21 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------|-------------------------------|
| | | |  OCAACA | 2/19/20 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 91 | AMA20-21-1.5 | AMA20-21 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 92 | AMA20-22-0 | AMA20-22 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 93 | AMA20-22-1.5 | AMA20-22 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 10:02 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 94 | AMA20-23-0 | AMA20-23 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:57 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 95 | AMA20-23-2 | AMA20-23 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 96 | AMA20-24-0 | AMA20-24 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 97 | AMA20-24-2 | AMA20-24 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 98 | AMA20-25-1 | AMA20-25 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 99 | AMA20-25-4 | AMA20-25 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:11 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 100 | AMA20-25-6 | AMA20-25 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:13 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCACFA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|---------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 101 | AMA20-26-2 | AMA20-26 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 15:39 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 102 | AMA20-26-0 | AMA20-26 | Metals and Mercury | Surface Soil | 2/11/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 103 | AMA20-27-0 | AMA20-27 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 104 | AMA20-27-2 | AMA20-27 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 105 | AMA20-28-0 | AMA20-28 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 106 | AMA20-28-2 | AMA20-28 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 107 | AMA20-29-0 | AMA20-29 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 108 | AMA20-30-10 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 109 | AMA20-30-12 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 110 | AMA20-30-14.5 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA-CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 111 | AMA20-30-4 | AMA20-30 | Metals and Mercury | Surface Soil | 2/12/2020 | 08:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 112 | AMA20-30-6 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 113 | AMA20-30-8 | AMA20-30 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 08:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 114 | AMA20-31-0 | AMA20-31 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 115 | AMA20-31-2 | AMA20-31 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:09 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 116 | AMA20-32-0 | AMA20-32 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:23 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 117 | AMA20-32-2 | AMA20-32 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:27 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 118 | AMA20-33-0 | AMA20-33 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 119 | AMA20-33-2 | AMA20-33 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:38 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 120 | AMA20-34-1 | AMA20-34 | Metals and Mercury | Surface Soil | 2/12/2020 | 12:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 77793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 121 | AMA20-34-4 | AMA20-34 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 12:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 122 | AMA20-35-11 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 123 | AMA20-35-13 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 124 | AMA20-35-2 | AMA20-35 | Metals and Mercury | Surface Soil | 2/12/2020 | 09:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 125 | AMA20-35-4 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 126 | AMA20-35-7 | AMA20-35 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 09:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 127 | AMA20-36-0 | AMA20-36 | Metals and Mercury | Surface Soil | 2/11/2020 | 16:13 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 128 | AMA20-36-1.5 | AMA20-36 | Metals and Mercury | SubSurface Soil | 2/11/2020 | 16:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 129 | AMA20-37-0 | AMA20-37 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 130 | AMA20-37-2 | AMA20-37 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA/CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|------------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 131 | AMA20-38-0 | AMA20-38 | Metals and Mercury | Surface Soil | 2/13/2020 | 10:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 132 | AMA20-38-2 | AMA20-38 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 133 | AMA20-39-0 | AMA20-39 | Metals and Mercury | Surface Soil | 2/13/2020 | 09:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 134 | AMA20-39-2 | AMA20-39 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 09:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 135 | AMA20-41-0 | AMA20-41 | Metals and Mercury | Surface Soil | 2/13/2020 | 12:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 136 | AMA20-41-1.5 | AMA20-41 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 12:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 137 | AMA20-42-0 | AMA20-42-0 | Metals and Mercury | Surface Soil | 2/13/2020 | 12:58 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 138 | AMA20-42-2 | AMA20-42 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:04 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 139 | AMA20-43-0 | AMA20-43 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 140 | AMA20-43-2 | AMA20-43 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  ORA-CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 141 | AMA20-44-1.5 | AMA20-44 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:19 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 142 | AMA20-44-3 | AMA20-44 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 143 | AMA20-45-0 | AMA20-45 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 144 | AMA20-45-1.5 | AMA20-45 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 11:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 145 | AMA20-46-0 | AMA20-46 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:12 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 146 | AMA20-46-2 | AMA20-46 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:16 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 147 | AMA20-47-0 | AMA20-47 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 148 | AMA20-47-1.5 | AMA20-47 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 149 | AMA20-48-0 | AMA20-48 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:28 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 150 | AMA20-49-1.5 | AMA20-49 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 151 | AMA20-49-3 | AMA20-49 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 152 | AMA20-50-1.5 | AMA20-50 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 153 | AMA20-50-3 | AMA20-50 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:36 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 154 | AMA20-51-1 | AMA20-51 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 155 | AMA20-52-0 | AMA20-52 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 156 | AMA20-53-0 | AMA20-53 | Metals and Mercury | Surface Soil | 2/14/2020 | 13:14 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 157 | AMA20-54-1 | AMA20-54 | Metals and Mercury | Surface Soil | 2/13/2020 | 14:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 158 | AMA20-54-2.5 | AMA20-54 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 159 | AMA20-55-1 | AMA20-55 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:53 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 160 | AMA20-55-3 | AMA20-55 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 14:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|-----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 161 | AMA20-56-1 | AMA20-56 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 162 | AMA20-56-2.5 | AMA20-56 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 163 | AMA20-57-1 | AMA20-57 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 164 | AMA20-57-3 | AMA20-57 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 165 | AMA20-57E-1 | AMA20-57E | Metals and Mercury | Surface Soil | 2/13/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 166 | AMA20-57E-2 | AMA20-57E | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 167 | AMA20-57N-1 | AMA20-57N | Metals and Mercury | Surface Soil | 2/13/2020 | 14:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 168 | AMA20-57N-3 | AMA20-57N | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 169 | AMA20-57W-0 | AMA20-57W | Metals and Mercury | Surface Soil | 2/14/2020 | 12:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 170 | AMA20-59-1 | AMA20-59 | Metals and Mercury | Surface Soil | 2/13/2020 | 13:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 171 | AMA20-59-3 | AMA20-59 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 13:49 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 172 | AMA20-60-1 | AMA20-60 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:45 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 173 | AMA20-60-3 | AMA20-60 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 174 | AMA20-61-0 | AMA20-61 | Metals and Mercury | Surface Soil | 2/14/2020 | 11:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 175 | AMA20-61-2 | AMA20-61 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 11:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 176 | AMA20-62-0 | AMA20-62 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 177 | AMA20-62-2 | AMA20-62 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:41 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 178 | AMA20-63-0 | AMA20-63 | Metals and Mercury | Surface Soil | 2/12/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 179 | AMA20-63-2 | AMA20-63 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 15:54 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 180 | AMA20-64-4 | AMA20-64 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:22 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|---|-----------------|-------------------------------|
| | | |  OCA CA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 181 | AMA20-65-1 | AMA20-65 | Metals and Mercury | Surface Soil | 2/12/2020 | 16:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 182 | AMA20-66-4 | AMA20-66 | Metals and Mercury | SubSurface Soil | 2/12/2020 | 16:44 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 183 | AMA20-67-1 | AMA20-67 | Metals and Mercury | Surface Soil | 2/13/2020 | 16:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 184 | AMA20-67-3 | AMA20-67 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 185 | AMA20-68-1 | AMA20-68 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 186 | AMA20-69-2 | AMA20-69 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 187 | AMA20-70-1 | AMA20-70 | Metals and Mercury | Surface Soil | 2/13/2020 | 15:56 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 188 | AMA20-71-2 | AMA20-71 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 15:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 189 | AMA20-72-3 | AMA20-72 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:42 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 190 | AMA20-73-3 | AMA20-73 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:46 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 191 | AMA20-74-3 | AMA20-74 | Metals and Mercury | SubSurface Soil | 2/13/2020 | 16:50 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 192 | AMA20-75-0 | AMA20-75 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:24 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 193 | AMA20-75-3 | AMA20-75 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:26 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 194 | AMA20-76-0 | AMA20-76 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:08 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 195 | AMA20-76-2 | AMA20-76 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 08:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 196 | AMA20-77-0 | AMA20-77 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:48 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 197 | AMA20-78-0 | AMA20-78 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:25 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 198 | AMA20-78-2 | AMA20-78 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 199 | AMA20-79-0 | AMA20-79 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:40 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 200 | AMA20-80-0 | AMA20-80 | Metals and Mercury | Surface Soil | 2/14/2020 | 08:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  | 2/19/20 1020 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|----------------|----------|--------------------|-----------------|-------------|-------------|-----------|-------------|---------------------|--------|
| 201 | AMA20-81-0 | AMA20-81 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 202 | AMA20-81-1.5 | AMA20-81 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 203 | AMA20-82-0 | AMA20-82 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:17 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 204 | AMA20-83-0 | AMA20-83 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:03 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 205 | AMA20-84-0 | AMA20-84 | Metals and Mercury | Surface Soil | 2/14/2020 | 09:52 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 206 | AMA20-84-2 | AMA20-84 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 09:55 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 207 | AMA20-85-0 | AMA20-85 | Metals and Mercury | Surface Soil | 2/14/2020 | 21:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 208 | AMA20-86-BRICK | AMA20-86 | Metals and Mercury | Bulk Material | 2/14/2020 | 09:16 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 209 | AMA20-86-METAL | AMA20-86 | Metals and Mercury | Bulk Material | 2/14/2020 | 09:16 | 1 | Ziplock Bag | Chill to 4 C on Ice | |
| 210 | AMA20-87-0 | AMA20-87 | Metals and Mercury | Surface Soil | 2/14/2020 | 10:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|------------------|-------------------------------|
| | | |  OCACA | 2/19/20 10:20 | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|----------|--------------------|-----------------|-------------|-------------|-----------|-----------|---------------------|--------|
| 211 | AMA20-87-1 | AMA20-87 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 10:21 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 212 | AMA20-88-0 | AMA20-88 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 213 | AMA20-89-0 | AMA20-89 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 214 | AMA20-90-1.5 | AMA20-90 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:29 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 215 | AMA20-91-3 | AMA20-91 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:37 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 216 | AMA20-92-0 | AMA20-92 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:30 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 217 | AMA20-93-0 | AMA20-93 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 218 | AMA20-94-0 | AMA20-94 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:31 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 219 | AMA20-95-1 | AMA20-95 | Metals and Mercury | SubSurface Soil | 2/14/2020 | 14:32 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 220 | AMA20-96-0 | AMA20-96 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:34 | 1 | 4oz Glass | Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.

Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1030 | |
| | | | | | |
| | | | | | |
| | | | | | |

USEPA

DateShipped: 2/18/2020

CarrierName: FedEx

AirbillNo: 777793756190

CHAIN OF CUSTODY RECORD

Site #: A930

Contact Name: Greg Roussos

Contact Phone: 513-604-4797

No: 9-021020-140152-0003

Cooler #: 1 -- 5

Lab: Orange Coast Analytical

Lab Phone: 714-832-0064

| Lab # | Sample # | Location | Analyses | Matrix | Sample Date | Sample Time | Numb Cont | Container | Preservative | Lab QC |
|-------|--------------|------------|--------------------|--------------|-------------|-------------|-----------|------------|---------------------------|--------|
| 221 | AMA20-97-0 | AMA20-97 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:35 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 222 | AMA20-98-0 | AMA20-98 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 223 | AMA20-99-0 | AMA20-99 | Metals and Mercury | Surface Soil | 2/14/2020 | 14:20 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 224 | AWEST-01-0.5 | AWEST-01 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:00 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 225 | AWEST-02-0.5 | AWEST-02 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:06 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 226 | AWEST-03-0.5 | AWEST-03 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:07 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 227 | AWEST-04-0.5 | AWEST-04 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:10 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 228 | AWEST-05-0.5 | AWEST-05 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:15 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 229 | AWEST-06-0.5 | AWEST-06 | Metals and Mercury | Surface Soil | 2/14/2020 | 12:18 | 1 | 4oz Glass | Chill to 4 C on Ice | |
| 230 | EB-1 | AMA20-EB-1 | Metals and Mercury | Water | 2/12/2020 | 17:31 | 1 | 500mL poly | HNO3, Chill to 4 C on Ice | |

Special Instructions: Samples collected from Mine area, known very high concentrations of metals.


Report on a dry weight basis.

Brick and metals sample-please analyze both layers separately.

Please call with questions.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | | | | |
| | | |  CCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

Contact Phone: 513-604-4797

Lab Phone: 714-832-0064

[illegible]

Please call with questions.

CHAIN OF CUSTODY #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time | Received by (Signature and Organization) | Date/Time | Sample Condition Upon Receipt |
|--------------|--|-----------|--|-----------------|-------------------------------|
| | | |  OCACA | 2/19/20 1020 | |
| | | | | | |
| | | | | | |

Sample Receipt Report

Laboratory Reference WST 25001

Logged in by MM

Received: 02/19/20 10:20

Company Name: Weston Solutions, Inc.

Method of Shipment: FEDEX

Project Manager: Mr. Greg Roussos

Shipping Container: Cooler

Project Name: A930

Shipping Containers: 5

Project #: _____

Sample Quantity

227 Soil 2 Solid 3 Water

Chain of Custody Complete ☒ Incomplete ☐ None ☐

Samples On Ice Yes, Wet ☒ Yes, Blue ☐ No ☐

Observed Temp. (°C): _____ Thermometer ID: _____ Adjusted Temp.: _____

Shipping Intact Yes ☒ N/A ☐ No ☐

Shipping Custody Seals Intact Yes ☐ N/A ☒ No ☐

Samples Intact Yes ☒ No ☐

Sample Custody Seals Intact Yes ☒ N/A ☐ No ☐

Custody Seals Signed & Dated Yes ☒ N/A ☐ No ☐

Proper Test Containers Yes ☒ No ☐

Proper Test Preservations Yes ☒ No ☐

Samples Within Hold Times Yes ☒ No ☐

VOAs Have Zero Headspace Yes ☐ N/A ☒ No ☐

Sample Labels Complete ☒ Incomplete ☐ None ☐

Sample Information Matches COC Yes ☒ N/A ☐ No ☐

Notes

5 Coolers received with observed temperatures of 3.6, 2.2, 2.6, 2.2, 3.4 °C (IR#1 Correction= -0.2°C)

Sample AMA20-06-25S-2 not received (see clients email).

Client Notified _____

By _____

On _____



ORANGE COAST ANALYTICAL, INC.

3002 Dow, Suite 532, Tustin, CA 92780 • (714) 832-0064 • Fax (714) 832-0067

4620 E. Elwood, Suite 4, Phoenix, AZ 85040 • (480) 736-0960 • Fax (480) 736-0970

Mr. Greg Roussos
Weston Solutions
2300 Clayton Road, Suite 900
Concord, CA 94520

06/17/2020

RE: Argonaut Mine

Laboratory Reference No.: WST 25233

Dear Mr. Roussos

Orange Coast Analytical, Inc. received **four** solid samples on 6/10/20 with Asbestos analysis requested. The following report contains the results of the analysis. All analyses were performed by LA Testing in Huntington Beach, CA.

If there are any questions regarding these analytical results, please feel free to contact us.

Sincerely,

Mark Noorani
Laboratory Director



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@lateesting.com

LA Testing Order: 332010458

Customer ID: 32ORAN77

Customer PO: 25233

Project ID:

Attention: Mark Noorani
Orange Coast Analytical, Inc.
3002 Dow Avenue
Suite 532
Tustin, CA 92780

Phone: (714) 832-0064

Fax: (714) 832-0067

Received Date: 06/10/2020 12:30 PM

Analysis Date: 06/17/2020

Collected Date: 06/04/2020

Project:

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

| Sample | Description | Appearance | Non-Asbestos | | Asbestos |
|----------------|-------------|--|-------------------------------|-------------------------|----------------|
| | | | % Fibrous | % Non-Fibrous | % Type |
| 332010458-0001 | AMA20-102 | Brown/Gray/Beige Fibrous Heterogeneous | 78% Cellulose | 22% Non-fibrous (Other) | None Detected |
| 332010458-0002 | AMA20-103 | Brown/Gray/Beige Fibrous Heterogeneous | 78% Cellulose | 22% Non-fibrous (Other) | None Detected |
| 332010458-0003 | AMA20-104 | Brown/Gray/Tan Fibrous Homogeneous | 6% Cellulose | 59% Non-fibrous (Other) | 35% Chrysotile |
| 332010458-0004 | AMA20-105 | Brown/Gray Fibrous Homogeneous | 65% Cellulose 3% Synthetic | 32% Non-fibrous (Other) | None Detected |

Analyst(s)

Alexis Rodriguez (4)

Michael DeCavallas, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method"), but augmented with procedures outlined in the 1993 ("final") version of the method. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. All samples received in acceptable condition unless otherwise noted. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. EMSL recommends gravimetric reduction for all non-friable organically bound materials prior to analysis. Estimation of uncertainty is available on request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0, CA ELAP 1406

Initial report from: 06/17/2020 11:04:20



Asbestos Chain of Custody

LA Testing Order Number (lab use only):

#332010458

 PHONE:
FAX:

| | | | |
|---|------------------------------------|---|------------------------------|
| Company Name : Orange Coast Analytical, Inc. | | LA Testing Customer ID: | |
| Street: 3002 Dow Ave. #532 | | City: Tustin | State or Province: CA |
| Zip/Postal Code: 92780 | Country: USA | Telephone #: 7148320064 | Fax #: |
| Report To (Name): Mark Noorani | | Please Provide Results via: <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email | |
| email Address: ocalab@sbcglobal.net/markn@ocalab.com | | Purchase Order Number: 25233 | |
| Client Project ID: | | LA Testing Project ID (internal use only): | |
| State or Province Collected: CA | | CT only <input type="checkbox"/> Commercial/Taxable <input type="checkbox"/> Residential/Tax Exempt <input type="checkbox"/> | |
| LAT Bill to: <input checked="" type="checkbox"/> Same <input type="checkbox"/> Different - If bill to is different note instructions in comment. Third party billing requires written authorization. | | | |
| Turnaround Time (TAT) Options Please Check | | | |
| <input type="checkbox"/> 3 Hr ¹ <input type="checkbox"/> 4-4.5Hr ¹ <small>AHERA Only</small> <input type="checkbox"/> 6 Hr ¹ <input type="checkbox"/> 24 Hr <input type="checkbox"/> 32 Hr ² <input type="checkbox"/> 48 Hr <input type="checkbox"/> 72 Hr <input type="checkbox"/> 96 Hr <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week | | | |
| <small>¹Premium Service Charge applies for 3 Hour TEM AHERA or EPA Level II TAT – you will be asked to sign an authorization form. TEM Air 3-6 Hour, please call ahead to schedule</small> | | | |
| <small>² 32 Hour TAT available for select tests only; samples must be submitted by 11:30 am.</small> | | | |
| PCM - Air <input type="checkbox"/> NIOSH 7400 <input type="checkbox"/> w/ OSHA 8hr. TWA PLM - Bulk (reporting limit) <input checked="" type="checkbox"/> PLM EPA 600/R-93/116 (<1%) <input type="checkbox"/> PLM EPA NOB (<1%) Point Count <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%) Point Count w/Gravimetric <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1000 (<0.1%) <input type="checkbox"/> NYS 198.1 (friable - NY) <input type="checkbox"/> NYS 198.6 NOB (non-friable-NY) <input type="checkbox"/> NYS 198.8 SOF-V <input type="checkbox"/> NIOSH 9002 (<1%) | | TEM - Air¹ <input type="checkbox"/> AHERA 40 CFR, Part 763 <input type="checkbox"/> NIOSH 7402 <input type="checkbox"/> EPA Level II <input type="checkbox"/> ISO 10312 TEM - Bulk <input type="checkbox"/> TEM EPA NOB <input type="checkbox"/> NYS NOB 198.4 (non-friable-NY) <input type="checkbox"/> TEM EPA 600/R-93/116 with milling prep (<0.1%)* TEM - Water: EPA 100.2 Fibers >10µm <input type="checkbox"/> Waste <input type="checkbox"/> Drinking All Fiber Sizes <input type="checkbox"/> Waste <input type="checkbox"/> Drinking | |
| | | TEM- Settled Dust <input type="checkbox"/> Microvac - ASTM D 5755 <input type="checkbox"/> Wipe - ASTM D6480 <input type="checkbox"/> Carpet Sonication (EPA 600/J-93/167) Soil - Rock - Vermiculite (reporting limit) <input type="checkbox"/> PLM EPA 600/R-93/116 with milling prep (<0.25%) <input type="checkbox"/> TEM EPA 600/R-93/116 with milling prep (<0.1%)* <input type="checkbox"/> TEM Qualitative via Filtration Prep <input type="checkbox"/> TEM Qualitative via Drop Mount Prep <input type="checkbox"/> Cincinnati Method EPA 600/R-04/004 – PLM/TEM <small>*Lower reporting limits available on request</small> Other test (please specify): | |
| <input type="checkbox"/> Stop At First Positive (clearly identify homogenous areas below) | | Filter Pore Size (Air Samples): <input type="checkbox"/> 0.8µm <input type="checkbox"/> 0.45µm | |
| Sampler's Name: | | Sampler's Signature: | |
| Sample # | Sample Description/Location | Volume, Area or Homogenous Area | Date/Time Sampled |
| | AMA20-102 | | 06/04/20 @ 09:55 |
| | AMA20-103 | | 06/04/20 @ 10:00 |
| | AMA20-104 | | 06/04/20 @ 10:05 |
| | AMA20-105 | | 06/04/20 @ 10:10 |
| Client Sample # (s): | | Total # of Samples: 1 | |
| Relinquished by (Client): | | Date: 06/10/20 | Time: 12:15 |
| Received by (Lab): JS (WI) | | Date: 6/10/20 | Time: 12:30pm |
| Comments/Special Instructions: | | | |

Controlled Document – COC-04 Asbestos LA Testing R4

LA Testing's Laboratory Terms and Conditions are incorporated into this chain of custody by reference in their entirety. Submission of samples to LA Testing Inc. constitutes acceptance and acknowledgment of all terms and conditions.

Page 1 of ____ pages

[illegible]

By signing above, client acknowledges responsibility for payment of all services requested on this chain of custody form and any additional services provided in support of this project. Payment is due within 30 days of invoice date unless otherwise agreed upon, in writing, by Orange Coast Analytical, Inc. All samples remain the property of the client. A disposal fee may be imposed if client fails to pickup samples upon completion of all analyses.

ANALYTICAL REPORT

Eurofins TestAmerica, Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

Laboratory Job ID: 720-99304-1

Client Project/Site: Weston START Region 9 - Argonaut Mine

For:

Weston Solutions, Inc.
2300 Clayton Road
Suite 900
Concord, California 94520

Attn: Gregory Roussos



Authorized for release by:
8/5/2020 11:12:46 AM

David Alltucker, Project Manager I
(916)374-4383
David.Alltucker@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

| | |
|----------------------------------|-----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Detection Summary | 6 |
| Client Sample Results | 25 |
| QC Sample Results | 78 |
| QC Association Summary | 86 |
| Lab Chronicle | 94 |
| Certification Summary | 113 |
| Method Summary | 114 |
| Sample Summary | 115 |
| Chain of Custody | 116 |
| Field Data Sheets | 127 |
| Receipt Checklists | 129 |



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Qualifiers

Metals

| Qualifier | Qualifier Description |
|-----------|---|
| ^ | ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits. |
| 4 | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| B | Compound was found in the blank and sample. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| F2 | MS/MSD RPD exceeds control limits |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|---|
| F5 | Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Job ID: 720-99304-1

Laboratory: Eurofins TestAmerica, Pleasanton

Narrative

Job Narrative 720-99304-1

Receipt

The samples were received on 7/23/2020 1:37 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.9° C.

Receipt Exceptions

The following sample(s) was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): Received one 4 oz jar sample id: AMA20-335-0 (7/20/20;1505) Client was contacted and the sample logged in per instruction.

Metals

Method 6010B: The instrument blank (CCB) for analytical batch 320-398837 contained Zinc (Zn) greater than one-half the reporting limit (RL), and were not re-analyzed because sample results were 10x greater than the CCB. The data have been qualified and reported.

Method 6010B: The instrument blank (CCB) for analytical batch 320-398837 contained Copper (Cu) greater than the reporting limit (RL), and were not re-analyzed because sample results were 10x greater than the CCB. The data have been qualified and reported.

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 320-398608 and analytical batch 320-399227 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6010B: The instrument blank (CCB) for analytical batch 320-399227 contained Lead (Pb) and Zinc (Zn) greater than one-half the reporting limit (RL), and were not re-analyzed because sample results were 10x greater than the CCB. The data have been qualified and reported.

Method 6010B: The following post digestion spike % recovery associated with batch 320-392137 was outside of the 75-125% control limits: Arsenic (69%). The associated sample is: (720-99304-A-1-A PDS)

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 320-398477 and analytical batch 320-398837 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6010B: The serial dilution performed for the following samples associated with batch 320-399903 was above the control limits of 10% for the following analytes: Zinc (11%). The associated sample is: (720-99304-A-36-B SD ^5)

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 320-398984 and analytical batch 320-399903 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 7471A: Due to the high concentration of Mercury the matrix spike / matrix spike duplicate (MS/MSD) for preparation batch 320-398848 and analytical batch 320-399424 could not be evaluated for accuracy and precision. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) met acceptance criteria.

Method 7471A: The following samples were diluted to bring the concentration of target analytes within the calibration range: AMA20-107-0 (720-99304-2), AMA20-111-0 (720-99304-7), AMA20-113-0 (720-99304-9), AMA20-115-0 (720-99304-11), AMA20-116-0 (720-99304-12), AMA20-118-0 (720-99304-15), AMA20-119-0 (720-99304-16), AMA20-120-0 (720-99304-17), AMA20-121-0 (720-99304-18), AMA20-122-0 (720-99304-19), AMA20-124-0 (720-99304-21), AMA20-125-0 (720-99304-22), AMA20-129-0 (720-99304-26), (720-99304-A-21-C MS ^10), (720-99304-A-21-D MSD ^10) and (720-99304-A-21-B SD ^50). Elevated reporting limits (RLs) are provided.

Method 7471A: Due to a program malfunction for madgetech 4, a temperature data log was unable to be saved. Analyst observed temperature at 121 +/- 3 degrees Celsius at 15 psi for 15 minutes. No adverse effect on data. AMA20-117-0 (720-99304-13), AMA20-30-0 (720-99304-14), AMA20-123-0 (720-99304-20), AMA20-132-0 (720-99304-29), AMA20-133-0 (720-99304-30), AMA20-134-0

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Job ID: 720-99304-1 (Continued)

Laboratory: Eurofins TestAmerica, Pleasanton (Continued)

(720-99304-31), AMA20-135-0 (720-99304-32), AMA20-137-0 (720-99304-34), AMA20-138-0 (720-99304-35), AMA20-139-0 (720-99304-36), AMA20-141-0 (720-99304-38), AMA20-144-0 (720-99304-41), AMA20-145-0 (720-99304-42), AMA20-146-0 (720-99304-43), AMA20-147-0 (720-99304-44), AMA20-148-0 (720-99304-45), AMA20-149-0 (720-99304-46), AMA20-150-0 (720-99304-47), AMA20-151-0 (720-99304-48), AMA20-317-0 (720-99304-49), AMA20-322-0 (720-99304-50), AMA20-329-0 (720-99304-51), AMA20-341-0 (720-99304-52), AMA20-335-0 (720-99304-53), (CCB 320-399908/10-A), (CCV 320-399908/9-A), (ICB 320-399908/8-A), (ICV 320-399908/7-A), (LCS 320-399908/12-A), (LCS 320-399914/12-A), (LCSD 320-399908/13-A), (LCSD 320-399914/13-A), (MB 320-399908/11-A), (MB 320-399914/11-A), (320-63168-E-1-E), (320-63168-E-1-F MS), (320-63168-E-1-G MSD), (320-63168-E-1-E SD ^5), (720-99343-B-1-A), (720-99343-B-1-B MS), (720-99343-B-1-C MSD) and (720-99343-B-1-A SD ^5)

Method 7471A: The following samples were diluted to bring the concentration of target analytes within the calibration range: AMA20-117-0 (720-99304-13), AMA20-30-0 (720-99304-14), AMA20-123-0 (720-99304-20), AMA20-132-0 (720-99304-29), AMA20-133-0 (720-99304-30), AMA20-134-0 (720-99304-31), AMA20-135-0 (720-99304-32), AMA20-137-0 (720-99304-34), AMA20-138-0 (720-99304-35), AMA20-139-0 (720-99304-36), AMA20-141-0 (720-99304-38), AMA20-144-0 (720-99304-41), AMA20-145-0 (720-99304-42), AMA20-146-0 (720-99304-43), AMA20-147-0 (720-99304-44), AMA20-148-0 (720-99304-45), AMA20-149-0 (720-99304-46), AMA20-150-0 (720-99304-47), AMA20-151-0 (720-99304-48), AMA20-317-0 (720-99304-49), AMA20-322-0 (720-99304-50), AMA20-329-0 (720-99304-51), AMA20-341-0 (720-99304-52) and AMA20-335-0 (720-99304-53). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method Moisture: The following sample in analytical batch 320-398558 was rocks and dry dirt. The percent moisture reflects the dry nature of this matrix and is consistent with other percent solid/percent moisture data for this login. AMA20-134-0 (720-99304-31)

Method Moisture: The sample duplicate (DUP) precision for analytical batch 320-398558 was outside control limits. However, the limits do not apply as the percent moisture value is less than 10%. Data is being reported with this narration.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-106-0

Lab Sample ID: 720-99304-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 52 | F1 | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 78 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.49 | B | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.25 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 77 | F1 | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 28 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 680 | B | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 71 | F1 | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 1.7 | J F1 | 2.0 | 0.76 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 38 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 7.4 | F1 | 2.0 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 110 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 100 | | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.85 | | 0.042 | 0.0091 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-107-0

Lab Sample ID: 720-99304-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.5 | | 2.0 | 0.95 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 72 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 240 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.35 | B | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 1.7 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 59 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 28 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 1500 | B ^ | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 430 | | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 6.7 | | 2.0 | 0.76 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 51 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 8.3 | | 2.0 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.75 | | 0.50 | 0.091 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 64 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 350 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 4.2 | | 0.42 | 0.091 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-108-0

Lab Sample ID: 720-99304-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 36 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 140 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.56 | B | 0.20 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 1.7 | | 0.20 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 46 | | 0.51 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 19 | | 0.51 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 110 | B ^ | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 120 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 25 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.54 | | 0.51 | 0.092 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 110 | | 0.51 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 400 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.27 | | 0.042 | 0.0089 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-109-0

Lab Sample ID: 720-99304-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 35 | | 1.9 | 1.2 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 140 | | 0.96 | 0.11 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.44 | B | 0.19 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 1.7 | | 0.19 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 48 | | 0.48 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 17 | | 0.48 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 93 | B ^ | 1.4 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 55 | | 0.96 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 0.72 | J | 1.9 | 0.72 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 27 | | 0.96 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 90 | | 0.48 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 410 | ^ | 1.9 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.25 | | 0.037 | 0.0081 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-35-0

Lab Sample ID: 720-99304-5

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 49 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 120 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.61 | B | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 1.7 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 69 | | 0.53 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 28 | | 0.53 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 110 | B ^ | 1.6 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 94 | | 1.1 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 40 | | 1.1 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 120 | | 0.53 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 450 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.23 | | 0.043 | 0.0092 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-110-0

Lab Sample ID: 720-99304-6

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 24 | | 2.0 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 83 | | 0.98 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.36 | B | 0.20 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 0.64 | | 0.20 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 62 | | 0.49 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 16 | | 0.49 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 63 | B ^ | 1.5 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 41 | | 0.98 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 24 | | 0.98 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 94 | | 0.49 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 180 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.15 | | 0.039 | 0.0084 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-111-0

Lab Sample ID: 720-99304-7

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 62 | | 2.1 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.45 | B | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-111-0 (Continued)

Lab Sample ID: 720-99304-7

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Cadmium | 1.1 | | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 46 | | 0.52 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 16 | | 0.52 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 150 | B ^ | 1.5 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 170 | | 1.0 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 1.3 | J | 2.1 | 0.77 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 27 | | 1.0 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 82 | | 0.52 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 290 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 1.0 | | 0.22 | 0.047 | mg/Kg | 5 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-112-0

Lab Sample ID: 720-99304-8

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 120 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 100 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.46 | B | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 20 | | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 52 | | 0.52 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 26 | | 0.52 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 140 | B ^ | 1.6 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 350 | | 1.0 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 2.0 | J | 2.1 | 0.78 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 61 | | 1.0 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 84 | | 0.52 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 440 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.32 | | 0.038 | 0.0082 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-113-0

Lab Sample ID: 720-99304-9

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 18 | | 2.1 | 0.97 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 100 | | 2.1 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 180 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.33 | B | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 2.1 | | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 47 | | 0.52 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 13 | | 0.52 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 400 | B ^ | 1.5 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 630 | | 1.0 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 5.4 | | 2.1 | 0.77 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 36 | | 1.0 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Selenium | 2.9 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 0.60 | | 0.52 | 0.093 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 44 | | 0.52 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 490 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 4.8 | | 0.38 | 0.082 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-114-0

Lab Sample ID: 720-99304-10

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|-----|-----|-------|---------|---|--------|-----------|
| Arsenic | 89 | | 2.1 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-114-0 (Continued)

Lab Sample ID: 720-99304-10

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Barium | 490 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.52 | B | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 4.0 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 54 | | 0.51 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 24 | | 0.51 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 140 | B ^ | 1.5 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 740 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 1.3 | J | 2.1 | 0.77 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 39 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 90 | | 0.51 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 1100 | ^ | 2.1 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.69 | | 0.045 | 0.0096 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-115-0

Lab Sample ID: 720-99304-11

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 1100 | | 2.1 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 87 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.21 | B | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.4 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 52 | | 0.52 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 18 | | 0.52 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 140 | B ^ | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 1500 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.2 | | 2.1 | 0.78 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 140 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 5.2 | | 2.1 | 1.5 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 16 | | 0.52 | 0.093 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 24 | | 0.52 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 490 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 6.7 | | 0.44 | 0.094 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-116-0

Lab Sample ID: 720-99304-12

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 120 | | 2.1 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 150 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.28 | B | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.2 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 30 | | 0.52 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 13 | | 0.52 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 230 | B ^ | 1.5 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 560 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.8 | | 2.1 | 0.77 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 31 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 3.8 | | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.90 | | 0.52 | 0.093 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 40 | | 0.52 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 580 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 6.5 | | 0.40 | 0.085 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-117-0

Lab Sample ID: 720-99304-13

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 1.3 | J | 1.9 | 0.88 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 64 | | 1.9 | 1.2 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 160 | | 0.94 | 0.11 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.36 | B | 0.19 | 0.028 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.2 | | 0.19 | 0.028 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 32 | | 0.47 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 10 | | 0.47 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 110 | B ^ | 1.4 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 890 | | 0.94 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.8 | | 1.9 | 0.70 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 22 | | 0.94 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 1.8 | J | 1.9 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.97 | | 0.47 | 0.084 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 47 | | 0.47 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 500 | ^ | 1.9 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 130 | | 21 | 4.5 | mg/Kg | 500 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-30-0

Lab Sample ID: 720-99304-14

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 7.2 | | 2.0 | 0.94 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 84 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 250 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.29 | B | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.2 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 34 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 17 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 130 | B ^ | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 400 | | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.3 | | 2.0 | 0.75 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 30 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.90 | | 0.50 | 0.090 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 59 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 500 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 4.9 | | 0.43 | 0.092 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-118-0

Lab Sample ID: 720-99304-15

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 5.7 | | 2.1 | 0.97 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 120 | | 2.1 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 170 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.38 | B | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 5.8 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 53 | | 0.51 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 20 | | 0.51 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 250 | B ^ | 1.5 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 610 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 9.7 | | 2.1 | 0.77 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 1.1 | | 0.51 | 0.093 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 60 | | 0.51 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-118-0 (Continued)

Lab Sample ID: 720-99304-15

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Zinc | 1300 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 6.4 | | 0.41 | 0.088 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-119-0

Lab Sample ID: 720-99304-16

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 12 | F2 F1 | 2.1 | 0.97 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 1100 | | 2.1 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 270 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.14 | J | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.6 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 59 | F1 | 0.52 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 23 | | 0.52 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 740 | | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 350 | F2 | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 17 | F1 | 2.1 | 0.78 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 83 | F1 | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 2.4 | F1 | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 1.6 | | 0.52 | 0.093 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 49 | | 0.52 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 540 | | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 6.0 | | 0.38 | 0.082 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-120-0

Lab Sample ID: 720-99304-17

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 5.2 | | 2.1 | 0.98 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 100 | | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 240 | | 1.0 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.29 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.3 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 45 | | 0.52 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 20 | | 0.52 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 360 | | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 210 | ^ | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 8.1 | | 2.1 | 0.78 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 47 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 2.3 | | 2.1 | 1.5 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 1.7 | | 0.52 | 0.094 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 44 | | 0.52 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 420 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 6.9 | | 0.39 | 0.085 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-121-0

Lab Sample ID: 720-99304-18

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.7 | | 1.9 | 0.91 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 380 | | 1.9 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 140 | | 0.97 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.32 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.2 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 41 | | 0.49 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-121-0 (Continued)

Lab Sample ID: 720-99304-18

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Cobalt | 19 | | 0.49 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 230 | | 1.5 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 2100 | ^ | 0.97 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 3.0 | | 1.9 | 0.73 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 59 | | 0.97 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Selenium | 3.0 | | 1.9 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 7.5 | | 0.49 | 0.088 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 48 | | 0.49 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 490 | ^ | 1.9 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 4.3 | | 0.43 | 0.092 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-122-0

Lab Sample ID: 720-99304-19

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 6.1 | | 2.1 | 1.0 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 97 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 180 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.44 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 2.5 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 58 | | 0.54 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 22 | | 0.54 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 270 | | 1.6 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 720 | ^ | 1.1 | 0.28 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 2.4 | | 2.1 | 0.80 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 44 | | 1.1 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 0.97 | | 0.54 | 0.096 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 83 | | 0.54 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 620 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 3.7 | | 0.39 | 0.084 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-123-0

Lab Sample ID: 720-99304-20

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 320 | | 2.0 | 0.94 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 190 | | 2.0 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 290 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.35 | | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 4.1 | | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 53 | | 0.50 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 21 | | 0.50 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 650 | | 1.5 | 0.22 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 4200 | ^ | 1.0 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 4.2 | | 2.0 | 0.75 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 65 | | 1.0 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 5.2 | | 0.50 | 0.090 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 69 | | 0.50 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 920 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 8.7 | | 4.3 | 0.91 | mg/Kg | 100 | ☼ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-124-0

Lab Sample ID: 720-99304-21

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 16 | | 2.0 | 0.96 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 190 | | 2.0 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 270 | | 1.0 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.33 | | 0.20 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 3.5 | | 0.20 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 68 | | 0.51 | 0.14 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 28 | | 0.51 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 450 | | 1.5 | 0.22 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 1000 | ^ | 1.0 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 7.1 | | 2.0 | 0.76 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 140 | | 1.0 | 0.24 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Silver | 1.9 | | 0.51 | 0.092 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 76 | | 0.51 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 1000 | ^ | 2.0 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 4.1 | | 0.41 | 0.089 | mg/Kg | 10 | | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-125-0

Lab Sample ID: 720-99304-22

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 7.7 | | 2.2 | 1.0 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 220 | | 2.2 | 1.4 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 420 | | 1.1 | 0.13 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.42 | | 0.22 | 0.032 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 3.8 | | 0.22 | 0.032 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 63 | | 0.54 | 0.15 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 29 | | 0.54 | 0.27 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 270 | | 1.6 | 0.24 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 2400 | ^ | 1.1 | 0.28 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 2.5 | | 2.2 | 0.81 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 120 | | 1.1 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Silver | 3.0 | | 0.54 | 0.097 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 99 | | 0.54 | 0.20 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 970 | ^ | 2.2 | 0.20 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 4.3 | | 0.43 | 0.093 | mg/Kg | 10 | | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-128-0

Lab Sample ID: 720-99304-23

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 3.9 | | 2.0 | 0.96 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 110 | | 2.0 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 250 | | 1.0 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.41 | | 0.20 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 0.62 | | 0.20 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 63 | | 0.51 | 0.14 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 26 | | 0.51 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 160 | | 1.5 | 0.22 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 360 | ^ | 1.0 | 0.27 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 1.8 | J | 2.0 | 0.77 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 73 | | 1.0 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Silver | 0.40 | J | 0.51 | 0.092 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 94 | | 0.51 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 560 | ^ | 2.0 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-128-0 (Continued)

Lab Sample ID: 720-99304-23

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Mercury | 0.32 | | 0.046 | 0.0098 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-126-0

Lab Sample ID: 720-99304-24

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Antimony | 2.8 | | 2.2 | 1.0 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 56 | | 2.2 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 150 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.60 | | 0.22 | 0.033 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 0.12 | J | 0.22 | 0.033 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 66 | | 0.56 | 0.16 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 26 | | 0.56 | 0.28 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 76 | | 1.7 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 61 | ^ | 1.1 | 0.29 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 31 | | 1.1 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 140 | | 0.56 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 130 | ^ | 2.2 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.19 | | 0.040 | 0.0085 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-127-0

Lab Sample ID: 720-99304-25

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Antimony | 2.7 | | 2.1 | 1.0 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 73 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 170 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.55 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 0.24 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 60 | | 0.54 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 26 | | 0.54 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 98 | | 1.6 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 160 | ^ | 1.1 | 0.28 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 36 | | 1.1 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 130 | | 0.54 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 220 | ^ | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.34 | | 0.039 | 0.0084 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-129-0

Lab Sample ID: 720-99304-26

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 3.7 | | 2.2 | 1.1 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 38 | | 2.2 | 1.5 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 480 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.29 | | 0.22 | 0.034 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 0.56 | | 0.22 | 0.034 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 57 | | 0.56 | 0.16 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 15 | | 0.56 | 0.28 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 75 | | 1.7 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 2800 | ^ | 1.1 | 0.29 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 1.4 | J | 2.2 | 0.84 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 47 | | 1.1 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 0.19 | J | 0.56 | 0.10 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 79 | | 0.56 | 0.21 | mg/Kg | 1 | ☼ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-129-0 (Continued)

Lab Sample ID: 720-99304-26

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|-----|------|-------|---------|---|--------|-----------|
| Zinc | 6500 | ^ | 2.2 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 39 | | 2.4 | 0.52 | mg/Kg | 50 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-130-0

Lab Sample ID: 720-99304-27

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Antimony | 2.9 | | 2.0 | 0.95 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 40 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 100 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.54 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.089 | J | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 67 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 25 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 100 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 230 | ^ | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 35 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 120 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 130 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.13 | | 0.042 | 0.0089 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-131-0

Lab Sample ID: 720-99304-28

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Antimony | 2.4 | | 2.0 | 0.96 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 62 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.49 | | 0.20 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.57 | | 0.20 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 65 | | 0.51 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 24 | | 0.51 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 100 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 720 | ^ | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 43 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 110 | | 0.51 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 160 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.13 | | 0.045 | 0.0098 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-132-0

Lab Sample ID: 720-99304-29

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 9.8 | | 1.9 | 0.90 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 160 | | 1.9 | 1.2 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 310 | | 0.96 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.19 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 3.0 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 34 | | 0.48 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 16 | | 0.48 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 250 | | 1.4 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 320 | ^ | 0.96 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 4.3 | | 1.9 | 0.72 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 36 | | 0.96 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 1.0 | | 0.48 | 0.086 | mg/Kg | 1 | ✱ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-132-0 (Continued)

Lab Sample ID: 720-99304-29

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Vanadium | 52 | | 0.48 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 610 | ^ | 1.9 | 0.18 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 2.5 | | 0.42 | 0.090 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-133-0

Lab Sample ID: 720-99304-30

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.5 | | 2.0 | 0.94 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 640 | | 2.0 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 240 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.18 | J | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 2.8 | | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 18 | | 0.50 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 20 | | 0.50 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 290 | | 1.5 | 0.22 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 160 | ^ | 1.0 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 3.0 | | 2.0 | 0.75 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 49 | | 1.0 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 1.4 | | 0.50 | 0.090 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 22 | | 0.50 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 600 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 3.8 | | 0.44 | 0.095 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-134-0

Lab Sample ID: 720-99304-31

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 8.6 | | 2.0 | 0.92 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 110 | | 2.0 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 300 | | 0.98 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.17 | J | 0.20 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 4.1 | | 0.20 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 34 | | 0.49 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 18 | | 0.49 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 270 | | 1.5 | 0.22 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 350 | ^ | 0.98 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 4.3 | | 2.0 | 0.74 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 28 | | 0.98 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 1.0 | | 0.49 | 0.088 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 58 | | 0.49 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 1200 | ^ | 2.0 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 4.1 | | 0.41 | 0.087 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-135-0

Lab Sample ID: 720-99304-32

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 5.8 | | 1.9 | 0.90 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 100 | | 1.9 | 1.2 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 600 | | 0.95 | 0.11 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.19 | | 0.19 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 5.7 | | 0.19 | 0.029 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 46 | | 0.48 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 26 | | 0.48 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-135-0 (Continued)

Lab Sample ID: 720-99304-32

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Copper | 330 | | 1.4 | 0.21 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Lead | 290 | ^ | 0.95 | 0.25 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Molybdenum | 6.7 | | 1.9 | 0.72 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Nickel | 37 | | 0.95 | 0.23 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Selenium | 1.7 | J | 1.9 | 1.3 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Silver | 38 | | 0.48 | 0.086 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Vanadium | 94 | | 0.48 | 0.18 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Zinc | 740 | ^ | 1.9 | 0.18 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Mercury | 6.6 | | 0.40 | 0.086 | mg/Kg | 10 | | ☆ | 7471A | Total/NA |

Client Sample ID: AMA20-136-0

Lab Sample ID: 720-99304-33

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|-----|-----|---|--------|-----------|
| Antimony | 16 | | 2.1 | 1.0 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Arsenic | 80 | | 2.1 | 1.4 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Barium | 970 | | 1.1 | 0.13 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Beryllium | 0.33 | | 0.21 | 0.032 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Cadmium | 4.7 | | 0.21 | 0.032 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Chromium | 52 | | 0.54 | 0.15 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Cobalt | 21 | | 0.54 | 0.27 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Copper | 740 | | 1.6 | 0.24 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Lead | 4100 | ^ | 1.1 | 0.28 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Molybdenum | 2.2 | | 2.1 | 0.81 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Nickel | 180 | | 1.1 | 0.26 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Silver | 1.3 | | 0.54 | 0.097 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Vanadium | 120 | | 0.54 | 0.20 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Zinc | 2400 | ^ | 2.1 | 0.20 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Mercury | 0.74 | | 0.039 | 0.0084 | mg/Kg | 1 | | ☆ | 7471A | Total/NA |

Client Sample ID: AMA20-137-0

Lab Sample ID: 720-99304-34

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 5.5 | | 2.0 | 0.96 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Arsenic | 280 | | 2.0 | 1.3 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Barium | 450 | | 1.0 | 0.12 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Beryllium | 0.26 | | 0.20 | 0.031 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Cadmium | 2.0 | | 0.20 | 0.031 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Chromium | 42 | | 0.51 | 0.14 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Cobalt | 18 | | 0.51 | 0.26 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Copper | 190 | | 1.5 | 0.22 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Lead | 340 | ^ | 1.0 | 0.27 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Molybdenum | 2.2 | | 2.0 | 0.77 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Nickel | 59 | | 1.0 | 0.25 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Silver | 1.1 | | 0.51 | 0.092 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Vanadium | 54 | | 0.51 | 0.19 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Zinc | 680 | ^ | 2.0 | 0.19 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |
| Mercury | 2.4 | | 0.19 | 0.041 | mg/Kg | 5 | | ☆ | 7471A | Total/NA |

Client Sample ID: AMA20-138-0

Lab Sample ID: 720-99304-35

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|----------|--------|-----------|-----|------|-------|-----|-----|---|--------|-----------|
| Antimony | 4.9 | | 1.9 | 0.91 | mg/Kg | 1 | | ☆ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-138-0 (Continued)

Lab Sample ID: 720-99304-35

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Arsenic | 100 | | 1.9 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 280 | | 0.97 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.23 | | 0.19 | 0.029 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 6.9 | | 0.19 | 0.029 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 31 | | 0.48 | 0.14 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 16 | | 0.48 | 0.24 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 72 | | 1.5 | 0.21 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 210 | ^ | 0.97 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 1.3 | J | 1.9 | 0.73 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 28 | | 0.97 | 0.23 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Silver | 0.60 | | 0.48 | 0.087 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 57 | | 0.48 | 0.18 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 1400 | ^ | 1.9 | 0.18 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 3.0 | | 0.19 | 0.040 | mg/Kg | 5 | | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-139-0

Lab Sample ID: 720-99304-36

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 4.3 | F1 F2 | 2.1 | 0.97 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 380 | F2 | 2.1 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 140 | F1 | 1.0 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.38 | | 0.21 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 1.3 | | 0.21 | 0.031 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 34 | | 0.52 | 0.15 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 21 | | 0.52 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 120 | | 1.6 | 0.23 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 200 | | 1.0 | 0.27 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 2.1 | | 2.1 | 0.78 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 59 | F1 | 0.52 | 0.20 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 440 | B | 2.1 | 0.20 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 1.1 | | 0.22 | 0.047 | mg/Kg | 5 | | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-140-0

Lab Sample ID: 720-99304-37

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|-----|-----|---|--------|-----------|
| Antimony | 2.0 | | 2.0 | 0.95 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 210 | | 2.0 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 81 | | 1.0 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.23 | | 0.20 | 0.030 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 13 | | 0.20 | 0.030 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 39 | | 0.50 | 0.14 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 14 | | 0.50 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 67 | | 1.5 | 0.22 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 240 | | 1.0 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 1.9 | J | 2.0 | 0.76 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 75 | | 1.0 | 0.24 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 32 | | 0.50 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 3000 | B | 2.0 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 0.39 | | 0.038 | 0.0081 | mg/Kg | 1 | | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-141-0

Lab Sample ID: 720-99304-38

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 3.8 | | 1.9 | 0.91 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 48 | | 1.9 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 870 | | 0.96 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.29 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.71 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 33 | | 0.48 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 22 | | 0.48 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 59 | | 1.4 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 120 | | 0.96 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.4 | | 1.9 | 0.72 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 18 | | 0.96 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 1.5 | J | 1.9 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Thallium | 0.99 | J | 1.9 | 0.81 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 100 | | 0.48 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 160 | B | 1.9 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.85 | | 0.19 | 0.041 | mg/Kg | 5 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-142-0

Lab Sample ID: 720-99304-39

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Antimony | 1.6 | J | 2.0 | 0.94 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 280 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 82 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.28 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 5.4 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 46 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 20 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 700 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 270 | | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.5 | | 2.0 | 0.75 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 97 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 1.6 | J | 2.0 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 0.75 | | 0.50 | 0.090 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 45 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 2000 | B | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.53 | | 0.040 | 0.0087 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-143-0

Lab Sample ID: 720-99304-40

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 270 | | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 100 | | 1.1 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.46 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.9 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 84 | | 0.53 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 30 | | 0.53 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 220 | | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 130 | | 1.1 | 0.28 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 3.1 | | 2.1 | 0.79 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 71 | | 1.1 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 92 | | 0.53 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 1100 | B | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-143-0 (Continued)

Lab Sample ID: 720-99304-40

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Mercury | 0.37 | | 0.042 | 0.0091 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-144-0

Lab Sample ID: 720-99304-41

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 44 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 740 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.27 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 1.1 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 36 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 31 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 160 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 120 | | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.8 | | 2.0 | 0.75 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 23 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Thallium | 0.85 | J | 2.0 | 0.84 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 130 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 240 | B | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 12 | | 2.0 | 0.43 | mg/Kg | 50 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-145-0

Lab Sample ID: 720-99304-42

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 120 | | 2.2 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 160 | | 1.1 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.42 | | 0.22 | 0.033 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 4.6 | | 0.22 | 0.033 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 49 | | 0.55 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 20 | | 0.55 | 0.28 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 150 | | 1.7 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 240 | | 1.1 | 0.29 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 1.6 | J | 2.2 | 0.83 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 47 | | 1.1 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 90 | | 0.55 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 1400 | B | 2.2 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 8.9 | | 0.44 | 0.095 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-146-0

Lab Sample ID: 720-99304-43

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 46 | | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 98 | | 1.1 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.58 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.27 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 51 | | 0.53 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 21 | | 0.53 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 74 | | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 55 | | 1.1 | 0.28 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 27 | | 1.1 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 100 | | 0.53 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 170 | B | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.71 | | 0.043 | 0.0091 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-147-0

Lab Sample ID: 720-99304-44

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 1.1 | J | 2.1 | 0.98 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 230 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.37 | | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 1.3 | | 0.21 | 0.031 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 38 | | 0.52 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 18 | | 0.52 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 84 | | 1.6 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 350 | | 1.0 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 1.3 | J | 2.1 | 0.78 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 47 | | 1.0 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 0.16 | J | 0.52 | 0.094 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 64 | | 0.52 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 410 | B | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 1.5 | | 0.43 | 0.093 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-148-0

Lab Sample ID: 720-99304-45

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 35 | | 2.0 | 1.3 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 120 | | 1.0 | 0.12 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.61 | | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 0.18 | J | 0.20 | 0.030 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 66 | | 0.50 | 0.14 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 23 | | 0.50 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 76 | | 1.5 | 0.22 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 59 | | 1.0 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 32 | | 1.0 | 0.24 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 110 | | 0.50 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 160 | B | 2.0 | 0.19 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 0.17 | | 0.044 | 0.0095 | mg/Kg | 1 | ☼ | 7471A | Total/NA |

Client Sample ID: AMA20-149-0

Lab Sample ID: 720-99304-46

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.9 | | 2.1 | 0.99 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Arsenic | 240 | | 2.1 | 1.4 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Barium | 280 | | 1.1 | 0.13 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Beryllium | 0.26 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cadmium | 1.1 | | 0.21 | 0.032 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Chromium | 27 | | 0.53 | 0.15 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Cobalt | 18 | | 0.53 | 0.26 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Copper | 87 | | 1.6 | 0.23 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Lead | 130 | | 1.1 | 0.27 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Molybdenum | 2.6 | | 2.1 | 0.79 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Nickel | 38 | | 1.1 | 0.25 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Silver | 0.24 | J | 0.53 | 0.095 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Vanadium | 59 | | 0.53 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Zinc | 290 | B | 2.1 | 0.20 | mg/Kg | 1 | ☼ | 6010B | Total/NA |
| Mercury | 1.4 | | 0.39 | 0.084 | mg/Kg | 10 | ☼ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-150-0

Lab Sample ID: 720-99304-47

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.3 | | 2.1 | 0.97 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 180 | | 2.1 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 73 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.30 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.67 | | 0.21 | 0.031 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 18 | | 0.51 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 15 | | 0.51 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 58 | | 1.5 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 140 | | 1.0 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 3.1 | | 2.1 | 0.77 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 3.2 | | 0.51 | 0.093 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 23 | | 0.51 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 200 | B | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 1.6 | | 0.40 | 0.087 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-151-0

Lab Sample ID: 720-99304-48

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Arsenic | 58 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 540 | | 0.98 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.21 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.29 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 22 | | 0.49 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 15 | | 0.49 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 32 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 70 | | 0.98 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 1.4 | J | 2.0 | 0.74 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 17 | | 0.98 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 73 | | 0.49 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 110 | B | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.86 | | 0.39 | 0.083 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-317-0

Lab Sample ID: 720-99304-49

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 6.5 | | 2.0 | 0.94 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 70 | | 2.0 | 1.3 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 180 | | 1.0 | 0.12 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.30 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.5 | | 0.20 | 0.030 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 33 | | 0.50 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 12 | | 0.50 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 130 | | 1.5 | 0.22 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 2400 | | 1.0 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 3.6 | | 2.0 | 0.75 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 21 | | 1.0 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Selenium | 1.9 | J | 2.0 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Silver | 3.2 | | 0.50 | 0.090 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 51 | | 0.50 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 590 | B | 2.0 | 0.19 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 170 | | 19 | 4.1 | mg/Kg | 500 | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-322-0

Lab Sample ID: 720-99304-50

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 2.2 | | 2.1 | 1.0 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 93 | | 2.1 | 1.4 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 140 | | 1.1 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.46 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 2.6 | | 0.21 | 0.032 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 58 | | 0.53 | 0.15 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 24 | | 0.53 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 200 | | 1.6 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 610 | | 1.1 | 0.28 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 1.8 | J | 2.1 | 0.80 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 47 | | 1.1 | 0.26 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 91 | | 0.53 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 690 | B | 2.1 | 0.20 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 2.9 | | 0.43 | 0.093 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-329-0

Lab Sample ID: 720-99304-51

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------|--------|-----------|-------|--------|-------|---------|---|--------|-----------|
| Arsenic | 30 | | 2.3 | 1.5 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 87 | | 1.1 | 0.14 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.38 | | 0.23 | 0.034 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.29 | | 0.23 | 0.034 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 71 | | 0.56 | 0.16 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 18 | | 0.56 | 0.28 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 78 | | 1.7 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 320 | | 1.1 | 0.29 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 37 | | 1.1 | 0.27 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 90 | | 0.56 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 210 | B | 2.3 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.15 | | 0.041 | 0.0088 | mg/Kg | 1 | ✱ | 7471A | Total/NA |

Client Sample ID: AMA20-341-0

Lab Sample ID: 720-99304-52

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|---------|---|--------|-----------|
| Antimony | 3.2 | | 1.9 | 0.90 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Arsenic | 49 | | 1.9 | 1.2 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Barium | 790 | | 0.96 | 0.11 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Beryllium | 0.29 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cadmium | 0.71 | | 0.19 | 0.029 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Chromium | 35 | | 0.48 | 0.13 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Cobalt | 23 | | 0.48 | 0.24 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Copper | 61 | | 1.4 | 0.21 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Lead | 120 | | 0.96 | 0.25 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Molybdenum | 2.7 | | 1.9 | 0.72 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Nickel | 22 | | 0.96 | 0.23 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Vanadium | 110 | | 0.48 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Zinc | 150 | B | 1.9 | 0.18 | mg/Kg | 1 | ✱ | 6010B | Total/NA |
| Mercury | 0.96 | | 0.40 | 0.086 | mg/Kg | 10 | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Detection Summary

Client: Weston Solutions, Inc.

Job ID: 720-99304-1

Project/Site: Weston START Region 9 - Argonaut Mine

Client Sample ID: AMA20-335-0

Lab Sample ID: 720-99304-53

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil | Fac | D | Method | Prep Type |
|------------|--------|-----------|------|-------|-------|-----|-----|---|--------|-----------|
| Antimony | 2.7 | | 2.0 | 0.94 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Arsenic | 220 | | 2.0 | 1.3 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Barium | 620 | | 1.0 | 0.12 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Beryllium | 0.28 | | 0.20 | 0.030 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cadmium | 5.3 | | 0.20 | 0.030 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Chromium | 46 | | 0.50 | 0.14 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Cobalt | 23 | | 0.50 | 0.25 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Copper | 280 | | 1.5 | 0.22 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Lead | 290 | | 1.0 | 0.26 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Molybdenum | 5.6 | | 2.0 | 0.75 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Nickel | 31 | | 1.0 | 0.24 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Selenium | 2.3 | | 2.0 | 1.4 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Silver | 0.32 | J | 0.50 | 0.090 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Vanadium | 92 | | 0.50 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Zinc | 740 | B | 2.0 | 0.19 | mg/Kg | 1 | | ✱ | 6010B | Total/NA |
| Mercury | 7.2 | | 0.37 | 0.080 | mg/Kg | 10 | | ✱ | 7471A | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Pleasanton

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-106-0

Lab Sample ID: 720-99304-1

Date Collected: 07/20/20 11:44

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.3

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | F1 | 2.0 | 0.95 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Arsenic | 52 | F1 | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Barium | 78 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Beryllium | 0.49 | B | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Cadmium | 0.25 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Chromium | 77 | F1 | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Cobalt | 28 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Copper | 680 | B | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Lead | 71 | F1 | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Molybdenum | 1.7 | J F1 | 2.0 | 0.76 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Nickel | 38 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Selenium | 7.4 | F1 | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Silver | ND | F1 | 0.50 | 0.091 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Thallium | ND | | 2.0 | 0.85 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Vanadium | 110 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |
| Zinc | 100 | | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:08 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.85 | | 0.042 | 0.0091 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 14:53 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 3.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-107-0

Lab Sample ID: 720-99304-2

Date Collected: 07/20/20 11:49

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.2

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.5 | | 2.0 | 0.95 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Arsenic | 72 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Barium | 240 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Beryllium | 0.35 | B | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Cadmium | 1.7 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Chromium | 59 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Cobalt | 28 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Copper | 1500 | B ^ | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Lead | 430 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Molybdenum | 6.7 | | 2.0 | 0.76 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Nickel | 51 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Selenium | 8.3 | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Silver | 0.75 | | 0.50 | 0.091 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Thallium | ND | | 2.0 | 0.85 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Vanadium | 64 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |
| Zinc | 350 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:35 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.2 | | 0.42 | 0.091 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:24 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-108-0

Lab Sample ID: 720-99304-3

Date Collected: 07/20/20 11:52

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.96 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Arsenic | 36 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Barium | 140 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Beryllium | 0.56 | B | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Cadmium | 1.7 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Chromium | 46 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Cobalt | 19 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Copper | 110 | B ^ | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Lead | 120 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Molybdenum | ND | | 2.0 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Nickel | 25 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Silver | 0.54 | | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Thallium | ND | | 2.0 | 0.86 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Vanadium | 110 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |
| Zinc | 400 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:39 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.27 | | 0.042 | 0.0089 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:28 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-109-0

Lab Sample ID: 720-99304-4

Date Collected: 07/20/20 11:55

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 1.9 | 0.90 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Arsenic | 35 | | 1.9 | 1.2 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Barium | 140 | | 0.96 | 0.11 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Beryllium | 0.44 | B | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Cadmium | 1.7 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Chromium | 48 | | 0.48 | 0.13 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Cobalt | 17 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Copper | 93 | B ^ | 1.4 | 0.21 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Lead | 55 | | 0.96 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Molybdenum | 0.72 | J | 1.9 | 0.72 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Nickel | 27 | | 0.96 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Selenium | ND | | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Silver | ND | | 0.48 | 0.086 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Thallium | ND | | 1.9 | 0.80 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Vanadium | 90 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |
| Zinc | 410 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:43 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.25 | | 0.037 | 0.0081 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 15:23 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-35-0

Lab Sample ID: 720-99304-5

Date Collected: 07/20/20 12:01

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 93.1

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.99 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Arsenic | 49 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Barium | 120 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Beryllium | 0.61 | B | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Cadmium | 1.7 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Chromium | 69 | | 0.53 | 0.15 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Cobalt | 28 | | 0.53 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Copper | 110 | B ^ | 1.6 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Lead | 94 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Molybdenum | ND | | 2.1 | 0.79 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Nickel | 40 | | 1.1 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Silver | ND | | 0.53 | 0.095 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Thallium | ND | | 2.1 | 0.88 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Vanadium | 120 | | 0.53 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |
| Zinc | 450 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:47 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.23 | | 0.043 | 0.0092 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 15:26 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 6.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 93.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-110-0

Lab Sample ID: 720-99304-6

Date Collected: 07/20/20 12:02

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.92 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Arsenic | 24 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Barium | 83 | | 0.98 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Beryllium | 0.36 | B | 0.20 | 0.029 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Cadmium | 0.64 | | 0.20 | 0.029 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Chromium | 62 | | 0.49 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Cobalt | 16 | | 0.49 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Copper | 63 | B ^ | 1.5 | 0.21 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Lead | 41 | | 0.98 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Molybdenum | ND | | 2.0 | 0.73 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Nickel | 24 | | 0.98 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Silver | ND | | 0.49 | 0.088 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Thallium | ND | | 2.0 | 0.82 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Vanadium | 94 | | 0.49 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |
| Zinc | 180 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:51 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.15 | | 0.039 | 0.0084 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 15:28 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 97.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-111-0

Lab Sample ID: 720-99304-7

Date Collected: 07/20/20 12:05

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.8

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.97 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Arsenic | 62 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Beryllium | 0.45 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Cadmium | 1.1 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Chromium | 46 | | 0.52 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Cobalt | 16 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Copper | 150 | B ^ | 1.5 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Lead | 170 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Molybdenum | 1.3 | J | 2.1 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Nickel | 27 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Selenium | ND | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Silver | ND | | 0.52 | 0.093 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Vanadium | 82 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |
| Zinc | 290 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 13:54 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.0 | | 0.22 | 0.047 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:31 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 97.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-112-0

Lab Sample ID: 720-99304-8

Date Collected: 07/20/20 12:06

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.1

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.98 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Arsenic | 120 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Barium | 100 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Beryllium | 0.46 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Cadmium | 20 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Chromium | 52 | | 0.52 | 0.15 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Cobalt | 26 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Copper | 140 | B ^ | 1.6 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Lead | 350 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Molybdenum | 2.0 | J | 2.1 | 0.78 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Nickel | 61 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Silver | ND | | 0.52 | 0.094 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Vanadium | 84 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |
| Zinc | 440 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:06 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.32 | | 0.038 | 0.0082 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:33 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 97.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-113-0

Lab Sample ID: 720-99304-9

Date Collected: 07/20/20 12:08

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 18 | | 2.1 | 0.97 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Arsenic | 100 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Barium | 180 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Beryllium | 0.33 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Cadmium | 2.1 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Chromium | 47 | | 0.52 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Cobalt | 13 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Copper | 400 | B ^ | 1.5 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Lead | 630 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Molybdenum | 5.4 | | 2.1 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Nickel | 36 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Selenium | 2.9 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Silver | 0.60 | | 0.52 | 0.093 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Vanadium | 44 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |
| Zinc | 490 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:10 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.8 | | 0.38 | 0.082 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:37 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-114-0

Lab Sample ID: 720-99304-10

Date Collected: 07/20/20 12:11

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.96 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Arsenic | 89 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Barium | 490 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Beryllium | 0.52 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Cadmium | 4.0 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Chromium | 54 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Cobalt | 24 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Copper | 140 | B ^ | 1.5 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Lead | 740 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Molybdenum | 1.3 | J | 2.1 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Nickel | 39 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Selenium | ND | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Silver | ND | | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Thallium | ND | | 2.1 | 0.86 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Vanadium | 90 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |
| Zinc | 1100 | ^ | 2.1 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:14 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.69 | | 0.045 | 0.0096 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:41 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 97.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-115-0

Lab Sample ID: 720-99304-11

Date Collected: 07/20/20 12:14

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.3

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.98 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Arsenic | 1100 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Barium | 87 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Beryllium | 0.21 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Cadmium | 2.4 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Chromium | 52 | | 0.52 | 0.15 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Cobalt | 18 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Copper | 140 | B ^ | 1.6 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Lead | 1500 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Molybdenum | 2.2 | | 2.1 | 0.78 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Nickel | 140 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Selenium | 5.2 | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Silver | 16 | | 0.52 | 0.093 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Vanadium | 24 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |
| Zinc | 490 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:18 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.7 | | 0.44 | 0.094 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:46 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-116-0

Lab Sample ID: 720-99304-12

Date Collected: 07/20/20 12:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.97 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Arsenic | 120 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Barium | 150 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Beryllium | 0.28 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Cadmium | 2.2 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Chromium | 30 | | 0.52 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Cobalt | 13 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Copper | 230 | B ^ | 1.5 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Lead | 560 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Molybdenum | 2.8 | | 2.1 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Nickel | 31 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Selenium | 3.8 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Silver | 0.90 | | 0.52 | 0.093 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Vanadium | 40 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |
| Zinc | 580 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:21 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.5 | | 0.40 | 0.085 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 10:50 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-117-0

Lab Sample ID: 720-99304-13

Date Collected: 07/20/20 12:17

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 1.3 | J | 1.9 | 0.88 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Arsenic | 64 | | 1.9 | 1.2 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Barium | 160 | | 0.94 | 0.11 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Beryllium | 0.36 | B | 0.19 | 0.028 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Cadmium | 2.2 | | 0.19 | 0.028 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Chromium | 32 | | 0.47 | 0.13 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Cobalt | 10 | | 0.47 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Copper | 110 | B ^ | 1.4 | 0.21 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Lead | 890 | | 0.94 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Molybdenum | 2.8 | | 1.9 | 0.70 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Nickel | 22 | | 0.94 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Selenium | 1.8 | J | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Silver | 0.97 | | 0.47 | 0.084 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Thallium | ND | | 1.9 | 0.79 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Vanadium | 47 | | 0.47 | 0.18 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |
| Zinc | 500 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:25 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|----|-----|-------|---|----------------|----------------|---------|
| Mercury | 130 | | 21 | 4.5 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:22 | 500 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-30-0

Lab Sample ID: 720-99304-14

Date Collected: 07/20/20 12:34

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 7.2 | | 2.0 | 0.94 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Arsenic | 84 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Barium | 250 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Beryllium | 0.29 | B | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Cadmium | 2.2 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Chromium | 34 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Cobalt | 17 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Copper | 130 | B ^ | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Lead | 400 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Molybdenum | 2.3 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Nickel | 30 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Silver | 0.90 | | 0.50 | 0.090 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Vanadium | 59 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |
| Zinc | 500 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:29 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.9 | | 0.43 | 0.092 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:25 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-118-0

Lab Sample ID: 720-99304-15

Date Collected: 07/20/20 12:36

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.2

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 5.7 | | 2.1 | 0.97 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Arsenic | 120 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Barium | 170 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Beryllium | 0.38 | B | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Cadmium | 5.8 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Chromium | 53 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Cobalt | 20 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Copper | 250 | B ^ | 1.5 | 0.23 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Lead | 610 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Molybdenum | 9.7 | | 2.1 | 0.77 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Selenium | ND | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Silver | 1.1 | | 0.51 | 0.093 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Thallium | ND | | 2.1 | 0.86 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Vanadium | 60 | | 0.51 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |
| Zinc | 1300 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 06:00 | 07/27/20 14:33 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.4 | | 0.41 | 0.088 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:12 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-119-0

Lab Sample ID: 720-99304-16

Date Collected: 07/20/20 12:40

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.6

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 12 | F2 F1 | 2.1 | 0.97 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Arsenic | 1100 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Barium | 270 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Beryllium | 0.14 | J | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Cadmium | 2.6 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Chromium | 59 | F1 | 0.52 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Cobalt | 23 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Copper | 740 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Lead | 350 | F2 | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Molybdenum | 17 | F1 | 2.1 | 0.78 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Nickel | 83 | F1 | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Selenium | 2.4 | F1 | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Silver | 1.6 | | 0.52 | 0.093 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Vanadium | 49 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |
| Zinc | 540 | | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 18:35 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.0 | | 0.38 | 0.082 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:16 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-120-0

Lab Sample ID: 720-99304-17

Date Collected: 07/20/20 12:43

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.9

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 5.2 | | 2.1 | 0.98 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Arsenic | 100 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Barium | 240 | | 1.0 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Beryllium | 0.29 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Cadmium | 2.3 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Chromium | 45 | | 0.52 | 0.15 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Cobalt | 20 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Copper | 360 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Lead | 210 | ^ | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Molybdenum | 8.1 | | 2.1 | 0.78 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Nickel | 47 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Selenium | 2.3 | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Silver | 1.7 | | 0.52 | 0.094 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Thallium | ND | | 2.1 | 0.88 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Vanadium | 44 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |
| Zinc | 420 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:02 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.9 | | 0.39 | 0.085 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:20 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-121-0

Lab Sample ID: 720-99304-18

Date Collected: 07/20/20 12:46

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.9

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.7 | | 1.9 | 0.91 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Arsenic | 380 | | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Barium | 140 | | 0.97 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Beryllium | 0.32 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Cadmium | 2.2 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Chromium | 41 | | 0.49 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Cobalt | 19 | | 0.49 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Copper | 230 | | 1.5 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Lead | 2100 | ^ | 0.97 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Molybdenum | 3.0 | | 1.9 | 0.73 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Nickel | 59 | | 0.97 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Selenium | 3.0 | | 1.9 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Silver | 7.5 | | 0.49 | 0.088 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Thallium | ND | | 1.9 | 0.82 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Vanadium | 48 | | 0.49 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |
| Zinc | 490 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:06 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.3 | | 0.43 | 0.092 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:25 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-122-0

Lab Sample ID: 720-99304-19

Date Collected: 07/20/20 12:51

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 94.4

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 6.1 | | 2.1 | 1.0 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Arsenic | 97 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Barium | 180 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Beryllium | 0.44 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Cadmium | 2.5 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Chromium | 58 | | 0.54 | 0.15 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Cobalt | 22 | | 0.54 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Copper | 270 | | 1.6 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Lead | 720 | ^ | 1.1 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Molybdenum | 2.4 | | 2.1 | 0.80 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Nickel | 44 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Silver | 0.97 | | 0.54 | 0.096 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Thallium | ND | | 2.1 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Vanadium | 83 | | 0.54 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |
| Zinc | 620 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:09 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 3.7 | | 0.39 | 0.084 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:28 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 5.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 94.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-123-0

Lab Sample ID: 720-99304-20

Date Collected: 07/20/20 12:54

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.7

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 320 | | 2.0 | 0.94 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Arsenic | 190 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Barium | 290 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Beryllium | 0.35 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Cadmium | 4.1 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Chromium | 53 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Cobalt | 21 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Copper | 650 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Lead | 4200 | ^ | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Molybdenum | 4.2 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Nickel | 65 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Silver | 5.2 | | 0.50 | 0.090 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Vanadium | 69 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |
| Zinc | 920 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:13 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-----|------|-------|---|----------------|----------------|---------|
| Mercury | 8.7 | | 4.3 | 0.91 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:29 | 100 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 95.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-124-0

Lab Sample ID: 720-99304-21

Date Collected: 07/20/20 12:57

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.4

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 16 | | 2.0 | 0.96 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Arsenic | 190 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Barium | 270 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Beryllium | 0.33 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Cadmium | 3.5 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Chromium | 68 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Cobalt | 28 | | 0.51 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Copper | 450 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Lead | 1000 | ^ | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Molybdenum | 7.1 | | 2.0 | 0.76 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Nickel | 140 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Silver | 1.9 | | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Thallium | ND | | 2.0 | 0.85 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Vanadium | 76 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |
| Zinc | 1000 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:17 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.1 | | 0.41 | 0.089 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 11:45 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 95.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-125-0

Lab Sample ID: 720-99304-22

Date Collected: 07/20/20 13:00

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.9

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 7.7 | | 2.2 | 1.0 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Arsenic | 220 | | 2.2 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Barium | 420 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Beryllium | 0.42 | | 0.22 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Cadmium | 3.8 | | 0.22 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Chromium | 63 | | 0.54 | 0.15 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Cobalt | 29 | | 0.54 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Copper | 270 | | 1.6 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Lead | 2400 | ^ | 1.1 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Molybdenum | 2.5 | | 2.2 | 0.81 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Nickel | 120 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Selenium | ND | | 2.2 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Silver | 3.0 | | 0.54 | 0.097 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Thallium | ND | | 2.2 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Vanadium | 99 | | 0.54 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |
| Zinc | 970 | ^ | 2.2 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:21 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.3 | | 0.43 | 0.093 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:00 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 3.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-128-0

Lab Sample ID: 720-99304-23

Date Collected: 07/20/20 13:47

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 94.2

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 3.9 | | 2.0 | 0.96 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Arsenic | 110 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Barium | 250 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Beryllium | 0.41 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Cadmium | 0.62 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Chromium | 63 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Cobalt | 26 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Copper | 160 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Lead | 360 | ^ | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Molybdenum | 1.8 | J | 2.0 | 0.77 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Nickel | 73 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Silver | 0.40 | J | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Thallium | ND | | 2.0 | 0.86 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Vanadium | 94 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |
| Zinc | 560 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:25 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.32 | | 0.046 | 0.0098 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:05 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 5.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 94.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-126-0

Lab Sample ID: 720-99304-24

Date Collected: 07/20/20 13:52

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 94.6

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.8 | | 2.2 | 1.0 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Arsenic | 56 | | 2.2 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Barium | 150 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Beryllium | 0.60 | | 0.22 | 0.033 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Cadmium | 0.12 | J | 0.22 | 0.033 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Chromium | 66 | | 0.56 | 0.16 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Cobalt | 26 | | 0.56 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Copper | 76 | | 1.7 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Lead | 61 | ^ | 1.1 | 0.29 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Molybdenum | ND | | 2.2 | 0.83 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Nickel | 31 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Selenium | ND | | 2.2 | 1.6 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Silver | ND | | 0.56 | 0.10 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Thallium | ND | | 2.2 | 0.93 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Vanadium | 140 | | 0.56 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |
| Zinc | 130 | ^ | 2.2 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:28 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.19 | | 0.040 | 0.0085 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 18:01 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 5.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 94.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-127-0

Lab Sample ID: 720-99304-25

Date Collected: 07/20/20 13:53

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 94.3

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.7 | | 2.1 | 1.0 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Arsenic | 73 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Barium | 170 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Beryllium | 0.55 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Cadmium | 0.24 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Chromium | 60 | | 0.54 | 0.15 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Cobalt | 26 | | 0.54 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Copper | 98 | | 1.6 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Lead | 160 | ^ | 1.1 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Molybdenum | ND | | 2.1 | 0.80 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Nickel | 36 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Silver | ND | | 0.54 | 0.096 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Thallium | ND | | 2.1 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Vanadium | 130 | | 0.54 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |
| Zinc | 220 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:32 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.34 | | 0.039 | 0.0084 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 18:03 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 5.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 94.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-129-0

Lab Sample ID: 720-99304-26

Date Collected: 07/20/20 14:04

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 91.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 3.7 | | 2.2 | 1.1 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Arsenic | 38 | | 2.2 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Barium | 480 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Beryllium | 0.29 | | 0.22 | 0.034 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Cadmium | 0.56 | | 0.22 | 0.034 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Chromium | 57 | | 0.56 | 0.16 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Cobalt | 15 | | 0.56 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Copper | 75 | | 1.7 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Lead | 2800 | ^ | 1.1 | 0.29 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Molybdenum | 1.4 | J | 2.2 | 0.84 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Nickel | 47 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Selenium | ND | | 2.2 | 1.6 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Silver | 0.19 | J | 0.56 | 0.10 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Thallium | ND | | 2.2 | 0.94 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Vanadium | 79 | | 0.56 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |
| Zinc | 6500 | ^ | 2.2 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:36 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-----|------|-------|---|----------------|----------------|---------|
| Mercury | 39 | | 2.4 | 0.52 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:08 | 50 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 9.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 91.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-130-0

Lab Sample ID: 720-99304-27

Date Collected: 07/20/20 14:10

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.2

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.9 | | 2.0 | 0.95 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Arsenic | 40 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Barium | 100 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Beryllium | 0.54 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Cadmium | 0.089 | J | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Chromium | 67 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Cobalt | 25 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Copper | 100 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Lead | 230 | ^ | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Molybdenum | ND | | 2.0 | 0.76 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Nickel | 35 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Silver | ND | | 0.50 | 0.091 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Thallium | ND | | 2.0 | 0.85 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Vanadium | 120 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |
| Zinc | 130 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:48 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.13 | | 0.042 | 0.0089 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:12 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 3.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-131-0

Lab Sample ID: 720-99304-28

Date Collected: 07/20/20 14:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.4 | | 2.0 | 0.96 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Arsenic | 62 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Beryllium | 0.49 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Cadmium | 0.57 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Chromium | 65 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Cobalt | 24 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Copper | 100 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Lead | 720 | ^ | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Molybdenum | ND | | 2.0 | 0.77 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Nickel | 43 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Silver | ND | | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Thallium | ND | | 2.0 | 0.86 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Vanadium | 110 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |
| Zinc | 160 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:52 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.13 | | 0.045 | 0.0098 | mg/Kg | ☼ | 07/28/20 10:45 | 07/28/20 18:27 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-132-0

Lab Sample ID: 720-99304-29

Date Collected: 07/20/20 14:45

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.4

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 9.8 | | 1.9 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Arsenic | 160 | | 1.9 | 1.2 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Barium | 310 | | 0.96 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Beryllium | 0.19 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Cadmium | 3.0 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Chromium | 34 | | 0.48 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Cobalt | 16 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Copper | 250 | | 1.4 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Lead | 320 | ^ | 0.96 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Molybdenum | 4.3 | | 1.9 | 0.72 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Nickel | 36 | | 0.96 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Selenium | ND | | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Silver | 1.0 | | 0.48 | 0.086 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Thallium | ND | | 1.9 | 0.81 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Vanadium | 52 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |
| Zinc | 610 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:56 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 2.5 | | 0.42 | 0.090 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:31 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-133-0

Lab Sample ID: 720-99304-30

Date Collected: 07/20/20 14:48

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.5 | | 2.0 | 0.94 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Arsenic | 640 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Barium | 240 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Beryllium | 0.18 | J | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Cadmium | 2.8 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Chromium | 18 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Cobalt | 20 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Copper | 290 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Lead | 160 | ^ | 1.0 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Molybdenum | 3.0 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Nickel | 49 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Silver | 1.4 | | 0.50 | 0.090 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Vanadium | 22 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |
| Zinc | 600 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 19:59 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 3.8 | | 0.44 | 0.095 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:34 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-134-0

Lab Sample ID: 720-99304-31

Date Collected: 07/20/20 14:51

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 100.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 8.6 | | 2.0 | 0.92 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Arsenic | 110 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Barium | 300 | | 0.98 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Beryllium | 0.17 | J | 0.20 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Cadmium | 4.1 | | 0.20 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Chromium | 34 | | 0.49 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Cobalt | 18 | | 0.49 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Copper | 270 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Lead | 350 | ^ | 0.98 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Molybdenum | 4.3 | | 2.0 | 0.74 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Nickel | 28 | | 0.98 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Silver | 1.0 | | 0.49 | 0.088 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Thallium | ND | | 2.0 | 0.82 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Vanadium | 58 | | 0.49 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |
| Zinc | 1200 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:03 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 4.1 | | 0.41 | 0.087 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:44 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 100.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-135-0

Lab Sample ID: 720-99304-32

Date Collected: 07/20/20 14:55

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.9

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 5.8 | | 1.9 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Arsenic | 100 | | 1.9 | 1.2 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Barium | 600 | | 0.95 | 0.11 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Beryllium | 0.19 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Cadmium | 5.7 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Chromium | 46 | | 0.48 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Cobalt | 26 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Copper | 330 | | 1.4 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Lead | 290 | ^ | 0.95 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Molybdenum | 6.7 | | 1.9 | 0.72 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Nickel | 37 | | 0.95 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Selenium | 1.7 | J | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Silver | 38 | | 0.48 | 0.086 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Thallium | ND | | 1.9 | 0.80 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Vanadium | 94 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |
| Zinc | 740 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:07 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 6.6 | | 0.40 | 0.086 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:48 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-136-0

Lab Sample ID: 720-99304-33

Date Collected: 07/20/20 14:58

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 16 | | 2.1 | 1.0 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Arsenic | 80 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Barium | 970 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Beryllium | 0.33 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Cadmium | 4.7 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Chromium | 52 | | 0.54 | 0.15 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Cobalt | 21 | | 0.54 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Copper | 740 | | 1.6 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Lead | 4100 | ^ | 1.1 | 0.28 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Molybdenum | 2.2 | | 2.1 | 0.81 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Nickel | 180 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Silver | 1.3 | | 0.54 | 0.097 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Thallium | ND | | 2.1 | 0.90 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Vanadium | 120 | | 0.54 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |
| Zinc | 2400 | ^ | 2.1 | 0.20 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:11 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.74 | | 0.039 | 0.0084 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:15 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-137-0

Lab Sample ID: 720-99304-34

Date Collected: 07/20/20 15:00

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.8

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 5.5 | | 2.0 | 0.96 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Arsenic | 280 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Barium | 450 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Beryllium | 0.26 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Cadmium | 2.0 | | 0.20 | 0.031 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Chromium | 42 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Cobalt | 18 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Copper | 190 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Lead | 340 | ^ | 1.0 | 0.27 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Molybdenum | 2.2 | | 2.0 | 0.77 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Nickel | 59 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Silver | 1.1 | | 0.51 | 0.092 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Thallium | ND | | 2.0 | 0.86 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Vanadium | 54 | | 0.51 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |
| Zinc | 680 | ^ | 2.0 | 0.19 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:15 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 2.4 | | 0.19 | 0.041 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:52 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-138-0

Lab Sample ID: 720-99304-35

Date Collected: 07/20/20 15:01

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.4

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 4.9 | | 1.9 | 0.91 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Arsenic | 100 | | 1.9 | 1.3 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Barium | 280 | | 0.97 | 0.12 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Beryllium | 0.23 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Cadmium | 6.9 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Chromium | 31 | | 0.48 | 0.14 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Cobalt | 16 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Copper | 72 | | 1.5 | 0.21 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Lead | 210 | ^ | 0.97 | 0.25 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Molybdenum | 1.3 | J | 1.9 | 0.73 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Nickel | 28 | | 0.97 | 0.23 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Selenium | ND | | 1.9 | 1.4 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Silver | 0.60 | | 0.48 | 0.087 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Thallium | ND | | 1.9 | 0.81 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Vanadium | 57 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |
| Zinc | 1400 | ^ | 1.9 | 0.18 | mg/Kg | ☼ | 07/27/20 13:25 | 07/28/20 20:18 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 3.0 | | 0.19 | 0.040 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 13:56 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-139-0

Lab Sample ID: 720-99304-36

Date Collected: 07/20/20 15:03

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 4.3 | F1 F2 | 2.1 | 0.97 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Arsenic | 380 | F2 | 2.1 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Barium | 140 | F1 | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Beryllium | 0.38 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Cadmium | 1.3 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Chromium | 34 | | 0.52 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Cobalt | 21 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Copper | 120 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Lead | 200 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Molybdenum | 2.1 | | 2.1 | 0.78 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Silver | ND | | 0.52 | 0.093 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Vanadium | 59 | F1 | 0.52 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |
| Zinc | 440 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 17:55 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.1 | | 0.22 | 0.047 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:00 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-140-0

Lab Sample ID: 720-99304-37

Date Collected: 07/20/20 15:04

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.1

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.0 | | 2.0 | 0.95 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Arsenic | 210 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Barium | 81 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Beryllium | 0.23 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Cadmium | 13 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Chromium | 39 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Cobalt | 14 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Copper | 67 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Lead | 240 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Molybdenum | 1.9 | J | 2.0 | 0.76 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Nickel | 75 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Silver | ND | | 0.50 | 0.091 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Thallium | ND | | 2.0 | 0.85 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Vanadium | 32 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |
| Zinc | 3000 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:15 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.39 | | 0.038 | 0.0081 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 13:02 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-141-0

Lab Sample ID: 720-99304-38

Date Collected: 07/20/20 15:10

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.8

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 3.8 | | 1.9 | 0.91 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Arsenic | 48 | | 1.9 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Barium | 870 | | 0.96 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Beryllium | 0.29 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Cadmium | 0.71 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Chromium | 33 | | 0.48 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Cobalt | 22 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Copper | 59 | | 1.4 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Lead | 120 | | 0.96 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Molybdenum | 2.4 | | 1.9 | 0.72 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Nickel | 18 | | 0.96 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Selenium | 1.5 | J | 1.9 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Silver | ND | | 0.48 | 0.087 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:04 | 1 |
| Thallium | 0.99 | J | 1.9 | 0.81 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Vanadium | 100 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |
| Zinc | 160 | B | 1.9 | 0.18 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:19 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 0.85 | | 0.19 | 0.041 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:03 | 5 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-142-0

Lab Sample ID: 720-99304-39

Date Collected: 07/20/20 15:15

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.8

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 1.6 | J | 2.0 | 0.94 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Arsenic | 280 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Barium | 82 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Beryllium | 0.28 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Cadmium | 5.4 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Chromium | 46 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Cobalt | 20 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Copper | 700 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Lead | 270 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Molybdenum | 2.5 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Nickel | 97 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Selenium | 1.6 | J | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Silver | 0.75 | | 0.50 | 0.090 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Vanadium | 45 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |
| Zinc | 2000 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:23 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.53 | | 0.040 | 0.0087 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 13:06 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 95.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-143-0

Lab Sample ID: 720-99304-40

Date Collected: 07/20/20 15:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 92.7

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 0.99 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Arsenic | 270 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Barium | 100 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Beryllium | 0.46 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Cadmium | 2.9 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Chromium | 84 | | 0.53 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Cobalt | 30 | | 0.53 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Copper | 220 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Lead | 130 | | 1.1 | 0.28 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Molybdenum | 3.1 | | 2.1 | 0.79 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Nickel | 71 | | 1.1 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Silver | ND | | 0.53 | 0.095 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:08 | 1 |
| Thallium | ND | | 2.1 | 0.89 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Vanadium | 92 | | 0.53 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |
| Zinc | 1100 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:27 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.37 | | 0.042 | 0.0091 | mg/Kg | ☼ | 07/28/20 10:45 | 07/29/20 12:43 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 7.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 92.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-144-0

Lab Sample ID: 720-99304-41

Date Collected: 07/20/20 15:18

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.7

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.94 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Arsenic | 44 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Barium | 740 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Beryllium | 0.27 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Cadmium | 1.1 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Chromium | 36 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Cobalt | 31 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Copper | 160 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Lead | 120 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Molybdenum | 2.8 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Nickel | 23 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Silver | ND | | 0.50 | 0.090 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Thallium | 0.85 | J | 2.0 | 0.84 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Vanadium | 130 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |
| Zinc | 240 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:44 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-----|------|-------|---|----------------|----------------|---------|
| Mercury | 12 | | 2.0 | 0.43 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:28 | 50 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-145-0

Lab Sample ID: 720-99304-42

Date Collected: 07/20/20 15:27

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 92.3

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.2 | 1.0 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Arsenic | 120 | | 2.2 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Barium | 160 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Beryllium | 0.42 | | 0.22 | 0.033 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Cadmium | 4.6 | | 0.22 | 0.033 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Chromium | 49 | | 0.55 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Cobalt | 20 | | 0.55 | 0.28 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Copper | 150 | | 1.7 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Lead | 240 | | 1.1 | 0.29 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Molybdenum | 1.6 | J | 2.2 | 0.83 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Nickel | 47 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Selenium | ND | | 2.2 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Silver | ND | | 0.55 | 0.10 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Thallium | ND | | 2.2 | 0.93 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Vanadium | 90 | | 0.55 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |
| Zinc | 1400 | B | 2.2 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:48 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 8.9 | | 0.44 | 0.095 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:34 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 7.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 92.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-146-0

Lab Sample ID: 720-99304-43

Date Collected: 07/20/20 15:30

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.6

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.1 | 1.0 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Arsenic | 46 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Barium | 98 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Beryllium | 0.58 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Cadmium | 0.27 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Chromium | 51 | | 0.53 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Cobalt | 21 | | 0.53 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Copper | 74 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Lead | 55 | | 1.1 | 0.28 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Molybdenum | ND | | 2.1 | 0.80 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Nickel | 27 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Silver | ND | | 0.53 | 0.096 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:12 | 1 |
| Thallium | ND | | 2.1 | 0.90 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Vanadium | 100 | | 0.53 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |
| Zinc | 170 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:52 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.71 | | 0.043 | 0.0091 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:31 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.4 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 95.6 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-147-0

Lab Sample ID: 720-99304-44

Date Collected: 07/20/20 15:36

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 1.1 | J | 2.1 | 0.98 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Arsenic | 230 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Barium | 110 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Beryllium | 0.37 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Cadmium | 1.3 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Chromium | 38 | | 0.52 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Cobalt | 18 | | 0.52 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Copper | 84 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Lead | 350 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Molybdenum | 1.3 | J | 2.1 | 0.78 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Nickel | 47 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Silver | 0.16 | J | 0.52 | 0.094 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Thallium | ND | | 2.1 | 0.87 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Vanadium | 64 | | 0.52 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |
| Zinc | 410 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 18:56 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.5 | | 0.43 | 0.093 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:42 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 4.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 96.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-148-0

Lab Sample ID: 720-99304-45

Date Collected: 07/20/20 15:42

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.1

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.94 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Arsenic | 35 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Barium | 120 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Beryllium | 0.61 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Cadmium | 0.18 | J | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Chromium | 66 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Cobalt | 23 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Copper | 76 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Lead | 59 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Molybdenum | ND | | 2.0 | 0.75 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Nickel | 32 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Silver | ND | | 0.50 | 0.090 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:16 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Vanadium | 110 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |
| Zinc | 160 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:00 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.17 | | 0.044 | 0.0095 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:35 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 2.9 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 97.1 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-149-0

Lab Sample ID: 720-99304-46

Date Collected: 07/20/20 15:47

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.0

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.9 | | 2.1 | 0.99 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Arsenic | 240 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Barium | 280 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Beryllium | 0.26 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Cadmium | 1.1 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Chromium | 27 | | 0.53 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Cobalt | 18 | | 0.53 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Copper | 87 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Lead | 130 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Molybdenum | 2.6 | | 2.1 | 0.79 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Nickel | 38 | | 1.1 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Silver | 0.24 | J | 0.53 | 0.095 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Thallium | ND | | 2.1 | 0.88 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Vanadium | 59 | | 0.53 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |
| Zinc | 290 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:05 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.4 | | 0.39 | 0.084 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:47 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.0 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-150-0

Lab Sample ID: 720-99304-47

Date Collected: 07/20/20 15:53

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.2

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.3 | | 2.1 | 0.97 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Arsenic | 180 | | 2.1 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Barium | 73 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Beryllium | 0.30 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Cadmium | 0.67 | | 0.21 | 0.031 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Chromium | 18 | | 0.51 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Cobalt | 15 | | 0.51 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Copper | 58 | | 1.5 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Lead | 140 | | 1.0 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Molybdenum | 3.1 | | 2.1 | 0.77 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Nickel | 48 | | 1.0 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Selenium | ND | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Silver | 3.2 | | 0.51 | 0.093 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Thallium | ND | | 2.1 | 0.86 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Vanadium | 23 | | 0.51 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |
| Zinc | 200 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:09 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 1.6 | | 0.40 | 0.087 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:56 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-151-0

Lab Sample ID: 720-99304-48

Date Collected: 07/20/20 15:54

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.7

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.92 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Arsenic | 58 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Barium | 540 | | 0.98 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Beryllium | 0.21 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Cadmium | 0.29 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Chromium | 22 | | 0.49 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Cobalt | 15 | | 0.49 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Copper | 32 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Lead | 70 | | 0.98 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Molybdenum | 1.4 | J | 2.0 | 0.74 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Nickel | 17 | | 0.98 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Silver | ND | | 0.49 | 0.089 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Thallium | ND | | 2.0 | 0.83 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Vanadium | 73 | | 0.49 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |
| Zinc | 110 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:13 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 0.86 | | 0.39 | 0.083 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 14:59 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 1.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 98.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-317-0

Lab Sample ID: 720-99304-49

Date Collected: 07/20/20 12:27

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.3

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 6.5 | | 2.0 | 0.94 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Arsenic | 70 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Barium | 180 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Beryllium | 0.30 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Cadmium | 2.5 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Chromium | 33 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Cobalt | 12 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Copper | 130 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Lead | 2400 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Molybdenum | 3.6 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Nickel | 21 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Selenium | 1.9 | J | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Silver | 3.2 | | 0.50 | 0.090 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Vanadium | 51 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |
| Zinc | 590 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:17 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|----|-----|-------|---|----------------|----------------|---------|
| Mercury | 170 | | 19 | 4.1 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:38 | 500 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-322-0

Lab Sample ID: 720-99304-50

Date Collected: 07/20/20 13:51

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 93.8

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.2 | | 2.1 | 1.0 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Arsenic | 93 | | 2.1 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Barium | 140 | | 1.1 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Beryllium | 0.46 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Cadmium | 2.6 | | 0.21 | 0.032 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Chromium | 58 | | 0.53 | 0.15 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Cobalt | 24 | | 0.53 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Copper | 200 | | 1.6 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Lead | 610 | | 1.1 | 0.28 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Molybdenum | 1.8 | J | 2.1 | 0.80 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Nickel | 47 | | 1.1 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Selenium | ND | | 2.1 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Silver | ND | | 0.53 | 0.096 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Thallium | ND | | 2.1 | 0.90 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Vanadium | 91 | | 0.53 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |
| Zinc | 690 | B | 2.1 | 0.20 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:33 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 2.9 | | 0.43 | 0.093 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:16 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 6.2 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 93.8 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-329-0

Lab Sample ID: 720-99304-51

Date Collected: 07/20/20 14:14

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 90.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.3 | 1.1 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Arsenic | 30 | | 2.3 | 1.5 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Barium | 87 | | 1.1 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Beryllium | 0.38 | | 0.23 | 0.034 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Cadmium | 0.29 | | 0.23 | 0.034 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Chromium | 71 | | 0.56 | 0.16 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Cobalt | 18 | | 0.56 | 0.28 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Copper | 78 | | 1.7 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Lead | 320 | | 1.1 | 0.29 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Molybdenum | ND | | 2.3 | 0.85 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Nickel | 37 | | 1.1 | 0.27 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Selenium | ND | | 2.3 | 1.6 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Silver | ND | | 0.56 | 0.10 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:20 | 1 |
| Thallium | ND | | 2.3 | 0.95 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Vanadium | 90 | | 0.56 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |
| Zinc | 210 | B | 2.3 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:38 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | 0.15 | | 0.041 | 0.0088 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:41 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 9.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 90.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-341-0

Lab Sample ID: 720-99304-52

Date Collected: 07/20/20 15:20

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.5

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 3.2 | | 1.9 | 0.90 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Arsenic | 49 | | 1.9 | 1.2 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Barium | 790 | | 0.96 | 0.11 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Beryllium | 0.29 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Cadmium | 0.71 | | 0.19 | 0.029 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Chromium | 35 | | 0.48 | 0.13 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Cobalt | 23 | | 0.48 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Copper | 61 | | 1.4 | 0.21 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Lead | 120 | | 0.96 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Molybdenum | 2.7 | | 1.9 | 0.72 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Nickel | 22 | | 0.96 | 0.23 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Selenium | ND | | 1.9 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Silver | ND | | 0.48 | 0.086 | mg/Kg | ☼ | 07/28/20 12:35 | 07/31/20 23:24 | 1 |
| Thallium | ND | | 1.9 | 0.80 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Vanadium | 110 | | 0.48 | 0.18 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |
| Zinc | 150 | B | 1.9 | 0.18 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:42 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 0.96 | | 0.40 | 0.086 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:21 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.5 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-335-0

Lab Sample ID: 720-99304-53

Date Collected: 07/20/20 15:05

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.7

Method: 6010B - Metals (ICP)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | 2.7 | | 2.0 | 0.94 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Arsenic | 220 | | 2.0 | 1.3 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Barium | 620 | | 1.0 | 0.12 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Beryllium | 0.28 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Cadmium | 5.3 | | 0.20 | 0.030 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Chromium | 46 | | 0.50 | 0.14 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Cobalt | 23 | | 0.50 | 0.25 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Copper | 280 | | 1.5 | 0.22 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Lead | 290 | | 1.0 | 0.26 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Molybdenum | 5.6 | | 2.0 | 0.75 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Nickel | 31 | | 1.0 | 0.24 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Selenium | 2.3 | | 2.0 | 1.4 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Silver | 0.32 | J | 0.50 | 0.090 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Vanadium | 92 | | 0.50 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |
| Zinc | 740 | B | 2.0 | 0.19 | mg/Kg | ☼ | 07/28/20 12:35 | 07/30/20 19:46 | 1 |

Method: 7471A - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|------|-------|-------|---|----------------|----------------|---------|
| Mercury | 7.2 | | 0.37 | 0.080 | mg/Kg | ☼ | 07/31/20 10:00 | 07/31/20 15:24 | 10 |

General Chemistry

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 0.3 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |
| Percent Solids | 99.7 | | 0.1 | 0.1 | % | | | 07/27/20 11:55 | 1 |

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 320-398477/1-A

Matrix: Solid

Analysis Batch: 398837

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398477

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.94 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Arsenic | ND | | 2.0 | 1.3 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Barium | ND | | 1.0 | 0.12 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Beryllium | 0.0330 | J | 0.20 | 0.030 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Cadmium | ND | | 0.20 | 0.030 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Chromium | ND | | 0.50 | 0.14 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Cobalt | ND | | 0.50 | 0.25 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Copper | 0.357 | J | 1.5 | 0.22 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Lead | ND | | 1.0 | 0.26 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Molybdenum | ND | | 2.0 | 0.75 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Nickel | ND | | 1.0 | 0.24 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Silver | ND | | 0.50 | 0.090 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Vanadium | ND | | 0.50 | 0.19 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |
| Zinc | ND | | 2.0 | 0.19 | mg/Kg | | 07/27/20 06:00 | 07/27/20 12:41 | 1 |

Lab Sample ID: LCS 320-398477/2-A

Matrix: Solid

Analysis Batch: 398837

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 398477

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|------------|-------------|------------|---------------|-------|---|------|----------|
| Antimony | 49.8 | 47.7 | | mg/Kg | | 96 | 80 - 120 |
| Arsenic | 50.0 | 46.9 | | mg/Kg | | 94 | 80 - 120 |
| Barium | 50.0 | 48.6 | | mg/Kg | | 97 | 80 - 120 |
| Beryllium | 25.0 | 24.2 | | mg/Kg | | 97 | 80 - 120 |
| Cadmium | 25.0 | 24.4 | | mg/Kg | | 98 | 80 - 120 |
| Chromium | 25.0 | 25.4 | | mg/Kg | | 102 | 80 - 120 |
| Cobalt | 25.0 | 24.1 | | mg/Kg | | 97 | 80 - 120 |
| Copper | 25.0 | 23.6 | | mg/Kg | | 94 | 80 - 120 |
| Lead | 25.0 | 23.9 | | mg/Kg | | 95 | 80 - 120 |
| Molybdenum | 25.0 | 24.3 | | mg/Kg | | 97 | 80 - 120 |
| Nickel | 25.0 | 24.1 | | mg/Kg | | 97 | 80 - 120 |
| Selenium | 50.0 | 48.1 | | mg/Kg | | 96 | 80 - 120 |
| Silver | 4.98 | 4.99 | | mg/Kg | | 100 | 80 - 120 |
| Thallium | 50.0 | 48.4 | | mg/Kg | | 97 | 80 - 120 |
| Vanadium | 25.0 | 25.1 | | mg/Kg | | 100 | 80 - 120 |
| Zinc | 50.0 | 51.9 | | mg/Kg | | 104 | 80 - 120 |

Lab Sample ID: 720-99304-1 MS

Matrix: Solid

Analysis Batch: 398837

Client Sample ID: AMA20-106-0

Prep Type: Total/NA

Prep Batch: 398477

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|----------|
| Antimony | ND | F1 | 49.7 | 11.3 | F1 | mg/Kg | ☼ | 23 | 80 - 120 |
| Arsenic | 52 | F1 | 49.9 | 90.1 | F1 | mg/Kg | ☼ | 77 | 80 - 120 |
| Barium | 78 | | 49.9 | 119 | | mg/Kg | ☼ | 82 | 80 - 120 |
| Beryllium | 0.49 | B | 25.0 | 22.3 | | mg/Kg | ☼ | 87 | 80 - 120 |
| Cadmium | 0.25 | | 25.0 | 21.4 | | mg/Kg | ☼ | 85 | 80 - 120 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-99304-1 MS

Matrix: Solid

Analysis Batch: 398837

Client Sample ID: AMA20-106-0

Prep Type: Total/NA

Prep Batch: 398477

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Chromium | 77 | F1 | 25.0 | 111 | F1 | mg/Kg | ☼ | 136 | 80 - 120 |
| Cobalt | 28 | | 25.0 | 53.8 | | mg/Kg | ☼ | 102 | 80 - 120 |
| Copper | 680 | B | 25.0 | 621 | 4 | mg/Kg | ☼ | -250 | 80 - 120 |
| Lead | 71 | F1 | 25.0 | 87.8 | F1 | mg/Kg | ☼ | 68 | 80 - 120 |
| Molybdenum | 1.7 | J F1 | 25.0 | 20.9 | F1 | mg/Kg | ☼ | 77 | 80 - 120 |
| Nickel | 38 | | 25.0 | 64.9 | | mg/Kg | ☼ | 108 | 80 - 120 |
| Selenium | 7.4 | F1 | 49.9 | 44.8 | F1 | mg/Kg | ☼ | 75 | 80 - 120 |
| Silver | ND | F1 | 4.97 | 3.93 | F1 | mg/Kg | ☼ | 79 | 80 - 120 |
| Thallium | ND | | 49.9 | 40.5 | | mg/Kg | ☼ | 81 | 80 - 120 |
| Vanadium | 110 | | 25.0 | 147 | 4 | mg/Kg | ☼ | 139 | 80 - 120 |
| Zinc | 100 | | 49.9 | 153 | | mg/Kg | ☼ | 100 | 80 - 120 |

Lab Sample ID: 720-99304-1 MSD

Matrix: Solid

Analysis Batch: 398837

Client Sample ID: AMA20-106-0

Prep Type: Total/NA

Prep Batch: 398477

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Antimony | ND | F1 | 51.2 | 11.6 | F1 | mg/Kg | ☼ | 23 | 80 - 120 | 3 | 35 |
| Arsenic | 52 | F1 | 51.4 | 91.2 | F1 | mg/Kg | ☼ | 77 | 80 - 120 | 1 | 35 |
| Barium | 78 | | 51.4 | 135 | | mg/Kg | ☼ | 111 | 80 - 120 | 13 | 35 |
| Beryllium | 0.49 | B | 25.7 | 22.4 | | mg/Kg | ☼ | 85 | 80 - 120 | 0 | 35 |
| Cadmium | 0.25 | | 25.7 | 21.9 | | mg/Kg | ☼ | 84 | 80 - 120 | 2 | 35 |
| Chromium | 77 | F1 | 25.7 | 113 | F1 | mg/Kg | ☼ | 138 | 80 - 120 | 1 | 35 |
| Cobalt | 28 | | 25.7 | 51.0 | | mg/Kg | ☼ | 88 | 80 - 120 | 5 | 35 |
| Copper | 680 | B | 25.7 | 776 | 4 | mg/Kg | ☼ | 357 | 80 - 120 | 22 | 35 |
| Lead | 71 | F1 | 25.7 | 119 | F1 | mg/Kg | ☼ | 188 | 80 - 120 | 30 | 35 |
| Molybdenum | 1.7 | J F1 | 25.7 | 22.3 | | mg/Kg | ☼ | 80 | 80 - 120 | 6 | 35 |
| Nickel | 38 | | 25.7 | 63.5 | | mg/Kg | ☼ | 99 | 80 - 120 | 2 | 35 |
| Selenium | 7.4 | F1 | 51.4 | 47.1 | F1 | mg/Kg | ☼ | 77 | 80 - 120 | 5 | 35 |
| Silver | ND | F1 | 5.12 | 4.23 | | mg/Kg | ☼ | 83 | 80 - 120 | 7 | 35 |
| Thallium | ND | | 51.4 | 41.9 | | mg/Kg | ☼ | 81 | 80 - 120 | 3 | 35 |
| Vanadium | 110 | | 25.7 | 148 | 4 | mg/Kg | ☼ | 140 | 80 - 120 | 1 | 35 |
| Zinc | 100 | | 51.4 | 158 | | mg/Kg | ☼ | 107 | 80 - 120 | 3 | 35 |

Lab Sample ID: MB 320-398608/1-A

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.94 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Arsenic | ND | | 2.0 | 1.3 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Barium | ND | | 1.0 | 0.12 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Beryllium | ND | | 0.20 | 0.030 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Cadmium | ND | | 0.20 | 0.030 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Chromium | ND | | 0.50 | 0.14 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Cobalt | ND | | 0.50 | 0.25 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Copper | ND | | 1.5 | 0.22 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Lead | ND | | 1.0 | 0.26 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Molybdenum | ND | | 2.0 | 0.75 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 320-398608/1-A

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Nickel | ND | | 1.0 | 0.24 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Silver | ND | | 0.50 | 0.090 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Vanadium | ND | | 0.50 | 0.19 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |
| Zinc | ND | | 2.0 | 0.19 | mg/Kg | | 07/27/20 13:25 | 07/28/20 16:04 | 1 |

Lab Sample ID: LCS 320-398608/2-A

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|-------|---|------|--------------|
| Arsenic | 50.0 | 43.6 | | mg/Kg | | 87 | 80 - 120 |
| Barium | 50.0 | 47.7 | | mg/Kg | | 95 | 80 - 120 |
| Beryllium | 25.0 | 23.5 | | mg/Kg | | 94 | 80 - 120 |
| Cadmium | 25.0 | 23.1 | | mg/Kg | | 92 | 80 - 120 |
| Chromium | 25.0 | 23.7 | | mg/Kg | | 95 | 80 - 120 |
| Cobalt | 25.0 | 23.3 | | mg/Kg | | 93 | 80 - 120 |
| Copper | 25.0 | 22.2 | | mg/Kg | | 89 | 80 - 120 |
| Lead | 25.0 | 23.5 | | mg/Kg | | 94 | 80 - 120 |
| Molybdenum | 25.0 | 23.7 | | mg/Kg | | 95 | 80 - 120 |
| Nickel | 25.0 | 22.7 | | mg/Kg | | 91 | 80 - 120 |
| Selenium | 50.0 | 41.1 | | mg/Kg | | 82 | 80 - 120 |
| Silver | 4.98 | 4.53 | | mg/Kg | | 91 | 80 - 120 |
| Thallium | 50.0 | 45.4 | | mg/Kg | | 91 | 80 - 120 |
| Vanadium | 25.0 | 23.5 | | mg/Kg | | 94 | 80 - 120 |
| Zinc | 50.0 | 47.6 | | mg/Kg | | 95 | 80 - 120 |

Lab Sample ID: LCS 320-398608/2-A

Matrix: Solid

Analysis Batch: 399742

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|-------|---|------|--------------|
| Antimony | 49.8 | 43.4 | | mg/Kg | | 87 | 80 - 120 |

Lab Sample ID: 720-99304-16 MS

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: AMA20-119-0

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|---------------|------------------|-------------|-----------|--------------|-------|---|-------|--------------|
| Antimony | 12 | F2 F1 | 48.1 | 74.1 | F1 | mg/Kg | ☼ | 130 | 80 - 120 |
| Arsenic | 1100 | | 48.3 | 215 | 4 | mg/Kg | ☼ | -1811 | 80 - 120 |
| Barium | 270 | | 48.3 | 358 | 4 | mg/Kg | ☼ | 176 | 80 - 120 |
| Beryllium | 0.14 | J | 24.1 | 22.3 | | mg/Kg | ☼ | 92 | 80 - 120 |
| Cadmium | 2.6 | | 24.1 | 24.1 | | mg/Kg | ☼ | 89 | 80 - 120 |
| Chromium | 59 | F1 | 24.1 | 78.9 | | mg/Kg | ☼ | 84 | 80 - 120 |
| Cobalt | 23 | | 24.1 | 44.4 | | mg/Kg | ☼ | 91 | 80 - 120 |
| Copper | 740 | | 24.1 | 719 | 4 | mg/Kg | ☼ | -79 | 80 - 120 |
| Lead | 350 | F2 | 24.1 | 572 | 4 | mg/Kg | ☼ | 926 | 80 - 120 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-99304-16 MS

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: AMA20-119-0

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Molybdenum | 17 | F1 | 24.1 | 34.4 | F1 | mg/Kg | ☼ | 74 | 80 - 120 |
| Nickel | 83 | F1 | 24.1 | 77.3 | F1 | mg/Kg | ☼ | -23 | 80 - 120 |
| Selenium | 2.4 | F1 | 48.3 | 39.1 | F1 | mg/Kg | ☼ | 76 | 80 - 120 |
| Silver | 1.6 | | 4.81 | 6.22 | | mg/Kg | ☼ | 96 | 80 - 120 |
| Thallium | ND | | 48.3 | 42.7 | | mg/Kg | ☼ | 88 | 80 - 120 |
| Vanadium | 49 | | 24.1 | 76.5 | | mg/Kg | ☼ | 114 | 80 - 120 |
| Zinc | 540 | | 48.3 | 580 | 4 | mg/Kg | ☼ | 75 | 80 - 120 |

Lab Sample ID: 720-99304-16 MSD

Matrix: Solid

Analysis Batch: 399227

Client Sample ID: AMA20-119-0

Prep Type: Total/NA

Prep Batch: 398608

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|---------------|------------------|-------------|------------|---------------|-------|---|-------|--------------|-----|-----------|
| Antimony | 12 | F2 F1 | 48.5 | 30.4 | F2 F1 | mg/Kg | ☼ | 38 | 80 - 120 | 84 | 35 |
| Arsenic | 1100 | | 48.7 | 179 | 4 | mg/Kg | ☼ | -1869 | 80 - 120 | 19 | 35 |
| Barium | 270 | | 48.7 | 386 | 4 | mg/Kg | ☼ | 231 | 80 - 120 | 7 | 35 |
| Beryllium | 0.14 | J | 24.4 | 22.3 | | mg/Kg | ☼ | 91 | 80 - 120 | 0 | 35 |
| Cadmium | 2.6 | | 24.4 | 24.2 | | mg/Kg | ☼ | 88 | 80 - 120 | 0 | 35 |
| Chromium | 59 | F1 | 24.4 | 76.7 | F1 | mg/Kg | ☼ | 74 | 80 - 120 | 3 | 35 |
| Cobalt | 23 | | 24.4 | 44.4 | | mg/Kg | ☼ | 90 | 80 - 120 | 0 | 35 |
| Copper | 740 | | 24.4 | 711 | 4 | mg/Kg | ☼ | -107 | 80 - 120 | 1 | 35 |
| Lead | 350 | F2 | 24.4 | 340 | 4 F2 | mg/Kg | ☼ | -33 | 80 - 120 | 51 | 35 |
| Molybdenum | 17 | F1 | 24.4 | 33.1 | F1 | mg/Kg | ☼ | 68 | 80 - 120 | 4 | 35 |
| Nickel | 83 | F1 | 24.4 | 80.8 | F1 | mg/Kg | ☼ | -9 | 80 - 120 | 4 | 35 |
| Selenium | 2.4 | F1 | 48.7 | 39.5 | F1 | mg/Kg | ☼ | 76 | 80 - 120 | 1 | 35 |
| Silver | 1.6 | | 4.85 | 6.41 | | mg/Kg | ☼ | 99 | 80 - 120 | 3 | 35 |
| Thallium | ND | | 48.7 | 43.5 | | mg/Kg | ☼ | 89 | 80 - 120 | 2 | 35 |
| Vanadium | 49 | | 24.4 | 76.5 | | mg/Kg | ☼ | 113 | 80 - 120 | 0 | 35 |
| Zinc | 540 | | 48.7 | 565 | 4 | mg/Kg | ☼ | 44 | 80 - 120 | 3 | 35 |

Lab Sample ID: MB 320-398984/1-A

Matrix: Solid

Analysis Batch: 399903

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398984

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 2.0 | 0.94 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Arsenic | ND | | 2.0 | 1.3 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Barium | ND | | 1.0 | 0.12 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Beryllium | ND | | 0.20 | 0.030 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Cadmium | ND | | 0.20 | 0.030 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Chromium | ND | | 0.50 | 0.14 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Cobalt | ND | | 0.50 | 0.25 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Copper | ND | | 1.5 | 0.22 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Lead | ND | | 1.0 | 0.26 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Molybdenum | ND | | 2.0 | 0.75 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Nickel | ND | | 1.0 | 0.24 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Selenium | ND | | 2.0 | 1.4 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Silver | ND | | 0.50 | 0.090 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Thallium | ND | | 2.0 | 0.84 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 320-398984/1-A
Matrix: Solid
Analysis Batch: 399903

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 398984

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|------|------|-------|---|----------------|----------------|---------|
| Vanadium | ND | | 0.50 | 0.19 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |
| Zinc | 0.471 | J | 2.0 | 0.19 | mg/Kg | | 07/28/20 12:35 | 07/30/20 15:32 | 1 |

Lab Sample ID: LCS 320-398984/2-A
Matrix: Solid
Analysis Batch: 399903

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 398984

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|-------|---|------|--------------|
| Antimony | 49.8 | 41.9 | | mg/Kg | | 84 | 80 - 120 |
| Arsenic | 50.0 | 44.6 | | mg/Kg | | 89 | 80 - 120 |
| Barium | 50.0 | 47.7 | | mg/Kg | | 95 | 80 - 120 |
| Beryllium | 25.0 | 23.4 | | mg/Kg | | 94 | 80 - 120 |
| Cadmium | 25.0 | 22.9 | | mg/Kg | | 92 | 80 - 120 |
| Chromium | 25.0 | 23.9 | | mg/Kg | | 96 | 80 - 120 |
| Cobalt | 25.0 | 23.2 | | mg/Kg | | 93 | 80 - 120 |
| Copper | 25.0 | 23.5 | | mg/Kg | | 94 | 80 - 120 |
| Lead | 25.0 | 22.9 | | mg/Kg | | 92 | 80 - 120 |
| Molybdenum | 25.0 | 23.5 | | mg/Kg | | 94 | 80 - 120 |
| Nickel | 25.0 | 22.3 | | mg/Kg | | 89 | 80 - 120 |
| Selenium | 50.0 | 41.5 | | mg/Kg | | 83 | 80 - 120 |
| Silver | 4.98 | 4.52 | | mg/Kg | | 91 | 80 - 120 |
| Thallium | 50.0 | 45.0 | | mg/Kg | | 90 | 80 - 120 |
| Vanadium | 25.0 | 24.1 | | mg/Kg | | 96 | 80 - 120 |
| Zinc | 50.0 | 49.2 | | mg/Kg | | 98 | 80 - 120 |

Lab Sample ID: 720-99304-36 MS
Matrix: Solid
Analysis Batch: 399903

Client Sample ID: AMA20-139-0
Prep Type: Total/NA
Prep Batch: 398984

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Antimony | 4.3 | F1 F2 | 49.1 | 68.1 | F1 | mg/Kg | ☼ | 130 | 80 - 120 |
| Arsenic | 380 | F2 | 49.3 | 445 | 4 | mg/Kg | ☼ | 139 | 80 - 120 |
| Barium | 140 | F1 | 49.3 | 187 | | mg/Kg | ☼ | 89 | 80 - 120 |
| Beryllium | 0.38 | | 24.6 | 22.7 | | mg/Kg | ☼ | 90 | 80 - 120 |
| Cadmium | 1.3 | | 24.6 | 22.9 | | mg/Kg | ☼ | 87 | 80 - 120 |
| Chromium | 34 | | 24.6 | 63.1 | | mg/Kg | ☼ | 118 | 80 - 120 |
| Cobalt | 21 | | 24.6 | 45.8 | | mg/Kg | ☼ | 100 | 80 - 120 |
| Copper | 120 | | 24.6 | 171 | 4 | mg/Kg | ☼ | 223 | 80 - 120 |
| Lead | 200 | | 24.6 | 243 | 4 | mg/Kg | ☼ | 186 | 80 - 120 |
| Molybdenum | 2.1 | | 24.6 | 23.3 | | mg/Kg | ☼ | 86 | 80 - 120 |
| Nickel | 48 | | 24.6 | 72.9 | | mg/Kg | ☼ | 101 | 80 - 120 |
| Selenium | ND | | 49.3 | 39.8 | | mg/Kg | ☼ | 81 | 80 - 120 |
| Silver | ND | | 4.91 | 4.31 | | mg/Kg | ☼ | 88 | 80 - 120 |
| Thallium | ND | | 49.3 | 42.6 | | mg/Kg | ☼ | 87 | 80 - 120 |
| Vanadium | 59 | F1 | 24.6 | 90.5 | F1 | mg/Kg | ☼ | 129 | 80 - 120 |
| Zinc | 440 | B | 49.3 | 494 | 4 | mg/Kg | ☼ | 105 | 80 - 120 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-99304-36 MSD

Matrix: Solid

Analysis Batch: 399903

Client Sample ID: AMA20-139-0

Prep Type: Total/NA

Prep Batch: 398984

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Antimony | 4.3 | F1 F2 | 49.6 | 24.1 | F1 F2 | mg/Kg | ☼ | 40 | 80 - 120 | 95 | 35 |
| Arsenic | 380 | F2 | 49.8 | 768 | 4 F2 | mg/Kg | ☼ | 788 | 80 - 120 | 53 | 35 |
| Barium | 140 | F1 | 49.8 | 165 | F1 | mg/Kg | ☼ | 43 | 80 - 120 | 13 | 35 |
| Beryllium | 0.38 | | 24.9 | 23.1 | | mg/Kg | ☼ | 91 | 80 - 120 | 2 | 35 |
| Cadmium | 1.3 | | 24.9 | 23.1 | | mg/Kg | ☼ | 88 | 80 - 120 | 1 | 35 |
| Chromium | 34 | | 24.9 | 62.2 | | mg/Kg | ☼ | 113 | 80 - 120 | 1 | 35 |
| Cobalt | 21 | | 24.9 | 45.2 | | mg/Kg | ☼ | 96 | 80 - 120 | 1 | 35 |
| Copper | 120 | | 24.9 | 133 | 4 | mg/Kg | ☼ | 68 | 80 - 120 | 25 | 35 |
| Lead | 200 | | 24.9 | 172 | 4 | mg/Kg | ☼ | -98 | 80 - 120 | 34 | 35 |
| Molybdenum | 2.1 | | 24.9 | 23.7 | | mg/Kg | ☼ | 86 | 80 - 120 | 1 | 35 |
| Nickel | 48 | | 24.9 | 70.8 | | mg/Kg | ☼ | 91 | 80 - 120 | 3 | 35 |
| Selenium | ND | | 49.8 | 41.9 | | mg/Kg | ☼ | 84 | 80 - 120 | 5 | 35 |
| Silver | ND | | 4.96 | 4.20 | | mg/Kg | ☼ | 85 | 80 - 120 | 3 | 35 |
| Thallium | ND | | 49.8 | 43.4 | | mg/Kg | ☼ | 87 | 80 - 120 | 2 | 35 |
| Vanadium | 59 | F1 | 24.9 | 87.4 | | mg/Kg | ☼ | 115 | 80 - 120 | 3 | 35 |
| Zinc | 440 | B | 49.8 | 465 | 4 | mg/Kg | ☼ | 45 | 80 - 120 | 6 | 35 |

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 320-398848/11-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398848

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | ND | | 0.040 | 0.0086 | mg/Kg | | 07/28/20 10:45 | 07/28/20 14:30 | 1 |

Lab Sample ID: LCS 320-398848/12-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 398848

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|-------|---|------|--------------|
| Mercury | 0.167 | 0.167 | | mg/Kg | | 100 | 86 - 114 |

Lab Sample ID: LCSD 320-398848/13-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 398848

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.167 | 0.169 | | mg/Kg | | 101 | 86 - 114 | 1 | 17 |

Lab Sample ID: 720-99304-1 MS

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: AMA20-106-0

Prep Type: Total/NA

Prep Batch: 398848

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 0.85 | | 0.162 | ND | 4 | mg/Kg | ☼ | 0 | 86 - 114 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: 720-99304-1 MSD

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: AMA20-106-0

Prep Type: Total/NA

Prep Batch: 398848

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.85 | | 0.165 | ND | 4 | mg/Kg | ☼ | 0 | 86 - 114 | NC | 17 |

Lab Sample ID: MB 320-398881/11-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 398881

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | ND | | 0.040 | 0.0086 | mg/Kg | | 07/28/20 10:45 | 07/28/20 14:38 | 1 |

Lab Sample ID: LCS 320-398881/12-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 398881

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|-------|---|------|--------------|
| Mercury | 0.167 | 0.164 | | mg/Kg | | 98 | 86 - 114 |

Lab Sample ID: LCSD 320-398881/13-A

Matrix: Solid

Analysis Batch: 399424

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 398881

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.167 | 0.169 | | mg/Kg | | 101 | 86 - 114 | 3 | 17 |

Lab Sample ID: 720-99304-21 MS

Matrix: Solid

Analysis Batch: 399423

Client Sample ID: AMA20-124-0

Prep Type: Total/NA

Prep Batch: 398881

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Mercury | 4.1 | | 0.181 | 3.69 | 4 | mg/Kg | ☼ | -213 | 86 - 114 |

Lab Sample ID: 720-99304-21 MSD

Matrix: Solid

Analysis Batch: 399423

Client Sample ID: AMA20-124-0

Prep Type: Total/NA

Prep Batch: 398881

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Mercury | 4.1 | | 0.172 | 3.25 | 4 | mg/Kg | ☼ | -480 | 86 - 114 | 13 | 17 |

Lab Sample ID: MB 320-399908/11-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 399908

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | ND | | 0.040 | 0.0086 | mg/Kg | | 07/31/20 10:00 | 07/31/20 12:37 | 1 |

Lab Sample ID: LCS 320-399908/12-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 399908

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|-------|---|------|--------------|
| Mercury | 0.167 | 0.165 | | mg/Kg | | 99 | 86 - 114 |

Eurofins TestAmerica, Pleasanton

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Method: 7471A - Mercury (CVAA)

Lab Sample ID: LCSD 320-399908/13-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 399908

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.167 | 0.166 | | mg/Kg | | 99 | 86 - 114 | 1 | 17 |

Lab Sample ID: MB 320-399914/11-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 399914

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|--------|-------|---|----------------|----------------|---------|
| Mercury | ND | | 0.040 | 0.0086 | mg/Kg | | 07/31/20 10:00 | 07/31/20 12:45 | 1 |

Lab Sample ID: LCS 320-399914/12-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 399914

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.167 | 0.170 | | mg/Kg | | 102 | 86 - 114 | | |

Lab Sample ID: LCSD 320-399914/13-A

Matrix: Solid

Analysis Batch: 400174

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 399914

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|-------|---|------|--------------|-----|-----------|
| Mercury | 0.167 | 0.167 | | mg/Kg | | 100 | 86 - 114 | 2 | 17 |

Method: D 2216 - Percent Moisture

Lab Sample ID: 720-99304-16 DU

Matrix: Solid

Analysis Batch: 398558

Client Sample ID: AMA20-119-0

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 0.4 | | 0.5 | F5 | % | | 22 | 20 |
| Percent Solids | 99.6 | | 99.5 | | % | | 0.1 | 20 |

Lab Sample ID: 720-99304-53 DU

Matrix: Solid

Analysis Batch: 398574

Client Sample ID: AMA20-335-0

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 0.3 | | 0.3 | | % | | 6 | 20 |
| Percent Solids | 99.7 | | 99.7 | | % | | 0 | 20 |

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals

Prep Batch: 398477

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-1 | AMA20-106-0 | Total/NA | Solid | 3050B | |
| 720-99304-2 | AMA20-107-0 | Total/NA | Solid | 3050B | |
| 720-99304-3 | AMA20-108-0 | Total/NA | Solid | 3050B | |
| 720-99304-4 | AMA20-109-0 | Total/NA | Solid | 3050B | |
| 720-99304-5 | AMA20-35-0 | Total/NA | Solid | 3050B | |
| 720-99304-6 | AMA20-110-0 | Total/NA | Solid | 3050B | |
| 720-99304-7 | AMA20-111-0 | Total/NA | Solid | 3050B | |
| 720-99304-8 | AMA20-112-0 | Total/NA | Solid | 3050B | |
| 720-99304-9 | AMA20-113-0 | Total/NA | Solid | 3050B | |
| 720-99304-10 | AMA20-114-0 | Total/NA | Solid | 3050B | |
| 720-99304-11 | AMA20-115-0 | Total/NA | Solid | 3050B | |
| 720-99304-12 | AMA20-116-0 | Total/NA | Solid | 3050B | |
| 720-99304-13 | AMA20-117-0 | Total/NA | Solid | 3050B | |
| 720-99304-14 | AMA20-30-0 | Total/NA | Solid | 3050B | |
| 720-99304-15 | AMA20-118-0 | Total/NA | Solid | 3050B | |
| MB 320-398477/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCS 320-398477/2-A | Lab Control Sample | Total/NA | Solid | 3050B | |
| 720-99304-1 MS | AMA20-106-0 | Total/NA | Solid | 3050B | |
| 720-99304-1 MSD | AMA20-106-0 | Total/NA | Solid | 3050B | |

Prep Batch: 398608

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-16 | AMA20-119-0 | Total/NA | Solid | 3050B | |
| 720-99304-17 | AMA20-120-0 | Total/NA | Solid | 3050B | |
| 720-99304-18 | AMA20-121-0 | Total/NA | Solid | 3050B | |
| 720-99304-19 | AMA20-122-0 | Total/NA | Solid | 3050B | |
| 720-99304-20 | AMA20-123-0 | Total/NA | Solid | 3050B | |
| 720-99304-21 | AMA20-124-0 | Total/NA | Solid | 3050B | |
| 720-99304-22 | AMA20-125-0 | Total/NA | Solid | 3050B | |
| 720-99304-23 | AMA20-128-0 | Total/NA | Solid | 3050B | |
| 720-99304-24 | AMA20-126-0 | Total/NA | Solid | 3050B | |
| 720-99304-25 | AMA20-127-0 | Total/NA | Solid | 3050B | |
| 720-99304-26 | AMA20-129-0 | Total/NA | Solid | 3050B | |
| 720-99304-27 | AMA20-130-0 | Total/NA | Solid | 3050B | |
| 720-99304-28 | AMA20-131-0 | Total/NA | Solid | 3050B | |
| 720-99304-29 | AMA20-132-0 | Total/NA | Solid | 3050B | |
| 720-99304-30 | AMA20-133-0 | Total/NA | Solid | 3050B | |
| 720-99304-31 | AMA20-134-0 | Total/NA | Solid | 3050B | |
| 720-99304-32 | AMA20-135-0 | Total/NA | Solid | 3050B | |
| 720-99304-33 | AMA20-136-0 | Total/NA | Solid | 3050B | |
| 720-99304-34 | AMA20-137-0 | Total/NA | Solid | 3050B | |
| 720-99304-35 | AMA20-138-0 | Total/NA | Solid | 3050B | |
| MB 320-398608/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCS 320-398608/2-A | Lab Control Sample | Total/NA | Solid | 3050B | |
| 720-99304-16 MS | AMA20-119-0 | Total/NA | Solid | 3050B | |
| 720-99304-16 MSD | AMA20-119-0 | Total/NA | Solid | 3050B | |

Analysis Batch: 398837

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-1 | AMA20-106-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-2 | AMA20-107-0 | Total/NA | Solid | 6010B | 398477 |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Analysis Batch: 398837 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-3 | AMA20-108-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-4 | AMA20-109-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-5 | AMA20-35-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-6 | AMA20-110-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-7 | AMA20-111-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-8 | AMA20-112-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-9 | AMA20-113-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-10 | AMA20-114-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-11 | AMA20-115-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-12 | AMA20-116-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-13 | AMA20-117-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-14 | AMA20-30-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-15 | AMA20-118-0 | Total/NA | Solid | 6010B | 398477 |
| MB 320-398477/1-A | Method Blank | Total/NA | Solid | 6010B | 398477 |
| LCS 320-398477/2-A | Lab Control Sample | Total/NA | Solid | 6010B | 398477 |
| 720-99304-1 MS | AMA20-106-0 | Total/NA | Solid | 6010B | 398477 |
| 720-99304-1 MSD | AMA20-106-0 | Total/NA | Solid | 6010B | 398477 |

Prep Batch: 398848

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 720-99304-1 | AMA20-106-0 | Total/NA | Solid | 7471A | |
| 720-99304-2 | AMA20-107-0 | Total/NA | Solid | 7471A | |
| 720-99304-3 | AMA20-108-0 | Total/NA | Solid | 7471A | |
| 720-99304-4 | AMA20-109-0 | Total/NA | Solid | 7471A | |
| 720-99304-5 | AMA20-35-0 | Total/NA | Solid | 7471A | |
| 720-99304-6 | AMA20-110-0 | Total/NA | Solid | 7471A | |
| 720-99304-7 | AMA20-111-0 | Total/NA | Solid | 7471A | |
| 720-99304-8 | AMA20-112-0 | Total/NA | Solid | 7471A | |
| 720-99304-9 | AMA20-113-0 | Total/NA | Solid | 7471A | |
| 720-99304-10 | AMA20-114-0 | Total/NA | Solid | 7471A | |
| 720-99304-11 | AMA20-115-0 | Total/NA | Solid | 7471A | |
| 720-99304-12 | AMA20-116-0 | Total/NA | Solid | 7471A | |
| 720-99304-15 | AMA20-118-0 | Total/NA | Solid | 7471A | |
| 720-99304-16 | AMA20-119-0 | Total/NA | Solid | 7471A | |
| 720-99304-17 | AMA20-120-0 | Total/NA | Solid | 7471A | |
| 720-99304-18 | AMA20-121-0 | Total/NA | Solid | 7471A | |
| 720-99304-19 | AMA20-122-0 | Total/NA | Solid | 7471A | |
| MB 320-398848/11-A | Method Blank | Total/NA | Solid | 7471A | |
| LCS 320-398848/12-A | Lab Control Sample | Total/NA | Solid | 7471A | |
| LCSD 320-398848/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | |
| 720-99304-1 MS | AMA20-106-0 | Total/NA | Solid | 7471A | |
| 720-99304-1 MSD | AMA20-106-0 | Total/NA | Solid | 7471A | |

Prep Batch: 398881

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-21 | AMA20-124-0 | Total/NA | Solid | 7471A | |
| 720-99304-22 | AMA20-125-0 | Total/NA | Solid | 7471A | |
| 720-99304-23 | AMA20-128-0 | Total/NA | Solid | 7471A | |
| 720-99304-24 | AMA20-126-0 | Total/NA | Solid | 7471A | |
| 720-99304-25 | AMA20-127-0 | Total/NA | Solid | 7471A | |
| 720-99304-26 | AMA20-129-0 | Total/NA | Solid | 7471A | |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Prep Batch: 398881 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 720-99304-27 | AMA20-130-0 | Total/NA | Solid | 7471A | |
| 720-99304-28 | AMA20-131-0 | Total/NA | Solid | 7471A | |
| 720-99304-33 | AMA20-136-0 | Total/NA | Solid | 7471A | |
| 720-99304-37 | AMA20-140-0 | Total/NA | Solid | 7471A | |
| 720-99304-39 | AMA20-142-0 | Total/NA | Solid | 7471A | |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | 7471A | |
| MB 320-398881/11-A | Method Blank | Total/NA | Solid | 7471A | |
| LCS 320-398881/12-A | Lab Control Sample | Total/NA | Solid | 7471A | |
| LCSD 320-398881/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | |
| 720-99304-21 MS | AMA20-124-0 | Total/NA | Solid | 7471A | |
| 720-99304-21 MSD | AMA20-124-0 | Total/NA | Solid | 7471A | |

Prep Batch: 398984

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-36 | AMA20-139-0 | Total/NA | Solid | 3050B | |
| 720-99304-37 | AMA20-140-0 | Total/NA | Solid | 3050B | |
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | 3050B | |
| 720-99304-39 | AMA20-142-0 | Total/NA | Solid | 3050B | |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | 3050B | |
| 720-99304-41 | AMA20-144-0 | Total/NA | Solid | 3050B | |
| 720-99304-42 | AMA20-145-0 | Total/NA | Solid | 3050B | |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | 3050B | |
| 720-99304-44 | AMA20-147-0 | Total/NA | Solid | 3050B | |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | 3050B | |
| 720-99304-46 | AMA20-149-0 | Total/NA | Solid | 3050B | |
| 720-99304-47 | AMA20-150-0 | Total/NA | Solid | 3050B | |
| 720-99304-48 | AMA20-151-0 | Total/NA | Solid | 3050B | |
| 720-99304-49 | AMA20-317-0 | Total/NA | Solid | 3050B | |
| 720-99304-50 | AMA20-322-0 | Total/NA | Solid | 3050B | |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | 3050B | |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | 3050B | |
| 720-99304-53 | AMA20-335-0 | Total/NA | Solid | 3050B | |
| MB 320-398984/1-A | Method Blank | Total/NA | Solid | 3050B | |
| LCS 320-398984/2-A | Lab Control Sample | Total/NA | Solid | 3050B | |
| 720-99304-36 MS | AMA20-139-0 | Total/NA | Solid | 3050B | |
| 720-99304-36 MSD | AMA20-139-0 | Total/NA | Solid | 3050B | |

Analysis Batch: 399227

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-16 | AMA20-119-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-17 | AMA20-120-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-18 | AMA20-121-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-19 | AMA20-122-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-20 | AMA20-123-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-21 | AMA20-124-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-22 | AMA20-125-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-23 | AMA20-128-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-24 | AMA20-126-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-25 | AMA20-127-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-26 | AMA20-129-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-27 | AMA20-130-0 | Total/NA | Solid | 6010B | 398608 |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Analysis Batch: 399227 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-28 | AMA20-131-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-29 | AMA20-132-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-30 | AMA20-133-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-31 | AMA20-134-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-32 | AMA20-135-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-33 | AMA20-136-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-34 | AMA20-137-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-35 | AMA20-138-0 | Total/NA | Solid | 6010B | 398608 |
| MB 320-398608/1-A | Method Blank | Total/NA | Solid | 6010B | 398608 |
| LCS 320-398608/2-A | Lab Control Sample | Total/NA | Solid | 6010B | 398608 |
| 720-99304-16 MS | AMA20-119-0 | Total/NA | Solid | 6010B | 398608 |
| 720-99304-16 MSD | AMA20-119-0 | Total/NA | Solid | 6010B | 398608 |

Analysis Batch: 399423

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| 720-99304-2 | AMA20-107-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-3 | AMA20-108-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-7 | AMA20-111-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-8 | AMA20-112-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-9 | AMA20-113-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-10 | AMA20-114-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-11 | AMA20-115-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-12 | AMA20-116-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-15 | AMA20-118-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-16 | AMA20-119-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-17 | AMA20-120-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-18 | AMA20-121-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-19 | AMA20-122-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-21 | AMA20-124-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-22 | AMA20-125-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-23 | AMA20-128-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-26 | AMA20-129-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-27 | AMA20-130-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-33 | AMA20-136-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-37 | AMA20-140-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-39 | AMA20-142-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-21 MS | AMA20-124-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-21 MSD | AMA20-124-0 | Total/NA | Solid | 7471A | 398881 |

Analysis Batch: 399424

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 720-99304-1 | AMA20-106-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-4 | AMA20-109-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-5 | AMA20-35-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-6 | AMA20-110-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-24 | AMA20-126-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-25 | AMA20-127-0 | Total/NA | Solid | 7471A | 398881 |
| 720-99304-28 | AMA20-131-0 | Total/NA | Solid | 7471A | 398881 |
| MB 320-398848/11-A | Method Blank | Total/NA | Solid | 7471A | 398848 |
| MB 320-398881/11-A | Method Blank | Total/NA | Solid | 7471A | 398881 |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Analysis Batch: 399424 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| LCS 320-398848/12-A | Lab Control Sample | Total/NA | Solid | 7471A | 398848 |
| LCS 320-398881/12-A | Lab Control Sample | Total/NA | Solid | 7471A | 398881 |
| LCSD 320-398848/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | 398848 |
| LCSD 320-398881/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | 398881 |
| 720-99304-1 MS | AMA20-106-0 | Total/NA | Solid | 7471A | 398848 |
| 720-99304-1 MSD | AMA20-106-0 | Total/NA | Solid | 7471A | 398848 |

Analysis Batch: 399742

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| LCS 320-398608/2-A | Lab Control Sample | Total/NA | Solid | 6010B | 398608 |

Analysis Batch: 399903

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-36 | AMA20-139-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-37 | AMA20-140-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-39 | AMA20-142-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-41 | AMA20-144-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-42 | AMA20-145-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-44 | AMA20-147-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-46 | AMA20-149-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-47 | AMA20-150-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-48 | AMA20-151-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-49 | AMA20-317-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-50 | AMA20-322-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-53 | AMA20-335-0 | Total/NA | Solid | 6010B | 398984 |
| MB 320-398984/1-A | Method Blank | Total/NA | Solid | 6010B | 398984 |
| LCS 320-398984/2-A | Lab Control Sample | Total/NA | Solid | 6010B | 398984 |
| 720-99304-36 MS | AMA20-139-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-36 MSD | AMA20-139-0 | Total/NA | Solid | 6010B | 398984 |

Prep Batch: 399908

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-13 | AMA20-117-0 | Total/NA | Solid | 7471A | |
| 720-99304-14 | AMA20-30-0 | Total/NA | Solid | 7471A | |
| 720-99304-20 | AMA20-123-0 | Total/NA | Solid | 7471A | |
| 720-99304-29 | AMA20-132-0 | Total/NA | Solid | 7471A | |
| 720-99304-30 | AMA20-133-0 | Total/NA | Solid | 7471A | |
| 720-99304-31 | AMA20-134-0 | Total/NA | Solid | 7471A | |
| 720-99304-32 | AMA20-135-0 | Total/NA | Solid | 7471A | |
| 720-99304-34 | AMA20-137-0 | Total/NA | Solid | 7471A | |
| 720-99304-35 | AMA20-138-0 | Total/NA | Solid | 7471A | |
| 720-99304-36 | AMA20-139-0 | Total/NA | Solid | 7471A | |
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | 7471A | |
| MB 320-399908/11-A | Method Blank | Total/NA | Solid | 7471A | |
| LCS 320-399908/12-A | Lab Control Sample | Total/NA | Solid | 7471A | |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Prep Batch: 399908 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| LCSD 320-399908/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | |

Prep Batch: 399914

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| 720-99304-41 | AMA20-144-0 | Total/NA | Solid | 7471A | |
| 720-99304-42 | AMA20-145-0 | Total/NA | Solid | 7471A | |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | 7471A | |
| 720-99304-44 | AMA20-147-0 | Total/NA | Solid | 7471A | |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | 7471A | |
| 720-99304-46 | AMA20-149-0 | Total/NA | Solid | 7471A | |
| 720-99304-47 | AMA20-150-0 | Total/NA | Solid | 7471A | |
| 720-99304-48 | AMA20-151-0 | Total/NA | Solid | 7471A | |
| 720-99304-49 | AMA20-317-0 | Total/NA | Solid | 7471A | |
| 720-99304-50 | AMA20-322-0 | Total/NA | Solid | 7471A | |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | 7471A | |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | 7471A | |
| 720-99304-53 | AMA20-335-0 | Total/NA | Solid | 7471A | |
| MB 320-399914/11-A | Method Blank | Total/NA | Solid | 7471A | |
| LCS 320-399914/12-A | Lab Control Sample | Total/NA | Solid | 7471A | |
| LCSD 320-399914/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | |

Analysis Batch: 400174

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 720-99304-13 | AMA20-117-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-14 | AMA20-30-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-20 | AMA20-123-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-29 | AMA20-132-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-30 | AMA20-133-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-31 | AMA20-134-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-32 | AMA20-135-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-34 | AMA20-137-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-35 | AMA20-138-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-36 | AMA20-139-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | 7471A | 399908 |
| 720-99304-41 | AMA20-144-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-42 | AMA20-145-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-44 | AMA20-147-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-46 | AMA20-149-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-47 | AMA20-150-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-48 | AMA20-151-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-49 | AMA20-317-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-50 | AMA20-322-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | 7471A | 399914 |
| 720-99304-53 | AMA20-335-0 | Total/NA | Solid | 7471A | 399914 |
| MB 320-399908/11-A | Method Blank | Total/NA | Solid | 7471A | 399908 |
| MB 320-399914/11-A | Method Blank | Total/NA | Solid | 7471A | 399914 |
| LCS 320-399908/12-A | Lab Control Sample | Total/NA | Solid | 7471A | 399908 |
| LCS 320-399914/12-A | Lab Control Sample | Total/NA | Solid | 7471A | 399914 |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Metals (Continued)

Analysis Batch: 400174 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|----------------------|------------------------|-----------|--------|--------|------------|
| LCSD 320-399908/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | 399908 |
| LCSD 320-399914/13-A | Lab Control Sample Dup | Total/NA | Solid | 7471A | 399914 |

Analysis Batch: 400527

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | 6010B | 398984 |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | 6010B | 398984 |

General Chemistry

Analysis Batch: 398547

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-1 | AMA20-106-0 | Total/NA | Solid | D 2216 | |
| 720-99304-2 | AMA20-107-0 | Total/NA | Solid | D 2216 | |
| 720-99304-3 | AMA20-108-0 | Total/NA | Solid | D 2216 | |
| 720-99304-4 | AMA20-109-0 | Total/NA | Solid | D 2216 | |
| 720-99304-5 | AMA20-35-0 | Total/NA | Solid | D 2216 | |
| 720-99304-6 | AMA20-110-0 | Total/NA | Solid | D 2216 | |
| 720-99304-7 | AMA20-111-0 | Total/NA | Solid | D 2216 | |
| 720-99304-8 | AMA20-112-0 | Total/NA | Solid | D 2216 | |
| 720-99304-9 | AMA20-113-0 | Total/NA | Solid | D 2216 | |
| 720-99304-10 | AMA20-114-0 | Total/NA | Solid | D 2216 | |
| 720-99304-11 | AMA20-115-0 | Total/NA | Solid | D 2216 | |
| 720-99304-12 | AMA20-116-0 | Total/NA | Solid | D 2216 | |
| 720-99304-13 | AMA20-117-0 | Total/NA | Solid | D 2216 | |
| 720-99304-14 | AMA20-30-0 | Total/NA | Solid | D 2216 | |
| 720-99304-15 | AMA20-118-0 | Total/NA | Solid | D 2216 | |

Analysis Batch: 398558

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 720-99304-16 | AMA20-119-0 | Total/NA | Solid | D 2216 | |
| 720-99304-17 | AMA20-120-0 | Total/NA | Solid | D 2216 | |
| 720-99304-18 | AMA20-121-0 | Total/NA | Solid | D 2216 | |
| 720-99304-19 | AMA20-122-0 | Total/NA | Solid | D 2216 | |
| 720-99304-20 | AMA20-123-0 | Total/NA | Solid | D 2216 | |
| 720-99304-21 | AMA20-124-0 | Total/NA | Solid | D 2216 | |
| 720-99304-22 | AMA20-125-0 | Total/NA | Solid | D 2216 | |
| 720-99304-23 | AMA20-128-0 | Total/NA | Solid | D 2216 | |
| 720-99304-24 | AMA20-126-0 | Total/NA | Solid | D 2216 | |
| 720-99304-25 | AMA20-127-0 | Total/NA | Solid | D 2216 | |
| 720-99304-26 | AMA20-129-0 | Total/NA | Solid | D 2216 | |
| 720-99304-27 | AMA20-130-0 | Total/NA | Solid | D 2216 | |
| 720-99304-28 | AMA20-131-0 | Total/NA | Solid | D 2216 | |
| 720-99304-29 | AMA20-132-0 | Total/NA | Solid | D 2216 | |
| 720-99304-30 | AMA20-133-0 | Total/NA | Solid | D 2216 | |
| 720-99304-31 | AMA20-134-0 | Total/NA | Solid | D 2216 | |
| 720-99304-32 | AMA20-135-0 | Total/NA | Solid | D 2216 | |

Eurofins TestAmerica, Pleasanton

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

General Chemistry (Continued)

Analysis Batch: 398558 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 720-99304-33 | AMA20-136-0 | Total/NA | Solid | D 2216 | |
| 720-99304-34 | AMA20-137-0 | Total/NA | Solid | D 2216 | |
| 720-99304-16 DU | AMA20-119-0 | Total/NA | Solid | D 2216 | |

Analysis Batch: 398574

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 720-99304-35 | AMA20-138-0 | Total/NA | Solid | D 2216 | |
| 720-99304-36 | AMA20-139-0 | Total/NA | Solid | D 2216 | |
| 720-99304-37 | AMA20-140-0 | Total/NA | Solid | D 2216 | |
| 720-99304-38 | AMA20-141-0 | Total/NA | Solid | D 2216 | |
| 720-99304-39 | AMA20-142-0 | Total/NA | Solid | D 2216 | |
| 720-99304-40 | AMA20-143-0 | Total/NA | Solid | D 2216 | |
| 720-99304-41 | AMA20-144-0 | Total/NA | Solid | D 2216 | |
| 720-99304-42 | AMA20-145-0 | Total/NA | Solid | D 2216 | |
| 720-99304-43 | AMA20-146-0 | Total/NA | Solid | D 2216 | |
| 720-99304-44 | AMA20-147-0 | Total/NA | Solid | D 2216 | |
| 720-99304-45 | AMA20-148-0 | Total/NA | Solid | D 2216 | |
| 720-99304-46 | AMA20-149-0 | Total/NA | Solid | D 2216 | |
| 720-99304-47 | AMA20-150-0 | Total/NA | Solid | D 2216 | |
| 720-99304-48 | AMA20-151-0 | Total/NA | Solid | D 2216 | |
| 720-99304-49 | AMA20-317-0 | Total/NA | Solid | D 2216 | |
| 720-99304-50 | AMA20-322-0 | Total/NA | Solid | D 2216 | |
| 720-99304-51 | AMA20-329-0 | Total/NA | Solid | D 2216 | |
| 720-99304-52 | AMA20-341-0 | Total/NA | Solid | D 2216 | |
| 720-99304-53 | AMA20-335-0 | Total/NA | Solid | D 2216 | |
| 720-99304-53 DU | AMA20-335-0 | Total/NA | Solid | D 2216 | |

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-106-0

Date Collected: 07/20/20 11:44

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-1

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-106-0

Date Collected: 07/20/20 11:44

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-1

Matrix: Solid

Percent Solids: 96.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:08 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 14:53 | IM | TAL SAC |

Client Sample ID: AMA20-107-0

Date Collected: 07/20/20 11:49

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-2

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-107-0

Date Collected: 07/20/20 11:49

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-2

Matrix: Solid

Percent Solids: 98.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.01 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:35 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.58 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 10:24 | IM | TAL SAC |

Client Sample ID: AMA20-108-0

Date Collected: 07/20/20 11:52

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-3

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-108-0

Date Collected: 07/20/20 11:52

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-3

Matrix: Solid

Percent Solids: 98.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:39 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 10:28 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-109-0

Date Collected: 07/20/20 11:55

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-4

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-109-0

Date Collected: 07/20/20 11:55

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-4

Matrix: Solid

Percent Solids: 98.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.06 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:43 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 15:23 | IM | TAL SAC |

Client Sample ID: AMA20-35-0

Date Collected: 07/20/20 12:01

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-5

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-35-0

Date Collected: 07/20/20 12:01

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-5

Matrix: Solid

Percent Solids: 93.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:47 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 15:26 | IM | TAL SAC |

Client Sample ID: AMA20-110-0

Date Collected: 07/20/20 12:02

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-6

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-110-0

Date Collected: 07/20/20 12:02

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-6

Matrix: Solid

Percent Solids: 97.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:51 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 15:28 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-111-0

Date Collected: 07/20/20 12:05

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-7

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-111-0

Date Collected: 07/20/20 12:05

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-7

Matrix: Solid

Percent Solids: 97.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 13:54 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.56 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 5 | | | 399423 | 07/29/20 10:31 | IM | TAL SAC |

Client Sample ID: AMA20-112-0

Date Collected: 07/20/20 12:06

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-8

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-112-0

Date Collected: 07/20/20 12:06

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-8

Matrix: Solid

Percent Solids: 97.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:06 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 10:33 | IM | TAL SAC |

Client Sample ID: AMA20-113-0

Date Collected: 07/20/20 12:08

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-9

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-113-0

Date Collected: 07/20/20 12:08

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-9

Matrix: Solid

Percent Solids: 98.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:10 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.64 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 10:37 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-114-0

Lab Sample ID: 720-99304-10

Date Collected: 07/20/20 12:11

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-114-0

Lab Sample ID: 720-99304-10

Date Collected: 07/20/20 12:11

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 97.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:14 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.55 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 10:41 | IM | TAL SAC |

Client Sample ID: AMA20-115-0

Lab Sample ID: 720-99304-11

Date Collected: 07/20/20 12:14

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-115-0

Lab Sample ID: 720-99304-11

Date Collected: 07/20/20 12:14

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.97 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:18 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.55 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 10:46 | IM | TAL SAC |

Client Sample ID: AMA20-116-0

Lab Sample ID: 720-99304-12

Date Collected: 07/20/20 12:16

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-116-0

Lab Sample ID: 720-99304-12

Date Collected: 07/20/20 12:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:21 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.61 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 10:50 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-117-0

Lab Sample ID: 720-99304-13

Date Collected: 07/20/20 12:17

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-117-0

Lab Sample ID: 720-99304-13

Date Collected: 07/20/20 12:17

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.07 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:25 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.58 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 500 | | | 400174 | 07/31/20 13:22 | IM | TAL SAC |

Client Sample ID: AMA20-30-0

Lab Sample ID: 720-99304-14

Date Collected: 07/20/20 12:34

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-30-0

Lab Sample ID: 720-99304-14

Date Collected: 07/20/20 12:34

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:29 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.57 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 13:25 | IM | TAL SAC |

Client Sample ID: AMA20-118-0

Lab Sample ID: 720-99304-15

Date Collected: 07/20/20 12:36

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398547 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-118-0

Lab Sample ID: 720-99304-15

Date Collected: 07/20/20 12:36

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398477 | 07/27/20 06:00 | NIM | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 398837 | 07/27/20 14:33 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:12 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-119-0

Lab Sample ID: 720-99304-16

Date Collected: 07/20/20 12:40

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-119-0

Lab Sample ID: 720-99304-16

Date Collected: 07/20/20 12:40

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.6

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.97 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 18:35 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:16 | IM | TAL SAC |

Client Sample ID: AMA20-120-0

Lab Sample ID: 720-99304-17

Date Collected: 07/20/20 12:43

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-120-0

Lab Sample ID: 720-99304-17

Date Collected: 07/20/20 12:43

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.96 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:02 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.61 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:20 | IM | TAL SAC |

Client Sample ID: AMA20-121-0

Lab Sample ID: 720-99304-18

Date Collected: 07/20/20 12:46

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-121-0

Lab Sample ID: 720-99304-18

Date Collected: 07/20/20 12:46

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:06 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.57 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:25 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-122-0

Date Collected: 07/20/20 12:51

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-19

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-122-0

Date Collected: 07/20/20 12:51

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-19

Matrix: Solid

Percent Solids: 94.4

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:09 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 398848 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:28 | IM | TAL SAC |

Client Sample ID: AMA20-123-0

Date Collected: 07/20/20 12:54

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-20

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-123-0

Date Collected: 07/20/20 12:54

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-20

Matrix: Solid

Percent Solids: 95.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:13 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 100 | | | 400174 | 07/31/20 13:29 | IM | TAL SAC |

Client Sample ID: AMA20-124-0

Date Collected: 07/20/20 12:57

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-21

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-124-0

Date Collected: 07/20/20 12:57

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-21

Matrix: Solid

Percent Solids: 95.4

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:17 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.61 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 11:45 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-125-0

Date Collected: 07/20/20 13:00

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-22

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-125-0

Date Collected: 07/20/20 13:00

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-22

Matrix: Solid

Percent Solids: 96.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.96 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:21 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.57 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 399423 | 07/29/20 12:00 | IM | TAL SAC |

Client Sample ID: AMA20-128-0

Date Collected: 07/20/20 13:47

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-23

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-128-0

Date Collected: 07/20/20 13:47

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-23

Matrix: Solid

Percent Solids: 94.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:25 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.56 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 12:05 | IM | TAL SAC |

Client Sample ID: AMA20-126-0

Date Collected: 07/20/20 13:52

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-24

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-126-0

Date Collected: 07/20/20 13:52

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-24

Matrix: Solid

Percent Solids: 94.6

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.95 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:28 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.64 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 18:01 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-127-0

Date Collected: 07/20/20 13:53

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-25

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-127-0

Date Collected: 07/20/20 13:53

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-25

Matrix: Solid

Percent Solids: 94.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.99 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:32 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 18:03 | IM | TAL SAC |

Client Sample ID: AMA20-129-0

Date Collected: 07/20/20 14:04

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-26

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-129-0

Date Collected: 07/20/20 14:04

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-26

Matrix: Solid

Percent Solids: 91.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:36 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.55 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 50 | | | 399423 | 07/29/20 12:08 | IM | TAL SAC |

Client Sample ID: AMA20-130-0

Date Collected: 07/20/20 14:10

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-27

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-130-0

Date Collected: 07/20/20 14:10

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-27

Matrix: Solid

Percent Solids: 96.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:48 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 12:12 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-131-0

Lab Sample ID: 720-99304-28

Date Collected: 07/20/20 14:16

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-131-0

Lab Sample ID: 720-99304-28

Date Collected: 07/20/20 14:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:52 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.55 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399424 | 07/28/20 18:27 | IM | TAL SAC |

Client Sample ID: AMA20-132-0

Lab Sample ID: 720-99304-29

Date Collected: 07/20/20 14:45

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-132-0

Lab Sample ID: 720-99304-29

Date Collected: 07/20/20 14:45

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.4

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:56 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.58 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 13:31 | IM | TAL SAC |

Client Sample ID: AMA20-133-0

Lab Sample ID: 720-99304-30

Date Collected: 07/20/20 14:48

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-133-0

Lab Sample ID: 720-99304-30

Date Collected: 07/20/20 14:48

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.01 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 19:59 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.55 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 13:34 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-134-0

Lab Sample ID: 720-99304-31

Date Collected: 07/20/20 14:51

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-134-0

Lab Sample ID: 720-99304-31

Date Collected: 07/20/20 14:51

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 100.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 20:03 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 13:44 | IM | TAL SAC |

Client Sample ID: AMA20-135-0

Lab Sample ID: 720-99304-32

Date Collected: 07/20/20 14:55

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-135-0

Lab Sample ID: 720-99304-32

Date Collected: 07/20/20 14:55

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 20:07 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 13:48 | IM | TAL SAC |

Client Sample ID: AMA20-136-0

Lab Sample ID: 720-99304-33

Date Collected: 07/20/20 14:58

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-136-0

Lab Sample ID: 720-99304-33

Date Collected: 07/20/20 14:58

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.97 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 20:11 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.64 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 12:15 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-137-0

Lab Sample ID: 720-99304-34

Date Collected: 07/20/20 15:00

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398558 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-137-0

Lab Sample ID: 720-99304-34

Date Collected: 07/20/20 15:00

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 20:15 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 5 | | | 400174 | 07/31/20 13:52 | IM | TAL SAC |

Client Sample ID: AMA20-138-0

Lab Sample ID: 720-99304-35

Date Collected: 07/20/20 15:01

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-138-0

Lab Sample ID: 720-99304-35

Date Collected: 07/20/20 15:01

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.4

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398608 | 07/27/20 13:25 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399227 | 07/28/20 20:18 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 5 | | | 400174 | 07/31/20 13:56 | IM | TAL SAC |

Client Sample ID: AMA20-139-0

Lab Sample ID: 720-99304-36

Date Collected: 07/20/20 15:03

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-139-0

Lab Sample ID: 720-99304-36

Date Collected: 07/20/20 15:03

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 98.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 17:55 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.56 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 5 | | | 400174 | 07/31/20 14:00 | IM | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-140-0

Date Collected: 07/20/20 15:04

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-37

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-140-0

Date Collected: 07/20/20 15:04

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-37

Matrix: Solid

Percent Solids: 99.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:15 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.64 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 13:02 | IM | TAL SAC |

Client Sample ID: AMA20-141-0

Date Collected: 07/20/20 15:10

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-38

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-141-0

Date Collected: 07/20/20 15:10

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-38

Matrix: Solid

Percent Solids: 99.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:19 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:04 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 399908 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 5 | | | 400174 | 07/31/20 14:03 | IM | TAL SAC |

Client Sample ID: AMA20-142-0

Date Collected: 07/20/20 15:15

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-39

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-142-0

Date Collected: 07/20/20 15:15

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-39

Matrix: Solid

Percent Solids: 95.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.04 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:23 | SP | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-142-0

Lab Sample ID: 720-99304-39

Date Collected: 07/20/20 15:15

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 7471A | | | 0.62 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 13:06 | IM | TAL SAC |

Client Sample ID: AMA20-143-0

Lab Sample ID: 720-99304-40

Date Collected: 07/20/20 15:16

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-143-0

Lab Sample ID: 720-99304-40

Date Collected: 07/20/20 15:16

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 92.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:27 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 1.02 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:08 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.61 g | 50 mL | 398881 | 07/28/20 10:45 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 399423 | 07/29/20 12:43 | IM | TAL SAC |

Client Sample ID: AMA20-144-0

Lab Sample ID: 720-99304-41

Date Collected: 07/20/20 15:18

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-144-0

Lab Sample ID: 720-99304-41

Date Collected: 07/20/20 15:18

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:44 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 50 | | | 400174 | 07/31/20 15:28 | IM | TAL SAC |

Client Sample ID: AMA20-145-0

Lab Sample ID: 720-99304-42

Date Collected: 07/20/20 15:27

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-145-0

Lab Sample ID: 720-99304-42

Date Collected: 07/20/20 15:27

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 92.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:48 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 14:34 | IM | TAL SAC |

Client Sample ID: AMA20-146-0

Lab Sample ID: 720-99304-43

Date Collected: 07/20/20 15:30

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-146-0

Lab Sample ID: 720-99304-43

Date Collected: 07/20/20 15:30

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 95.6

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:52 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:12 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 400174 | 07/31/20 15:31 | IM | TAL SAC |

Client Sample ID: AMA20-147-0

Lab Sample ID: 720-99304-44

Date Collected: 07/20/20 15:36

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-147-0

Lab Sample ID: 720-99304-44

Date Collected: 07/20/20 15:36

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 96.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 18:56 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.58 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 14:42 | IM | TAL SAC |

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-148-0

Date Collected: 07/20/20 15:42

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-45

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-148-0

Date Collected: 07/20/20 15:42

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-45

Matrix: Solid

Percent Solids: 97.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:00 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:16 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.56 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 400174 | 07/31/20 15:35 | IM | TAL SAC |

Client Sample ID: AMA20-149-0

Date Collected: 07/20/20 15:47

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-46

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-149-0

Date Collected: 07/20/20 15:47

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-46

Matrix: Solid

Percent Solids: 99.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.96 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:05 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.62 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 14:47 | IM | TAL SAC |

Client Sample ID: AMA20-150-0

Date Collected: 07/20/20 15:53

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-47

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-150-0

Date Collected: 07/20/20 15:53

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-47

Matrix: Solid

Percent Solids: 99.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:09 | SP | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-150-0

Date Collected: 07/20/20 15:53

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-47

Matrix: Solid

Percent Solids: 99.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 14:56 | IM | TAL SAC |

Client Sample ID: AMA20-151-0

Date Collected: 07/20/20 15:54

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-48

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-151-0

Date Collected: 07/20/20 15:54

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-48

Matrix: Solid

Percent Solids: 98.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.03 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:13 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 14:59 | IM | TAL SAC |

Client Sample ID: AMA20-317-0

Date Collected: 07/20/20 12:27

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-49

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-317-0

Date Collected: 07/20/20 12:27

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-49

Matrix: Solid

Percent Solids: 99.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.01 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:17 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.63 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 500 | | | 400174 | 07/31/20 15:38 | IM | TAL SAC |

Client Sample ID: AMA20-322-0

Date Collected: 07/20/20 13:51

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-50

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Eurofins TestAmerica, Pleasanton

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-322-0

Lab Sample ID: 720-99304-50

Date Collected: 07/20/20 13:51

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 93.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:33 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.59 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 15:16 | IM | TAL SAC |

Client Sample ID: AMA20-329-0

Lab Sample ID: 720-99304-51

Date Collected: 07/20/20 14:14

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-329-0

Lab Sample ID: 720-99304-51

Date Collected: 07/20/20 14:14

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 90.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:38 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 0.98 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:20 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 1 | | | 400174 | 07/31/20 15:41 | IM | TAL SAC |

Client Sample ID: AMA20-341-0

Lab Sample ID: 720-99304-52

Date Collected: 07/20/20 15:20

Matrix: Solid

Date Received: 07/23/20 13:37

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-341-0

Lab Sample ID: 720-99304-52

Date Collected: 07/20/20 15:20

Matrix: Solid

Date Received: 07/23/20 13:37

Percent Solids: 99.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:42 | SP | TAL SAC |
| Total/NA | Prep | 3050B | | | 1.05 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 400527 | 07/31/20 23:24 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.60 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 15:21 | IM | TAL SAC |

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Client Sample ID: AMA20-335-0

Date Collected: 07/20/20 15:05

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-53

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | D 2216 | | 1 | | | 398574 | 07/27/20 11:55 | CFR | TAL SAC |

Client Sample ID: AMA20-335-0

Date Collected: 07/20/20 15:05

Date Received: 07/23/20 13:37

Lab Sample ID: 720-99304-53

Matrix: Solid

Percent Solids: 99.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 3050B | | | 1.00 g | 100 mL | 398984 | 07/28/20 12:35 | JP | TAL SAC |
| Total/NA | Analysis | 6010B | | 1 | | | 399903 | 07/30/20 19:46 | SP | TAL SAC |
| Total/NA | Prep | 7471A | | | 0.65 g | 50 mL | 399914 | 07/31/20 10:00 | IM | TAL SAC |
| Total/NA | Analysis | 7471A | | 10 | | | 400174 | 07/31/20 15:24 | IM | TAL SAC |

Laboratory References:

TAL SAC = Eurofins TestAmerica, Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Accreditation/Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

Laboratory: Eurofins TestAmerica, Sacramento

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|------------|---------|-----------------------|-----------------|
| California | State | 2897 | 01-31-22 |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte |
|-----------------|-------------|--------|------------------|
| D 2216 | | Solid | Percent Moisture |
| D 2216 | | Solid | Percent Solids |

Method Summary

Client: Weston Solutions, Inc.

Job ID: 720-99304-1

Project/Site: Weston START Region 9 - Argonaut Mine

| Method | Method Description | Protocol | Laboratory |
|--------|----------------------|----------|------------|
| 6010B | Metals (ICP) | SW846 | TAL SAC |
| 7471A | Mercury (CVAA) | SW846 | TAL SAC |
| D 2216 | Percent Moisture | ASTM | TAL SAC |
| 3050B | Preparation, Metals | SW846 | TAL SAC |
| 7471A | Preparation, Mercury | SW846 | TAL SAC |

Protocol References:

ASTM = ASTM International

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAC = Eurofins TestAmerica, Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Weston START Region 9 - Argonaut Mine

Job ID: 720-99304-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 720-99304-1 | AMA20-106-0 | Solid | 07/20/20 11:44 | 07/23/20 13:37 | |
| 720-99304-2 | AMA20-107-0 | Solid | 07/20/20 11:49 | 07/23/20 13:37 | |
| 720-99304-3 | AMA20-108-0 | Solid | 07/20/20 11:52 | 07/23/20 13:37 | |
| 720-99304-4 | AMA20-109-0 | Solid | 07/20/20 11:55 | 07/23/20 13:37 | |
| 720-99304-5 | AMA20-35-0 | Solid | 07/20/20 12:01 | 07/23/20 13:37 | |
| 720-99304-6 | AMA20-110-0 | Solid | 07/20/20 12:02 | 07/23/20 13:37 | |
| 720-99304-7 | AMA20-111-0 | Solid | 07/20/20 12:05 | 07/23/20 13:37 | |
| 720-99304-8 | AMA20-112-0 | Solid | 07/20/20 12:06 | 07/23/20 13:37 | |
| 720-99304-9 | AMA20-113-0 | Solid | 07/20/20 12:08 | 07/23/20 13:37 | |
| 720-99304-10 | AMA20-114-0 | Solid | 07/20/20 12:11 | 07/23/20 13:37 | |
| 720-99304-11 | AMA20-115-0 | Solid | 07/20/20 12:14 | 07/23/20 13:37 | |
| 720-99304-12 | AMA20-116-0 | Solid | 07/20/20 12:16 | 07/23/20 13:37 | |
| 720-99304-13 | AMA20-117-0 | Solid | 07/20/20 12:17 | 07/23/20 13:37 | |
| 720-99304-14 | AMA20-30-0 | Solid | 07/20/20 12:34 | 07/23/20 13:37 | |
| 720-99304-15 | AMA20-118-0 | Solid | 07/20/20 12:36 | 07/23/20 13:37 | |
| 720-99304-16 | AMA20-119-0 | Solid | 07/20/20 12:40 | 07/23/20 13:37 | |
| 720-99304-17 | AMA20-120-0 | Solid | 07/20/20 12:43 | 07/23/20 13:37 | |
| 720-99304-18 | AMA20-121-0 | Solid | 07/20/20 12:46 | 07/23/20 13:37 | |
| 720-99304-19 | AMA20-122-0 | Solid | 07/20/20 12:51 | 07/23/20 13:37 | |
| 720-99304-20 | AMA20-123-0 | Solid | 07/20/20 12:54 | 07/23/20 13:37 | |
| 720-99304-21 | AMA20-124-0 | Solid | 07/20/20 12:57 | 07/23/20 13:37 | |
| 720-99304-22 | AMA20-125-0 | Solid | 07/20/20 13:00 | 07/23/20 13:37 | |
| 720-99304-23 | AMA20-128-0 | Solid | 07/20/20 13:47 | 07/23/20 13:37 | |
| 720-99304-24 | AMA20-126-0 | Solid | 07/20/20 13:52 | 07/23/20 13:37 | |
| 720-99304-25 | AMA20-127-0 | Solid | 07/20/20 13:53 | 07/23/20 13:37 | |
| 720-99304-26 | AMA20-129-0 | Solid | 07/20/20 14:04 | 07/23/20 13:37 | |
| 720-99304-27 | AMA20-130-0 | Solid | 07/20/20 14:10 | 07/23/20 13:37 | |
| 720-99304-28 | AMA20-131-0 | Solid | 07/20/20 14:16 | 07/23/20 13:37 | |
| 720-99304-29 | AMA20-132-0 | Solid | 07/20/20 14:45 | 07/23/20 13:37 | |
| 720-99304-30 | AMA20-133-0 | Solid | 07/20/20 14:48 | 07/23/20 13:37 | |
| 720-99304-31 | AMA20-134-0 | Solid | 07/20/20 14:51 | 07/23/20 13:37 | |
| 720-99304-32 | AMA20-135-0 | Solid | 07/20/20 14:55 | 07/23/20 13:37 | |
| 720-99304-33 | AMA20-136-0 | Solid | 07/20/20 14:58 | 07/23/20 13:37 | |
| 720-99304-34 | AMA20-137-0 | Solid | 07/20/20 15:00 | 07/23/20 13:37 | |
| 720-99304-35 | AMA20-138-0 | Solid | 07/20/20 15:01 | 07/23/20 13:37 | |
| 720-99304-36 | AMA20-139-0 | Solid | 07/20/20 15:03 | 07/23/20 13:37 | |
| 720-99304-37 | AMA20-140-0 | Solid | 07/20/20 15:04 | 07/23/20 13:37 | |
| 720-99304-38 | AMA20-141-0 | Solid | 07/20/20 15:10 | 07/23/20 13:37 | |
| 720-99304-39 | AMA20-142-0 | Solid | 07/20/20 15:15 | 07/23/20 13:37 | |
| 720-99304-40 | AMA20-143-0 | Solid | 07/20/20 15:16 | 07/23/20 13:37 | |
| 720-99304-41 | AMA20-144-0 | Solid | 07/20/20 15:18 | 07/23/20 13:37 | |
| 720-99304-42 | AMA20-145-0 | Solid | 07/20/20 15:27 | 07/23/20 13:37 | |
| 720-99304-43 | AMA20-146-0 | Solid | 07/20/20 15:30 | 07/23/20 13:37 | |
| 720-99304-44 | AMA20-147-0 | Solid | 07/20/20 15:36 | 07/23/20 13:37 | |
| 720-99304-45 | AMA20-148-0 | Solid | 07/20/20 15:42 | 07/23/20 13:37 | |
| 720-99304-46 | AMA20-149-0 | Solid | 07/20/20 15:47 | 07/23/20 13:37 | |
| 720-99304-47 | AMA20-150-0 | Solid | 07/20/20 15:53 | 07/23/20 13:37 | |
| 720-99304-48 | AMA20-151-0 | Solid | 07/20/20 15:54 | 07/23/20 13:37 | |
| 720-99304-49 | AMA20-317-0 | Solid | 07/20/20 12:27 | 07/23/20 13:37 | |
| 720-99304-50 | AMA20-322-0 | Solid | 07/20/20 13:51 | 07/23/20 13:37 | |
| 720-99304-51 | AMA20-329-0 | Solid | 07/20/20 14:14 | 07/23/20 13:37 | |
| 720-99304-52 | AMA20-341-0 | Solid | 07/20/20 15:20 | 07/23/20 13:37 | |
| 720-99304-53 | AMA20-335-0 | Solid | 07/20/20 15:05 | 07/23/20 13:37 | |

Eurofins TestAmerica, Pleasanton

Chain of Custody Record
720-99304

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

| Client Contact | | Project Manager: Greg Roussos | | Site Contact: Greg Roussos | | Date: 07/22/2020 | | COC No: 20191016 | |
|---|-------------|--|------------------------------|--|------------|-----------------------|----------------------|------------------------------|------------------------|
| Weston Solutions | | Email: greg.roussos@weston-solutions.com | | Lab Contact: David Alltucker | | Carrier: dropoff | | 1 of 5 Page | |
| 2300 Clayton Road, Suite 900 | | Tel/Fax: 513-604-4797 | | Analysis Turnaround Time | | | | TALS Project #: | |
| Concord, CA 94520 | | | | <input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS | | | | Sampler: Greg Roussos | |
| (513) 604-4797 | | | | TAT if different from Below | | | | For Lab Use Only: | |
| (xxx) xxx-xxxx | | | | <input checked="" type="checkbox"/> 2 weeks | | | | Walk-in Client: | |
| Project Name: Argonaut Mine Mill Area Removal | | | | <input type="checkbox"/> 1 week | | | | Lab Sampling: | |
| Site: | | | | <input type="checkbox"/> 2 days | | | | Job / SDG No.: | |
| P O # 0104258 | | | | <input type="checkbox"/> 1 day | | | | | |
| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix | # of Cont. | Filtered Sample (Y/N) | Perform MS/MSD (Y/N) | CAM 17 metals by 6010B/7471A | Sample Specific Notes: |
| AMA20-106-0 | 7/20/2020 | 11:44 | G | Soil | 1 | N | | X | |
| AMA20-107-0 | 7/20/2020 | 11:49 | G | Soil | 1 | N | | X | |
| AMA20-108-0 | 7/20/2020 | 11:52 | G | Soil | 1 | N | | X | |
| AMA20-109-0 | 7/20/2020 | 11:55 | G | Soil | 1 | N | | X | |
| AMA20-35-0 | 7/20/2020 | 12:01 | G | Soil | 1 | N | | X | |
| AMA20-110-0 | 7/20/2020 | 12:02 | G | Soil | 1 | N | | X | |
| AMA20-111-0 | 7/20/2020 | 12:05 | G | Soil | 1 | N | | X | |
| AMA20-112-0 | 7/20/2020 | 12:06 | G | Soil | 1 | N | | X | |
| AMA20-113-0 | 7/20/2020 | 12:08 | G | Soil | 1 | N | | X | |
| AMA20-114-0 | 7/20/2020 | 12:11 | G | Soil | 1 | N | | X | |
| AMA20-115-0 | 7/20/2020 | 12:14 | G | Soil | 1 | N | | X | |
| AMA20-116-0 | 7/20/2020 | 12:16 | G | Soil | 1 | N | | X | |
| Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other | | | | | | | | | |
| Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. | | | | | | | | | |
| <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | | | | | | | |
| Special Instructions/QC Requirements & Comments: report results in dry weight | | | | | | | | | |
| Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No | | Custody Seal No.: | | Cooler Temp. (°C): Obs'd | | Cor'd | | Therm ID No.: | |
| Relinquished by: <i>[Signature]</i> | | Company: Weston | | Received by: | | Company: | | Date/Time: | |
| Relinquished by: | | Company: | | Received by: | | Company: | | Date/Time: | |
| Relinquished by: | | Company: | | Received in laboratory by: | | Company: EA-1 | | Date/Time: 7/22/20 1337 | |

Chain of Custody Record

West Sacramento, CA 95605-1500
phone 916.373.5600 fax 303.467.7248

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

COC No. 20191016

12 of 5 Page

TALS Project #:

Site Contact: Greg Roussos

Lab Contact: David Alltucker

Carrier: dropoff

Sampler: Greg Roussos

For Lab Use Only:

Walk-in Client:

Lab Sampling:

Job / SDG No.:

Sample Specific Notes:

Sample Type

Sample Date

Sample Time

Matrix

of Cont.

Filtered Sample (Y / N)

Perform MS / MSD (Y / N)

CAM 17 metals by 6010B/7471A

AMA20-117-0

AMA20-30-0

AMA20-118-0

AMA20-119-0

AMA20-120-0

AMA20-121-0

AMA20-122-0

AMA20-123-0

AMA20-124-0

AMA20-125-0

AMA20-128-0

AMA20-126-0

Preservation Used: 1= Ice, 2= HCl, 3= H2SO4, 4=HNO3, 5=NaOH, 6= Other

Possible Hazard Identification:

Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the

Comments Section if the lab is to dispose of the sample.

Non-Hazardous ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐

Special Instructions/QC Requirements & Comments: report results in dry weight

Custody Seal No.:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Relinquished by:

Chain of Custody Record

West Sacramento, CA 95605-1500
phone 916.373.5600 fax 303.467.7248

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

| | | | | | | | | | | | |
|---|--|--|--|---|--|--------------------------------------|--|----------------------------------|--|------------------------|--|
| Client Contact Weston Solutions 2300 Clayton Road, Suite 900 Concord, CA 94520 (513) 604-4797 (xxx) xxx-xxxx FAX Project Name: Argonaut Mine Mill Area Removal Site: P O # | | Project Manager: Greg Roussos Email: greg.roussos@westonstest.com Tel/Fax: 513-604-4797 | | Site Contact: Greg Roussos Lab Contact: David Alltucker | | Date: 07/22/2020 Carrier: dropoff | | COC No: 20191016 Page 13 of 5 | | | |
| Analysis Turnaround Time <input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day | | Sample Identification | | Sample Type (C=Comp, G=Grab) | | Matrix | | # of Cont. | | | |
| AMA20-127-0 | | 7/20/2020 | | 13:53 | | G | | Soil | | 1 | |
| AMA20-129-0 | | 7/20/2020 | | 14:04 | | G | | Soil | | 1 | |
| AMA20-130-0 | | 7/20/2020 | | 14:10 | | G | | Soil | | 1 | |
| AMA20-131-0 | | 7/20/2020 | | 14:16 | | G | | Soil | | 1 | |
| AMA20-132-0 | | 7/20/2020 | | 14:45 | | G | | Soil | | 1 | |
| AMA20-133-0 | | 7/20/2020 | | 14:48 | | G | | Soil | | 1 | |
| AMA20-134-0 | | 7/20/2020 | | 14:51 | | G | | Soil | | 1 | |
| AMA20-135-0 | | 7/20/2020 | | 14:55 | | G | | Soil | | 1 | |
| AMA20-136-0 | | 7/20/2020 | | 14:58 | | G | | Soil | | 1 | |
| AMA20-137-0 | | 7/20/2020 | | 15:00 | | G | | Soil | | 1 | |
| AMA20-138-0 | | 7/20/2020 | | 15:01 | | G | | Soil | | 1 | |
| AMA20-139-0 | | 7/20/2020 | | 15:03 | | G | | Soil | | 1 | |
| Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4= HNO3; 5= NaOH; 6= Other | | | | | | | | | | | |
| Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison <input type="checkbox"/> Unknown | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments: report results in dry weight | | | | | | | | | | | |
| Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No | | Custody Seal No.: | | Company: Weston | | Date/Time: 7/23/20 1337 | | Received by: | | Company: Weston | |
| Relinquished by: [Signature] | | Company: | | Date/Time: | | Received by: | | Company: | | Date/Time: | |
| Relinquished by: | | Company: | | Date/Time: | | Received by: | | Company: | | Date/Time: | |

Chain of Custody Record

West Sacramento, CA 95605-1500
phone 916.373.5600 fax 303.467.7248

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other:

COC No. 20191016

14 of 5 Page

TALS Project #

Site Contact: Greg Roussos

Project Manager: Greg Roussos

Weston Solutions
2300 Clayton Road, Suite 900
Concord, CA 94520
(513) 604-4797 Phone
(xxx) xxx-xxxx FAX
Project Name: Argonaut Mine Mill Area Removal
Site:
P O #

Tell Fax: 513-604-4797

Analysis Turnaround Time
☐ CALENDAR DAYS ☐ WORKING DAYS
TAT if different from Below

☒ 2 weeks
☐ 1 week
☐ 2 days
☐ 1 day

Site Contact: Greg Roussos

Lab Contact: David Altucker

Carrier: dropoff

For Lab Use Only:
Walk-in Client:
Lab Sampling:

Job / SDG No.:

Sample Specific Notes:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix | # of Cont. | Filtered Sample (Y/N) | Perform MS/MSD (Y/N) | CAM 17 metals by 6010B/7471A |
|-----------------------|-------------|-------------|---------------------------------|--------|------------|-----------------------|----------------------|------------------------------|
| AMA20-140-0 | 7/20/2020 | 15:04 | G | Soil | 1 | N | X | |
| AMA20-141-0 | 7/20/2020 | 15:10 | G | Soil | 1 | N | X | |
| AMA20-142-0 | 7/20/2020 | 15:15 | G | Soil | 1 | N | X | |
| AMA20-143-0 | 7/20/2020 | 15:16 | G | Soil | 1 | N | X | |
| AMA20-144-0 | 7/20/2020 | 15:18 | G | Soil | 1 | N | X | |
| AMA20-145-0 | 7/20/2020 | 15:27 | G | Soil | 1 | N | X | |
| AMA20-146-0 | 7/20/2020 | 15:30 | G | Soil | 1 | N | X | |
| AMA20-147-0 | 7/20/2020 | 15:36 | G | Soil | 1 | N | X | |
| AMA20-148-0 | 7/20/2020 | 15:42 | G | Soil | 1 | N | X | |
| AMA20-149-0 | 7/20/2020 | 15:47 | G | Soil | 1 | N | X | |
| AMA20-150-0 | 7/20/2020 | 15:53 | G | Soil | 1 | N | X | |
| AMA20-151-0 | 7/20/2020 | 15:54 | G | Soil | 1 | N | X | |

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Return to Client ☐ Disposal by Lab ☐ Archive for Months

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Special Instructions/QC Requirements & Comments: report results in dry weight

Custody Seal No.:

Relinquished by: *[Signature]*

Relinquished by: *[Signature]*

Relinquished by: *[Signature]*

Company: *Weston*

Company: *Weston*

Company: *Weston*

Date/Time: 7/23/20

Date/Time: 7/31/20

Date/Time: 7/31/20

Form No. CA-C-WI-002, Rev. 4.26, dated 7/25/2019

| Client Information (Sub Contract Lab) | | | | | | Sampler: | Lab PM: | Carrier Tracking No(s): | COC No: |
|--|---------------|------------------------------|---|-----------------------------------|----------------------------|--|--|-------------------------|-------------|
| Client Contact: Shipping/Receiving Company: TestAmerica Laboratories, Inc. Address: 8880 Riverside Parkway, City: West Sacramento State, Zip: CA, 95605 Phone: 916-373-5600(Tel) 916-372-1059(Fax) Email: Project Name: Weston START Region 9 - Argonaut Mine Site: | | | | | | Phone: | Alltucker, David R | | 720-48823.1 |
| | | | | | | E-Mail: | David.Alltucker@Eurofinset.com | State of Origin: | Page 1 of 6 |
| | | | | | | Accreditations Required (See note): | State - California | Job #: | 720-99304-1 |
| | | | | | | Preservation Codes: | A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO ₄ F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: | | |
| Analysis Requested | | | | | | Total Number of Containers | | | |
| Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (Residue, Shred, On-site, BT-Tissue, A-Me) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 6010B/3050B CAM 17 List, minus Mercury | 7471A/747A Prop Mercury Only | Motiture | |
| 7/20/20 | 11:44 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 11:49 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 11:52 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 11:55 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 12:01 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 12:02 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 12:05 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 12:06 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| 7/20/20 | 12:08 Pacific | Solid | Pacific | X | X | X | X | X | 1 |
| Special Instructions/Note: | | | | | | | | | |
| AMA20-106-0 (720-99304-1) | | | | | | | | | |
| AMA20-107-0 (720-99304-2) | | | | | | | | | |
| AMA20-108-0 (720-99304-3) | | | | | | | | | |
| AMA20-109-0 (720-99304-4) | | | | | | | | | |
| AMA20-35-0 (720-99304-5) | | | | | | | | | |
| AMA20-110-0 (720-99304-6) | | | | | | | | | |
| AMA20-111-0 (720-99304-7) | | | | | | | | | |
| AMA20-112-0 (720-99304-8) | | | | | | | | | |
| AMA20-113-0 (720-99304-9) | | | | | | | | | |

Noter: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification

Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Special Instructions/QC Requirements:

| Date: | Time: | Method of Shipment: |
|------------------------------|--------------|---------------------|
| Relinquished by: [Signature] | 7/23/20 1600 | Company: EPA PC |
| Relinquished by: | | Company: |
| Relinquished by: | | Company: |
| Relinquished by: | | Company: |

Custody Seal No.: SEA1
 Custody Seals Intact: Yes No
 Cooler Temperature(s) °C and Other Remarks: 0.7c car 12c

Chain of Custody Record



| | | | | | | | | | |
|---------------------------------------|--|---------------------------------------|--|---------------------|--|-------------------------------------|--|--|--|
| Client Information (Sub Contract Lab) | | Sampler: | | Lab PM: | | Carrier Tracking No(s): | | COC No: | |
| Shipping/Receiving | | Phone: | | E-Mail: | | State of Origin: | | 720-48823.2 | |
| Company: | | TestAmerica Laboratories, Inc. | | State - California | | Accreditations Required (See note): | | Job #: | |
| Address: | | 880 Riverside Parkway, | | Due Date Requested: | | TAT Requested (days): | | 720-99304-1 | |
| City: | | West Sacramento | | PO #: | | WO #: | | Preservation Codes: | |
| State, Zip: | | CA, 95605 | | Project #: | | 32015655 | | A - HCL M - Hexane B - NaOH N - None C - Zn Acetate D - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 H - Ascorbic Acid L - Ice J - DI Water K - EDTA W - pH 4-5 Z - other (specify) Other: | |
| Project Name: | | Weston START Region 9 - Argonaut Mine | | SSOW#: | | | | | |
| Site: | | | | | | | | | |

| Sample Identification - Client ID (Lab ID) | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=other) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 6010B/3050B CAM 17 List, minus Mercury | 7471A/7471A Prep Mercury Only | Moisture | Analysis Requested | Total Number of Containers | Special Instructions/Note: |
|--|-------------|---------------|------------------------------|------------------------------------|-----------------------------------|----------------------------|--|-------------------------------|----------|--------------------|----------------------------|----------------------------|
| AMA20-114-0 (720-99304-10) | 7/20/20 | 12:11 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-115-0 (720-99304-11) | 7/20/20 | 12:14 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-116-0 (720-99304-12) | 7/20/20 | 12:16 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-117-0 (720-99304-13) | 7/20/20 | 12:17 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-30-0 (720-99304-14) | 7/20/20 | 12:34 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-118-0 (720-99304-15) | 7/20/20 | 12:36 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-119-0 (720-99304-16) | 7/20/20 | 12:40 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-120-0 (720-99304-17) | 7/20/20 | 12:43 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |
| AMA20-121-0 (720-99304-18) | 7/20/20 | 12:46 Pacific | Solid | Solid | X | X | X | X | X | | 1 | |

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

| | | | |
|--|-----------------------------|---|-------------|
| Possible Hazard Identification | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | |
| Unconfirmed | Return To Client | Disposal By Lab | Archive For |
| Deliverable Requested: I, II, III, IV, Other (specify) | Primary Deliverable Rank: 2 | Special Instructions/QC Requirements: | Months |
| Empty Kit Relinquished by: | | Method of Shipment: | |
| Relinquished by: | Date: | Received by: | Date/Time: |
| Relinquished by: | Date/Time: | Received by: | Date/Time: |
| Relinquished by: | Date/Time: | Received by: | Date/Time: |
| Custody Seals Intact: | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks: | |
| Yes Δ No | 541 | 6.7c cor 1.2c | |

Chain of Custody Record

Environment Testing
America

| | | | | | | | | | |
|---|--|--|--|---|--|---|---|---|--|
| Client Information (Sub Contract Lab) Client Contact: _____ Shipping/Receiving Company: TestAmerica Laboratories, Inc. Address: 880 Riverside Parkway, City: West Sacramento State, Zip: CA, 95605 Phone: 916-373-5600(Tel) 916-372-1059(Fax) Email: _____ Project Name: Weston START Region 9 - Argonaut Mine Site: _____ | | Sampler: _____ Phone: _____ Lab PM: Alltucker, David R. E-Mail: David.Alltucker@Eurofinset.com Accreditation Required (See note): State - California | Carrier Tracking No(s): _____ State of Origin: California COC No: 720-48823.3 Page: Page 3 of 6 Job #: 720-99304-1 | | | | | | |
| Analysis Requested Due Date Requested: 8/4/2020 TAT Requested (days): _____ PO #: _____ WO #: _____ Project #: 32015655 SSOW#: _____ | | Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: _____ M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify) | | | | | | | |
| Sample Identification - Client ID (Lab ID) AMA20-122-0 (720-99304-19) AMA20-123-0 (720-99304-20) AMA20-124-0 (720-99304-21) AMA20-125-0 (720-99304-22) AMA20-128-0 (720-99304-23) AMA20-126-0 (720-99304-24) AMA20-127-0 (720-99304-25) AMA20-129-0 (720-99304-26) AMA20-130-0 (720-99304-27) | Sample Date 7/20/20 7/20/20 7/20/20 7/20/20 7/20/20 7/20/20 7/20/20 7/20/20 7/20/20 | Sample Time 12:51 Pacific 12:54 Pacific 12:57 Pacific 13:00 Pacific 13:47 Pacific 13:52 Pacific 13:53 Pacific 14:04 Pacific 14:10 Pacific | Sample Type (C=comp, G=grab) Solid Solid Solid Solid Solid Solid Solid Solid Solid | Matrix (W=water, P=powder, O=ore, T=tissue, A=air) Solid Solid Solid Solid Solid Solid Solid Solid Solid | Field Filtered Sample (Yes or No) X X X X X X X X X | Perform MS/MSD (Yes or No) X X X X X X X X X | 6010B/3050B CAM 17 List, minus Mercury 7471A/7471A Prep Mercury Only Moisture X X X X X X X X | Total Number of Containers 1 1 1 1 1 1 1 1 1 | Special Instructions/Note: |

Note: Since laboratory accreditation is subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____
 Primary Deliverable Rank: 2
 Date: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
 Special Instructions/QC Requirements: _____

Empty Kit Relinquished by: _____
 Relinquished by: _____
 Relinquished by: _____
 Relinquished by: _____

Custody Seal No.: _____
 Custody Seal Intact: ☒ Yes ☐ No
 Cooler Temperature(s) °C and Other Remarks: 0.7c cap 1.2c

Chain of Custody Record

| | | | | | | | | | |
|--|--|-----------------------|--|-------------------------------------|--|-------------------------|--|-----------------------|--|
| Client Information (Sub Contract Lab) | | Sampler: | | Lab PM: | | Carrier Tracking No(s): | | COC No: | |
| Client Contact: | | Phone: | | Ailtucker, David R. | | | | 720-48823.4 | |
| Shipping/Receiving | | | | E-Mail: | | State of Origin: | | Page: | |
| | | | | David.Ailtucker@Eurofinset.com | | California | | Page 4 of 6 | |
| Company: | | | | Accreditations Required (See note): | | Job #: | | 720-99304-1 | |
| TestAmerica Laboratories, Inc. | | | | State - California | | | | | |
| Address: | | Due Date Requested: | | Analysis Requested | | Preservation Codes: | | | |
| 880 Riverside Parkway, | | 8/4/2020 | | | | A - HCL | | M - Hexane | |
| City: | | TAT Requested (days): | | | | B - NaOH | | N - None | |
| West Sacramento | | | | | | C - Zn Acetate | | O - AsNaO2 | |
| State, Zip: | | | | | | D - Nitric Acid | | P - Na2O4S | |
| CA, 95605 | | | | | | E - NaHSO4 | | Q - Na2SO3 | |
| Phone: | | PO #: | | | | F - MeOH | | R - Na2SO3 | |
| 916-373-5600(Tel) 916-372-1059(Fax) | | | | | | G - Amchlor | | S - H2SO4 | |
| Email: | | WO #: | | | | H - Ascorbic Acid | | T - TSP Dodecahydrate | |
| | | | | | | I - Ice | | U - Acetone | |
| Project Name: | | Project #: | | | | J - DI Water | | V - MCAA | |
| Weston START Region 9 - Argonaut Mine | | 32015655 | | | | K - EDTA | | W - pH 4-5 | |
| Site: | | SSOW#: | | | | L - EDA | | Z - other (specify) | |
| | | | | | | Other: | | | |

| Sample Identification - Client ID (Lab ID) | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=soil, BT=Tissue, AA=) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 6010B/3050B CAM 17 List, minus Mercury | 7471A/747A Prep Mercury Only | Moisture | Total Number of containers | Special Instructions/Note: |
|--|-------------|---------------|------------------------------|---|-----------------------------------|----------------------------|--|------------------------------|----------|----------------------------|----------------------------|
| AMA20-131-0 (720-99304-28) | 7/20/20 | 14:16 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-132-0 (720-99304-29) | 7/20/20 | 14:45 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-133-0 (720-99304-30) | 7/20/20 | 14:48 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-134-0 (720-99304-31) | 7/20/20 | 14:51 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-135-0 (720-99304-32) | 7/20/20 | 14:55 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-136-0 (720-99304-33) | 7/20/20 | 14:58 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-137-0 (720-99304-34) | 7/20/20 | 15:00 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-138-0 (720-99304-35) | 7/20/20 | 15:01 Pacific | | Solid | | | X | X | X | 1 | |
| AMA20-139-0 (720-99304-36) | 7/20/20 | 15:03 Pacific | | Solid | | | X | X | X | 1 | |

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

| | |
|--|---|
| Possible Hazard Identification | |
| Unconfirmed | |
| Deliverable Requested: I, II, III, IV, Other (specify) | Primary Deliverable Rank: 2 |
| Sample Disposal: <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months | |
| Special Instructions/QC Requirements: | |
| Method of Shipment: Date: Time: | |
| Relinquished by: | Company: Date/Time: Received by: Date/Time: Received by: Date/Time: Received by: Date/Time: Cooler Temperature(s) °C and Other Remarks: 0.7c av 1.2c |
| Custody Seals Intact: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Custody Seal No.: 914 |

Chain of Custody Record

| | | | | | | | | | |
|--|--|--|--|--|--|---|--|--|--|
| Client Information (Sub Contract Lab) | | | | | | Lab PM: Alltucker, David R | | Carrier Tracking No(s): 720-48823.5 | |
| Client Contact: Shipping/Receiving | | | | | | E-Mail: David.Alltucker@Eurofinset.com | | Page: Page 5 of 6 | |
| Company: TestAmerica Laboratories, Inc. | | | | | | Accreditations Required (See note): State - California | | Job #: 720-99304-1 | |
| Address: 380 Riverside Parkway, City: West Sacramento State, Zip: CA, 95605 | | | | | | | | Preservation Codes: | |
| Phone: 916-373-5600(Tel) 916-372-1059(Fax) | | | | | | | | A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - NeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify) Other: | |
| Project Name: Western START Region 9 - Argonaut Mine | | | | | | Project #: 32015655 | | | |
| Site: | | | | | | SSOW#: | | | |

| Sample Identification - Client ID (Lab ID) | | | | Sample Date | Sample Time | Sample Type (C=comp, G=grab) | Matrix (Weather, Specific, Over-sat, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 6018/3650B CAM 17 List, minus Mercury | 7471A/7471A Prep Mercury Only | Mixture | Total Number of Containers | Special Instructions/Note: |
|--|--|--|--|-------------|---------------|---------------------------------|---|-----------------------------------|----------------------------|---------------------------------------|-------------------------------|---------|----------------------------|----------------------------|
| AMA20-140-0 (720-99304-37) | | | | 7/20/20 | 15:04 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-141-0 (720-99304-38) | | | | 7/20/20 | 15:10 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-142-0 (720-99304-39) | | | | 7/20/20 | 15:15 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-143-0 (720-99304-40) | | | | 7/20/20 | 15:16 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-144-0 (720-99304-41) | | | | 7/20/20 | 15:18 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-145-0 (720-99304-42) | | | | 7/20/20 | 15:27 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-146-0 (720-99304-43) | | | | 7/20/20 | 15:30 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-147-0 (720-99304-44) | | | | 7/20/20 | 15:36 Pacific | Solid | Solid | X | X | X | X | X | 1 | |
| AMA20-148-0 (720-99304-45) | | | | 7/20/20 | 15:42 Pacific | Solid | Solid | X | X | X | X | X | 1 | |

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.

| | | | |
|---|--|---|--|
| Possible Hazard Identification <i>Unconfirmed</i> | | | |
| Deliverable Requested: I, II, III, IV, Other (specify) | | Primary Deliverable Rank: 2 | |
| Empty Kit Relinquished by: | | Date: | |
| Relinquished by: | | Time: | |
| Relinquished by: | | Company: | |
| Relinquished by: | | Company: | |
| Relinquished by: | | Company: | |
| Custody Seal No.: Δ Yes Δ No | | Cooler Temperature(s) °C and Other Remarks: | |

| | | | |
|--|--------------|--|--------------|
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | | | |
| Return To Client <input type="checkbox"/> | | Disposal By Lab <input type="checkbox"/> | |
| Special Instructions/QC Requirements: | | Months | |
| Method of Shipment: | | Archive For | |
| Date/Time: | Received by: | Date/Time: | Received by: |
| 7/24/20 | [Signature] | 7/24/20 | [Signature] |
| Date/Time: | Received by: | Date/Time: | Received by: |
| | | | |
| Date/Time: | Received by: | Date/Time: | Received by: |
| | | | |

Ver: 01/16/2019



Environment Testing
TestAmerica

Sacramento
Sample Receiving Notes



720-99304 Field Sheet

Tracking #: 1872 5143 1550

SO ☒ PO / SAT / 2-Day / Ground / UPS / CDO / Courier
GSO / OnTrac / Goldstreak / USPS / Other

Job: _____

Use this form to record Sample Custody Seal, Cooler Custody Seal, Temperature & corrected Temperature & other observations.
File in the job folder with the COC.

Therm. ID: AL13 Corr. Factor: $(+/-)$ 0.5 °C

Ice ☒ Wet ☒ Gel _____ Other _____

Cooler Custody Seal: Seal

Cooler ID: 1082

Temp Observed: 0.7 °C Corrected: 1.2 °C

From: Temp Blank ☒ Sample ☐

| Opening/Processing The Shipment | Yes | No | NA |
|-----------------------------------|-------------------------------------|-------------------------------------|--------------------------|
| Cooler compromised/tampered with? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cooler Temperature is acceptable? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Initials: SL Date: 7/24/20

| Unpacking/Labeling The Samples | Yes | No | NA |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| CoC is complete w/o discrepancies? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Samples compromised/tampered with? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sample containers have legible labels? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample custody seal? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Containers are not broken or leaking? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample date/times are provided? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Appropriate containers are used? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample bottles are completely filled? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample preservatives verified? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Samples w/o discrepancies? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Zero headspace?* | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Alkalinity has no headspace? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Perchlorate has headspace? (Methods 314, 331, 6850) | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Multiphasic samples are not present? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

*Containers requiring zero headspace have no headspace, or bubble < 6 mm (1/4")

Initials: SL Date: 07/24/20

Notes: _____

Trizma Lot #(s): _____


| Login Completion | Yes | No | NA |
|------------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| Receipt Temperature on COC? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Samples received within hold time? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| NCM Filed? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Log Release checked in TALS? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Initials: SL Date: 07/24/20



Environment Testing
TestAmerica

Sacramento
Sample Receiving Notes



720-99304 Field Sheet

Tracking #: 1872 5143 1560

SO (PO) FO / SAT / 2-Day / Ground / UPS / CDO / Courier
GSO / OnTrac / Goldstreak / USPS / Other

Job: _____

Use this form to record Sample Custody Seal, Cooler Custody Seal, Temperature & corrected Temperature & other observations.
File in the job folder with the COC.

Therm. ID: AL13 Corr. Factor: (+/-) 0.5 °C

Ice ☒ Wet ☒ Gel ☐ Other ☐

Cooler Custody Seal: Seal

Cooler ID: 2082

Temp Observed: 0.5 °C Corrected: 1.0 °C

From: Temp Blank ☒ Sample ☐

Opening/Processing The Shipment Yes No NA

Cooler compromised/tampered with? ☐ ☒ ☐

Cooler Temperature is acceptable? ☒ ☐ ☐

Initials: ST Date: 7/24/20

Unpacking/Labeling The Samples Yes No NA

CoC is complete w/o discrepancies? ☒ ☐ ☐

Samples compromised/tampered with? ☐ ☒ ☐

Sample containers have legible labels? ☒ ☐ ☐

Sample custody seal? ☐ ☐ ☒

Containers are not broken or leaking? ☒ ☐ ☐

Sample date/times are provided? ☒ ☐ ☐

Appropriate containers are used? ☒ ☐ ☐

Sample bottles are completely filled? ☒ ☐ ☐

Sample preservatives verified? ☐ ☐ ☒

Samples w/o discrepancies? ☒ ☐ ☐

Zero headspace? ☐ ☐ ☒

Alkalinity has no headspace? ☐ ☐ ☒

Perchlorate has headspace? ☐ ☐ ☒

(Methods 314, 331, 6850)

Multiphasic samples are not present? ☒ ☐ ☐

*Containers requiring zero headspace have no headspace, or bubble < 6 mm (1/4")

Initials: ST Date: 07/24/20

Notes: _____

Trizma Lot #(s): _____

Login Completion Yes No NA

Receipt Temperature on COC? ☒ ☐ ☐

Samples received within hold time? ☒ ☐ ☐

NCM Filed? ☐ ☐ ☒

Log Release checked in TALS? ☐ ☐ ☒

Initials: ST Date: 07/24/20

W219A
8/5/2020

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 720-99304-1

Login Number: 99304

List Source: Eurofins TestAmerica, Pleasanton

List Number: 1

Creator: Arauz, Dennis

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 720-99304-1

Login Number: 99304

List Number: 2

Creator: Saephan, Kae C

List Source: Eurofins TestAmerica, Sacramento

List Creation: 07/24/20 04:11 PM

| Question | Answer | Comment |
|--|--------|--|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | Seal present with no number. |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | ob: 0.7c corr: 1.2c ob: 0.5c corr: 1.0c |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | False | Received project as a subcontract. |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

APPENDIX C
CONTAINER INVENTORY

Appendix C
Container Inventory - Hazard Catorization Results
Argonaut Mine Headframe Area Mill Area Removal Assessment
Jackson, Amador County, California

| Container Number | Volume of Container | Units | Material | Open or Closed | Percentage Full | Description/label | Description of contents | pH | General reactivity | Shock sensitivity | Flammability | Cyanide | Water reactivity | Halogens | Headspace VOC Reading (parts per million) |
|------------------|---------------------|--------|----------|----------------|-----------------|---|---|----|--------------------|-------------------|--------------|---------|------------------|----------|---|
| Building A | | | | | | | | | | | | | | | |
| A-01 | 5 | gallon | metal | closed | 100% | rusted container | grease | | | | | | | | |
| A-02 | 5 | gallon | metal | closed | 100% | rusted container | grease | | | | | | | | |
| A-03 | 5 | gallon | metal | closed | 20% | rusted container with oil staining around lid | | | | | | | | | |
| A-04 | 2 | gallon | metal | open | 70% | cylinder of corrugated metal, bent and open on top. | grey powder | | | | | | | | |
| A-05 | 15-20 | gallon | metal | open | 80% | Large open cylinder marked "aero brand cyanide, american cyanamid company, made in Canada" | Dark grey fine powder. | 3 | N | N | N | N | N | N | 0 |
| Building B | | | | | | | | | | | | | | | |
| B-01 | 1 | gallon | metal | open | 33% | labeled "thinner, G.E. Glyptal Materials" with 1" open nozzle | Reddish clear fluid, non-viscous. VOC in headspace: 0. Non-flammable. | | | | N | | | | 0 |
| B-02 | 1 | quart | metal | open | 10% | research fluid belt dressing | | | | | | | | | |
| B-03 | 5 | gallon | metal | closed | 0% | severely degraded, holes evident. Labels illegible. | | | | | | | | | |
| B-04 | 0.5 | gallon | metal | closed | 10% | Deodozone Crystals, moth prevention compound. | Clear crystalline solid. | | | | | | | | |
| B-05 | 5 | gallon | metal | closed | 33% | lo fuel oil, sample 2-24-78, Kaiser Refractories | | | | | | | | | |
| B-06 | 5 | gallon | metal | closed | 50% | carbonoyl company | Syrupy dark brown fluid | 7 | N | N | N | N | | N | |
| B-07 | 5 | gallon | plastic | closed | 50% | carbonoyl company, white plastic container | Transparant yellow-amber fluid inside. Solvent class: saturated hydrocarbon | 6 | N | N | N | | | N | |
| B-08 | 1 | gallon | plastic | closed | 75% | 88% light #6 __ oil, 12 % H2O. Date ____, '77, __ulin corporation | | | | | | | | | |
| B-09 | 1 | gallon | metal | closed | 50% | #6 oil, Reiss oil Co. | Dark viscous fluid. VOC in headspace: 0. Non-flammable. | | | | N | | | | 0 |
| B-10 | 1 | gallon | metal | closed | 75% | unlabeled but looks similar to B-09 and found close together. | Reddish clear fluid, non-viscous. VOC in headspace: 0. Non-flammable. | | | | N | | | | 0 |
| B-11 | 1 | gallon | metal | closed | MT | Goodyear 1803-c thinner | | | | | | | | | |
| B-12 | 1 | gallon | metal | closed | 75% | Goodyear 1801-c top coat base cement | | | | | | | | | |
| B-13 | 1 | quart | metal | closed | 30% | chevron RPM Delo 200 Motor oil | | | | | | | | | |
| B-14 | 1 | quart | metal | closed | MT | Torco high performance motor oil | | | | | | | | | |
| B-15 | 15 | gallon | metal | closed | 10% | Hazardous waste label reads "non-RCRA hazardous waste" and "used oil". | | | | | | | | | |
| B-16 | 1 | gallon | metal | closed | 75% | unlabeled | | | | | | | | | |
| B-17 | 5 | gallon | metal | closed | 20% | Grease #2 standard oil company | | | | | | | | | |
| B-18 | 5 | gallon | metal | closed | 100% | ARCO save a line flume coating | Positive on oxidizer | 7 | Oxidizer | | N | | | | |
| B-19 | 5 | gallon | metal | closed | 75% | CALOL W.R.C. lubricant. Likely a wire rope lubricating compound. | | | | | | | | | |
| B-20 | 5 | gallon | metal | closed | 100% | ARCO, same as B-18 | | | | | | | | | |
| B-21 | 1 | gallon | metal | closed | 50% | illegible/unlabeled. | | | | | | | | | |
| B-22 | 15 | gallon | metal | open | 80% | unlabeled. Appears to have corroded part of the metal container. | White/grey clumpy powder | 11 | N | N | N | N | N | N | |
| B-23 | 5 | gallon | plastic | closed | 90% | carbonoyl company, identical to container B-07 | | | | | | | | | |
| B-24 | 1 | gallon | metal | closed | 70% | unlabeled | | | | | | | | | |
| B-25 | 1 | gallon | metal | closed | 70% | unlabeled | Dark, viscous liquid | | N | | N | | | N | 10 |
| B-26 | 1 | gallon | metal | closed | 70% | unlabeled | | | | | | | | | |
| B-27 | 1 | gallon | metal | closed | 70% | unlabeled | | | | | | | | | |
| B-28 | 3 | gallon | metal | closed | 100% | unlabeled | | | | | | | | | |
| B-29 | 1 | gallon | metal | closed | 50% | white oil #2, 1976 | | | | | | | | | |
| B-30 | 1 | gallon | metal | closed | 70% | unlabeled | Black granules | 7 | N | | N | | | | |
| B-31 | 1 | gallon | metal | closed | 30% | unlabeled | | | | | | | | | |
| B-32 | 5 | gallon | metal | closed | N/A | methyl alcohol anhydrous. Appears to have leaked, and is stuck to the floor by an oil-black tar-like material | | | | | | | | | |
| B-33 | 3 | gallon | metal | closed | N/A | unlabeled, possible leak. Stuck to bucket beneath. | | | | | | | | | |
| B-34 | 5 | gallon | metal | closed | 50% | flex cure seal, contains xylol | | | | | | | | | |
| B-35 | 3 | gallon | metal | closed | N/A | unlabeled, possible leak. | | | | | | | | | |
| B-36 | 5 | gallon | metal | closed | N/A | unlabeled | | | | | | | | | |
| B-37 | 1 | gallon | glass | closed | MT | unlabeled | | | | | | | | | |
| B-38 | 1 | gallon | glass | closed | MT | unlabeled | | | | | | | | | |
| B-39 | 1 | quart | glass | closed | 20% | pure white shellac. | brown-black viscous material | | | | | | | | |

Appendix C
Container Inventory - Hazard Catorization Results
Argonaut Mine Headframe Area Mill Area Removal Assessment
Jackson, Amador County, California


| Building C | | | | | | | | | | | | | | | |
|-----------------------|-----|--------|---------|--------|---------|--|---|---|--|--|---|--|--|--|----------|
| C-01 | 1 | gallon | metal | closed | 25% | thinner | red-tinted fluid, viscous. | | | | N | | | | 0.3 |
| C-02 | 1 | gallon | metal | closed | 50% | enamel | | | | | | | | | |
| C-03 | 2 | gallon | plastic | closed | 30% | roundup with spray attachment. | | | | | | | | | |
| C-04 | 1 | gallon | plastic | closed | 10% | clorox bottle, has oil stains | dark fluid, suspected used motor oil | | | | N | | | | 2 |
| C-05 | 1 | pt | plastic | closed | MT | HDSAE 30 motor oil | | | | | | | | | |
| C-06 | 1 | pt | metal | closed | 30% | thread cutting oil, sulfur and chlorine base | | | | | | | | | |
| C-07 | 1 | gallon | metal | closed | MT | Rust-soly- rust solvent | | | | | | | | | |
| C-08 | 1 | gallon | plastic | closed | 50% | Chevron Delo 400 motor oil | | | | | | | | | |
| C-09 | 1 | pt | metal | closed | 20% | touch-up enamel | | | | | | | | | |
| C-10 | 1 | gallon | plastic | closed | 50% | unlabeled deteriorated milk jug with holes. | dark fluid, suspected used motor oil | | | | | | | | |
| C-11 | 1 | gallon | plastic | closed | MT | unlabeled | | | | | | | | | |
| C-12 | 1 | gallon | metal | closed | MT | unlabeled | | | | | | | | | |
| C-13 | 2.5 | gallon | plastic | closed | 10% | gasoline can labeled "diesel" | smells like old gasoline | | | | N | | | | |
| C-14 | 1 | gallon | metal | closed | 100% | machinery enamel | | | | | | | | | |
| C-15 | 5 | gallon | metal | closed | 80% | open cylinder | grey powder | | | | | | | | |
| C-16 | 0.5 | gallon | plastic | closed | 1% | antifreeze | | | | | | | | | |
| C-17 | -- | -- | metal | -- | -- | metal canister, gage reads 0 pressure | | | | | | | | | |
| C-18 | 1 | gallon | glass | closed | 25% | unlabeled, clear glass bottle | clear liquid | 7 | | | Y | | | | 2 |
| Various Paint cans | -- | gallon | metal | closed | Various | labeled as paints or paint related materials | various colored liquids, many separated with hardened cakes beneath surface. Some cans were empty, some were over half full. Gallon or half-gallson containers. | | | | N | | | | 20 - 300 |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 1 | Date: 7/21/2020 |  | |
| Description: A-01 | | | |


| | | |
|------------------------------|---------------------------|--|
| Photo No. 2 | Date: 7/21/2020 |  |
| Description: A-02 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 3 | Date: 7/21/2020 |  | |
| Description: A-03 | | | |


| | | |
|------------------------------|---------------------------|--|
| Photo No. 4 | Date: 7/21/2020 |  |
| Description: A-04 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 5 | Date: 7/21/2020 |  | |
| Description: A-05 | | | |


| | | |
|-----------------------------|---------------------------|--|
| Photo No. 6 | Date: 7/21/2020 |  |
| Description: B-01 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 7 | Date: 7/21/2020 |  | |
| Description: B-02 | | | |


| | | |
|-----------------------------|---------------------------|--|
| Photo No. 8 | Date: 7/21/2020 |  |
| Description: B-03 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 9 | Date: 7/21/2020 |  | |
| Description: B-04 | | | |


| | | |
|------------------------|--------------------|--|
| Photo No. 10 | Date: 7/21/2020 |  |
| Description: B-05 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 11 | Date: 7/21/2020 |  | |
| Description: B-06 | | | |


| | | |
|-----------------------------|---------------------------|--|
| Photo No. 12 | Date: 7/21/2020 |  |
| Description: B-07 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 13 | Date: 7/21/2020 |  | |
| Description: B-08 | | | |


| | | |
|-------------------------------|---------------------------|--|
| Photo No. 14 | Date: 7/21/2020 |  |
| Description: B-09 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 15 | Date: 7/21/2020 |  | |
| Description: B-10 | | | |


| | | |
|-----------------------------|---------------------------|--|
| Photo No. 16 | Date: 7/21/2020 |  |
| Description: B-11 | | |


| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 17 | Date: 7/21/2020 |  | |
| Description: B-12 | | | |


| | | |
|------------------------|--------------------|--|
| Photo No. 18 | Date: 7/21/2020 |  |
| Description: B-13 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 19 | Date: 7/21/2020 |  | |
| Description: B-14 | | | |


| | | |
|------------------------|--------------------|--|
| Photo No. 20 | Date: 7/21/2020 |  |
| Description: B-15 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 21 | Date: 7/21/2020 |  | |
| Description: B-16 | | | |


| | | |
|-------------------------------|---------------------------|--|
| Photo No. 22 | Date: 7/21/2020 |  |
| Description: B-17 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 23 | Date: 7/21/2020 |  | |
| Description: B-18 | | | |


| | | |
|-------------------------------|---------------------------|--|
| Photo No. 24 | Date: 7/21/2020 |  |
| Description: B-19 | | |


| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 25 | Date: 7/21/2020 |  | |
| Description: B-20 | | | |


| | | |
|-----------------------------|---------------------------|--|
| Photo No. 26 | Date: 7/21/2020 |  |
| Description: B-21 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 27 | Date: 7/21/2020 |  | |
| Description: B-32 | | | |


| | | |
|------------------------|--------------------|--|
| Photo No. 28 | Date: 7/21/2020 |  |
| Description: B-33 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 29 | Date: 7/21/2020 |  | |
| Description: B-34 | | | |


| | | |
|------------------------|--------------------|--|
| Photo No. 30 | Date: 7/21/2020 |  |
| Description: B-35 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 31 | Date: 7/21/2020 |  | |
| Description: B-36 | | | |


| | | |
|-------------------------------|--------------------|--|
| Photo No. 32 | Date: 7/21/2020 |  |
| Description: B-37 and B-38 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 33 | Date: 7/21/2020 |  | |
| Description: B-39 | | | |


| | | |
|-------------------------------|---------------------------|--|
| Photo No. 34 | Date: 7/21/2020 |  |
| Description: C-01 | | |


| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 35 | Date: 7/21/2020 |  | |
| Description: C-02 | | | |

| | | | |
|----------------------|--------------------|--|--|
| Photo No. 36 | Date: 7/21/2020 |  | |
| Description: C-03 | | | |

| | | | | |
|--|---------------------------|---|--|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | | DCN: 0023-08-AAFX |
| Photo No. 37 | Date: 7/21/2020 |  | | |
| Description: C-04 | | | | |


| | | | | |
|-------------------------------|---------------------------|--|--|--|
| Photo No. 38 | Date: 7/21/2020 |  | | |
| Description: C-05 | | | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 39 | Date: 7/21/2020 |  | |
| Description: C-06 | | | |

| | | | |
|-------------------------------|---------------------------|--|--|
| Photo No. 40 | Date: 7/21/2020 |  | |
| Description: C-07 | | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 41 | Date: 7/21/2020 |  | |
| Description: C-08 | | | |


| | | |
|-------------------------------|---------------------------|--|
| Photo No. 42 | Date: 7/21/2020 |  |
| Description: C-09 | | |

| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 43 | Date: 7/21/2020 |  | |
| Description: C-10 | | | |

| | | |
|-------------------------------|---------------------------|--|
| Photo No. 44 | Date: 7/21/2020 |  |
| Description: C-11 | | |


| | | | |
|--|---------------------------|---|--------------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 45 | Date: 7/21/2020 |  | |
| Description: C-12 | | | |

| | | |
|-------------------------------|---------------------------|--|
| Photo No. 46 | Date: 7/21/2020 |  |
| Description: C-13 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 47 | Date: 7/21/2020 |  | |
| Description: C-14 | | | |

| | | |
|------------------------|--------------------|--|
| Photo No. 48 | Date: 7/21/2020 |  |
| Description: C-16 | | |

| | | | |
|---|--------------------|---|-------------------|
| Project Name: Argonaut Mine Headframe Area | | Site Location: Jackson, California | DCN: 0023-08-AAFX |
| Photo No. 49 | Date: 7/21/2020 |  | |
| Description: C-17 | | | |

| | | |
|----------------------|--------------------|--|
| Photo No. 50 | Date: 7/21/2020 |  |
| Description: C-18 | | |