

From: [William Salomone](#)
To: [Scharr, Ruth](#)
Subject: FW: NKWP - Submittal - Response Action Final Report - link
Date: Thursday, May 30, 2019 2:01:54 PM

Hi Ruth,

Devlin was not able to use the link that I provided below. Let me know if it works for you.

Thank you,

Bill

On Wed, May 29, 2019 at 4:35 PM William Salomone <wsalomone@daa.com> wrote:

Ruth,

On behalf of our Client, Thomas Liesfeld, we are pleased to submit the **Final Report - Removal Response Action**. We request USEPA's Approval that the Report is acceptable in accordance with the Order.

The **Final Report** includes the following revisions, completed after the completion of the *Draft Final Report*, submitted on 7/27/2018:

1. First Page: The Signed Engineer's Certification Statement is added.
2. Section 1.0: The last sentence is added.
3. Section 6.5.4, Second Paragraph, Last Sentence: Added to summarize the testing results.
4. Section 7.2: New section added - "Outer Area Soil Characterization"
5. Section 7.1: The last sentence of the section is added.
6. Section 9.0, No. 4: The section is modified to address EPA's comment regarding the typo on Page 32 to replace "I" with "A". - email dated 4/8/2019.
7. Section 10.0: The section is updated to describe the filing of the UECA as required by the VADEQ.
8. Appendix F, Correspondence: The following documents are added to the end of the appendix: (1) USEPA Letter to William Salomone – DAA, *RE: Modification to the Response Action Plan*, dated September 19, 2018, and (2) the USEPA Memo to File, *RE: Modification to the Response Action Plan*, dated September 19, 2018.

The Report is available to download from our file server:

<https://files.daa.com/fl/L0lcZWIEwb>
(link expires on June 29, 2019)

The signed UECA was filed with the New Kent County Courthouse in accordance with the VADEQ's requirements for long term Site control. A copy of the recorded UECA is also provided via the above.

Please let me know if you have any questions or comments. If acceptable, we will proceed with preparation of a hard copies of the Report for delivery to the EPA and the DEQ.

Thank you,

Bill

William A. Salomone, P.E.

Senior Project Engineer

Draper Aden Associates

Engineering • Surveying • Environmental Services

Lasting Positive Impact™

Phone: 804.264.2228 • Direct: 804.237.1858

[Web](#) • [Blog](#) • [Facebook](#) • [Twitter](#) • [LinkedIn](#)