

Table 1
Roving Air Monitoring Results Summary Table
My Way Trading Warehouse Fire
Richmond, Indiana
Monitoring Period: 04/16/2023 10:58 through 04/16/2023 22:51

Location	Date/Time	Benzene (ppm)	Cl ₂ (ppm)	CO (ppm)	H ₂ S (ppm)	HCl (ppm)	HCN (ppm)
A-03	4/16/23 15:34	0	0	0	0	0	0
A-04	4/16/23 15:43	0	0	0	0	0	0
B-03	4/16/23 11:20	0	0	0	0	0	0
D-02	4/16/23 10:58	0	0	0	0	0	0
D-04	4/16/23 11:53	0	0	0	0	0	0
SR-03	4/16/23 12:04	0	0	0	0	0	0
	4/16/23 15:52	0	0	0	0	0	0
	4/16/23 22:22	0	0	0	0	0	0
SR-06	4/16/23 22:51	0	0	0	0	0	0
SR-07	4/16/23 16:03	0	0	0	0	0	0
	4/16/23 22:38	0	0	0	0	0	0
State hospital	4/16/23 21:17	0	0	0	0	0	0

Notes:

The measurements shown above were collected inside of the evacuation zone. These measurements are not representative of private citizen exposure.

% - percent

Cl₂ - chlorine

CO - carbon monoxide

H₂S - hydrogen sulfide

HCl - hydrogen chloride

HCN - hydrogen cyanide

LEL - lower explosive limit

mg/m³ - milligrams per cubic meter

PH₃ - Phosphine

PM_{2.5} - particles that are 2.5 micrometers and smaller

PM₁₀ - particles that are 10 micrometers and smaller

ppm - parts per million

VOC - volatile organic compounds

Table 1
Roving Air Monitoring Results Summary Table
My Way Trading Warehouse Fire
Richmond, Indiana
Monitoring Period: 04/16/2023 10:58 through 04/16/2023 22:51

Location	Date/Time	LEL (%)	VOC (ppm)	PM _{2.5} (mg/m ³)	PM ₁₀ (mg/m ³)	PH ₃ (ppm)
A-03	4/16/23 15:34	0	0	0.012	0.021	0
A-04	4/16/23 15:43	0	0	0.012	0.002	0
B-03	4/16/23 11:20	0	0	0.004	0.08	0
D-02	4/16/23 10:58	0	0	0.004	0.006	0
D-04	4/16/23 11:53	0	0	0.005	0.006	
SR-03	4/16/23 12:04	0	0			0
	4/16/23 15:52	0	0	0.004	0.006	0
	4/16/23 22:22	0	0	0.009	0.009	0
SR-06	4/16/23 22:51	0	0	0.006	0.006	0
SR-07	4/16/23 16:03	0	0	0.008	0.016	0
	4/16/23 22:38	0	0	0.007	0.007	0
State hospital	4/16/23 21:17	0	0	0.006	0.006	0

Notes:

The measurements shown above were collected inside of the evacuation zone. These measurements are not representative of private citizen exposure.

% - percent

Cl₂ - chlorine

CO - carbon monoxide

H₂S - hydrogen sulfide

HCl - hydrogen chloride

HCN - hydrogen cyanide

LEL - lower explosive limit

mg/m³ - milligrams per cubic meter

PH₃ - Phosphine

PM_{2.5} - particles that are 2.5 micrometers and smaller

PM₁₀ - particles that are 10 micrometers and smaller

ppm - parts per million

VOC - volatile organic compounds