

Table 1  
Roving Air Monitoring Results Summary Table  
My Way Trading Warehouse Fire  
Richmond, Indiana  
Monitoring Period: 04/13/2023 17:27 to 04/14/2023 02:25

Location	Date/Time	Benzene (ppm)	Cl <sub>2</sub> (ppm)	CO (ppm)	H <sub>2</sub> S (ppm)
A-03	4/14/2023 2:21	0	0	0	0
A-04	4/14/2023 2:25	0	0	0	0
B-02	4/14/2023 2:16	0	0	0	0
C-02	4/14/2023 2:06	0	0	0	0
C-03	4/14/2023 2:11	0	0	0	0
D-02	4/13/2023 23:34	0	0	0	0
E-01	4/14/2023 0:24	0	0	0	0
SR-01	4/14/2023 2:00	0	0	0	0
585 New Garden Rd	4/13/2023 17:59	0	0	0	0
700 Richmond Ave	4/14/2023 0:42	0	0	0	0
Near the corner of Indiana Ave	4/14/2023 0:17	0.51		13	0
Overhead Door	4/13/2023 20:55	0	0.5	0	0
Overhead Door	4/13/2023 23:08				
Richmond State Hospital	4/13/2023 17:27	0	0	0	0

Notes:

% - percent

Cl<sub>2</sub> - chlorine

CO - carbon monoxide

H<sub>2</sub>S - hydrogen sulfide

HCl - hydrogen chloride

HCN - hydrogen cyanide

LEL - lower explosive limit

mg/m<sup>3</sup> - milligrams per cubic meter

O<sub>2</sub> - oxygen

PM<sub>2.5</sub> - particles that are 2.5 micrometers and smaller

PM<sub>10</sub> - particles that are 10 micrometers and smaller

ppm - parts per million

VOC - volatile organic compounds

Table 1  
Roving Air Monitoring Results Summary Table  
My Way Trading Warehouse Fire  
Richmond, Indiana  
Monitoring Period: 04/13/2023 17:27 to 04/14/2023 02:25

Location	Date/Time	HCl (ppm)	HCN (ppm)	LEL (%)	Oxygen (%)
A-03	4/14/2023 2:21	0	0	0	20.9
A-04	4/14/2023 2:25	0	0	0	
B-02	4/14/2023 2:16	0	0	0	
C-02	4/14/2023 2:06	0	0	0	
C-03	4/14/2023 2:11	0	0	0	
D-02	4/13/2023 23:34	0	0	0	
E-01	4/14/2023 0:24	0	0	0	
SR-01	4/14/2023 2:00	0	0	0	
585 New Garden Rd	4/13/2023 17:59	0	0	0	
700 Richmond Ave	4/14/2023 0:42	0	0	0	
Near the corner of Indiana Ave	4/14/2023 0:17		2	0	
Overhead Door	4/13/2023 20:55	0	1	0	
Overhead Door	4/13/2023 23:08				
Richmond State Hospital	4/13/2023 17:27	0	0	0	

Notes:

% - percent

Cl<sub>2</sub> - chlorine

CO - carbon monoxide

H<sub>2</sub>S - hydrogen sulfide

HCl - hydrogen chloride

HCN - hydrogen cyanide

LEL - lower explosive limit

mg/m<sup>3</sup> - milligrams per cubic meter

O<sub>2</sub> - oxygen

PM<sub>2.5</sub> - particles that are 2.5 micrometers and smaller

PM<sub>10</sub> - particles that are 10 micrometers and smaller

ppm - parts per million

VOC - volatile organic compounds

Table 1  
Roving Air Monitoring Results Summary Table  
My Way Trading Warehouse Fire  
Richmond, Indiana  
Monitoring Period: 04/13/2023 17:27 to 04/14/2023 02:25

Location	Date/Time	VOC (ppm)	PM <sub>2.5</sub> (mg/m <sup>3</sup> )	PM <sub>10</sub> (mg/m <sup>3</sup> )
A-03	4/14/2023 2:21	0	0.014	0.018
A-04	4/14/2023 2:25	0	0.536	0.555
B-02	4/14/2023 2:16	0	0.031	0.042
C-02	4/14/2023 2:06	0	0.019	0.022
C-03	4/14/2023 2:11	0	0.031	0.038
D-02	4/13/2023 23:34	0	0.037	0.052
E-01	4/14/2023 0:24	0	0.034	0.037
SR-01	4/14/2023 2:00	0	0.028	0.032
585 New Garden Rd	4/13/2023 17:59	0	0.056	0.061
700 Richmond Ave	4/14/2023 0:42	0	0.291	0.391
Near the corner of Indiana Ave	4/14/2023 0:17	2.45	11.25	12.125
Overhead Door	4/13/2023 20:55	0.15	1.65	1.89
Overhead Door	4/13/2023 23:08		0.012	0.012
Richmond State Hospital	4/13/2023 17:27	0	0.032	0.037

Notes:

% - percent

Cl<sub>2</sub> - chlorine

CO - carbon monoxide

H<sub>2</sub>S - hydrogen sulfide

HCl - hydrogen chloride

HCN - hydrogen cyanide

LEL - lower explosive limit

mg/m<sup>3</sup> - milligrams per cubic meter

O<sub>2</sub> - oxygen

PM<sub>2.5</sub> - particles that are 2.5 micrometers and smaller

PM<sub>10</sub> - particles that are 10 micrometers and smaller

ppm - parts per million

VOC - volatile organic compounds